

# Asia Plus Securities Company Limited Daily Quotation Report

**Monday April 21, 2025**

**NOTE :**

- 1.This is a preliminary quotation, not an official one
- 2.Volumes are presented in board lot (100 shares)
- 3.Trading values are in thousand (1,000) baht
- 4.Fundamental statistics are estimated values
- 5.Stocks that do not have ana trade are NOT included in the number of stocks unchanged

Top Ten Most Active			
Stock	Last	Value '000	%Change
KBANK	148.50	24,286	0.0%
CPALL	49.75	20,166	-0.5%
BBL	143.50	15,253	-0.3%
SCB	112.50	14,376	-2.2%
KTB	20.20	14,289	-5.2%
PTT	30.75	12,051	-0.8%
DELTA	68.00	11,316	-1.4%
GULF	44.50	10,787	-4.8%
AOT	37.25	10,321	-2.0%
TTB	1.82	9,422	-3.7%

Gainers and Losers	
Gainers	156
Losers	339
Unchanged	163

Volume by Board (Lot)	
Main Board	6,993,503,710
Foreign Board	22,659
Total	6,993,526,369

Value by Board (Mn.Bt.)	
Main Board	32,276.37
Foreign Board	189.00
Total	32,465.37

Top Ten Gainers		
Stock	Last	Value '000
HSI06C2504D	0.22	5
AAV19C2505A	0.02	0
AAV19C2507A	0.02	1
BCP01P2505A	0.04	22
DELTA01C2506A	0.02	2
EA19C2506A	0.02	0
HSI06P2504B	0.02	0
SCN-W2	0.04	32
SET01C2506A	0.02	0
SET5041C2506B	0.02	5

Top Ten Losers		
Stock	Last	Value '000
RCL41C2505A	0.01	3
ITC41C2505A	0.01	1
SCC41C2505A	0.01	0
CPF01C2509A	0.18	0
BANPU13C2506A	0.01	1
TU19C2505A	0.01	0
AOT01C2509A	0.24	575
HSI06P2504D	0.12	1
IVL01C2509A	0.31	631
JMART13C2508A	0.33	1,300

Movements in SET and Sectorial Indices						
	Open	High	Low	Close	Change	%Change
<b>.SET</b>	1,149.33	1,153.83	1,130.56	1,134.71	(16.24)	(1.41)
<b>.SET50</b>	734.16	737.77	720.64	723.85	(10.52)	(1.43)
<b>.SET100</b>	1,582.72	1,590.01	1,553.35	1,562.34	(24.31)	(1.53)
<b>.SETHD</b>	1,071.95	1,074.66	1,048.91	1,051.90	(21.05)	(1.96)
<b>.MAI</b>	607.63	609.27	599.38	257.78	5.61	2.22
.AGRI	175.38	175.88	172.67	172.72	(2.42)	(1.38)
.BANK	391.30	392.08	382.66	383.83	(7.69)	(1.96)
.CONMAT	4,519.63	4,530.79	4,410.29	4,410.29	(125.07)	(2.76)
.PETRO	446.50	448.68	437.75	437.75	(8.53)	(1.91)
.COMM	24,392.52	24,471.24	23,888.12	23,978.06	(408.39)	(1.67)
.ICT	186.24	187.36	184.66	186.23	0.07	0.04
.ETRON	8,391.10	8,699.27	8,272.49	8,272.49	(156.23)	(1.85)
.ENERG	15,372.67	15,452.98	15,048.00	15,113.93	(335.56)	(2.17)
.MEDIA	23.13	23.61	22.95	23.08	0.01	0.04
.FIN	2,490.41	2,508.93	2,464.42	2,472.40	(31.45)	(1.26)
.FOOD	9,315.59	9,345.33	9,187.27	9,237.59	(90.42)	(0.97)
.HEALTH	4,986.60	5,005.56	4,939.22	4,977.07	(14.96)	(0.30)
.TOURISM	443.59	443.91	431.48	433.97	(9.18)	(2.07)
.HOME	15.87	15.95	15.64	15.79	0.02	0.13
.INSUR	8,759.32	8,946.32	8,722.71	8,842.62	82.15	0.94
.MINE	-	-	-	-	-	-
.PKG	1,777.03	1,796.61	1,746.88	1,768.68	(11.76)	(0.66)
.PERSON	70.25	70.64	69.39	69.48	(0.48)	(0.69)
.PROF	205.76	205.76	195.85	195.85	(8.66)	(4.23)
.PROP	150.50	151.51	148.14	148.70	(1.58)	(1.05)
.PAPER	2,180.18	2,194.24	2,166.11	2,166.11	(14.07)	(0.65)
.FASHION	576.83	577.20	566.18	567.08	(9.64)	(1.67)
.TRANS	204.27	204.68	199.38	200.24	(3.62)	(1.78)
.AUTO	278.70	279.90	277.59	279.70	0.60	0.21
.IMM	17.64	17.75	17.57	17.62	(0.04)	(0.23)
.PFUND	148.43	148.53	147.70	120.67	(0.19)	(0.16)
.STEEL	19.17	19.27	18.73	18.74	(0.17)	(0.90)

ASP's Daily Quotation Report

Monday April 21, 2025



## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SAFARI	2.40	180468	-	-	-	-	-	-	-	-	-	0
Agribusiness												
EE	0.29	06/02/2394	0.29	0.32	0.28	0.29	0.28	0.29	-	263,695	7,857	0.297
GFPT	9.05	180468	9.05	9.10	8.95	9.00	8.95	9.00	(0.05)	18,806	16,957	9.016
LEE	2.24	180468	2.24	2.24	2.22	2.24	2.22	2.24	-	102	23	2.23
NER	4.40	180468	4.40	4.44	4.36	4.36	4.36	4.38	(0.04)	49,839	21,895	4.393
NER-W2	0.20	180468	0.20	0.21	0.18	0.19	0.18	0.19	(0.01)	13,313	253	0.199
PCE	2.96	180468	2.96	2.98	2.90	2.94	2.94	2.96	(0.02)	43,944	12,907	2.937
PPPM	0.35	180468	0.35	0.44	0.35	0.40	0.40	0.41	0.05	32,914	1,325	0.402
PPPM-W6	0.21	180468	-	0.22	0.19	0.21	0.19	0.21	-	294	6	0.211
STA	13.70	180468	13.80	13.80	13.30	13.30	13.30	13.40	(0.40)	56,947	76,727	13.473
STA01C2506A	0.05	180468	-	-	-	-	0.03	0.04	-	-	-	0
STA13C2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	1	-	0.01
STA13C2506A	0.08	180468	-	-	-	-	0.05	0.06	-	-	-	0
STA13C2508A	0.31	180468	0.32	0.32	0.27	0.27	0.27	0.29	(0.04)	46,865	1,347	0.287
STA19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
STA19C2506A	0.06	180468	-	0.05	0.05	0.05	0.04	0.05	(0.01)	500	3	0.05
STA41C2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.03	-	1,006	1	0.01
STA41C2612T	0.33	180468	-	0.33	0.31	0.31	0.30	0.31	(0.02)	13,500	436	0.322
TEGH	2.96	180468	2.96	2.96	2.88	2.88	2.88	2.92	(0.08)	2,160	629	2.913
TFM	8.65	180468	8.65	8.85	8.55	8.60	8.60	8.65	(0.05)	469	406	8.651
TRUBB	0.63	180468	0.62	0.63	0.61	0.61	0.61	0.62	(0.02)	1,839	115	0.626
UPOIC	6.45	180468	-	6.50	6.50	6.50	6.30	6.45	0.05	1	1	6.5
UVAN	9.15	180468	9.10	9.15	9.05	9.05	9.05	9.15	(0.10)	2,878	2,618	9.096
VPO	0.45	180468	0.44	0.47	0.44	0.44	0.44	0.45	(0.01)	8,289	373	0.449
Banking												
BAY	22.10	180468	22.00	22.10	21.70	21.90	21.90	22.00	(0.20)	1,614	3,526	21.846
BBL	144.00	180468	144.50	145.50	142.50	143.50	143.50	144.00	(0.50)	105,878	1,525,275	144.059
BBL11C2507A	0.12	180468	-	0.13	0.11	0.12	0.11	0.12	-	26,203	316	0.12
BBL13C2507A	0.05	180468	-	0.04	0.04	0.04	0.04	0.05	(0.01)	2,950	12	0.04
BBL13C2508A	0.18	180468	0.18	0.18	0.16	0.16	0.16	0.17	(0.02)	64,539	1,110	0.172
BBL19C2506A	0.05	180468	-	-	-	-	0.01	0.04	-	-	-	0
BBL19C2508A	0.16	180468	-	0.16	0.15	0.15	0.12	0.16	(0.01)	1,105	18	0.159
BBL41C2506A	0.07	180468	-	-	-	-	0.01	0.03	-	-	-	0
BBL41C2609T	0.32	180468	-	0.32	0.31	0.31	0.31	0.32	(0.01)	8,000	252	0.315
CIMBT	0.60	180468	0.60	0.64	0.60	0.64	0.62	0.64	0.04	35,719	2,203	0.616
CREDIT	19.00	180468	19.00	19.00	18.60	19.00	18.90	19.00	-	446	844	18.923
KBANK	148.50	180468	150.50	151.50	148.00	148.50	148.50	149.00	-	162,468	2,428,615	149.482
KBANK01C2506A	0.11	180468	0.14	0.14	0.11	0.11	0.11	0.12	-	44,848	549	0.122
KBANK01C2508A	0.62	180468	-	0.61	0.61	0.61	0.61	0.63	(0.01)	250	15	0.61
KBANK01P2507A	0.38	180468	0.37	0.38	0.35	0.37	0.37	0.39	(0.01)	13,230	486	0.367
KBANK13C2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	120	-	0.01
KBANK13C2507A	0.25	180468	-	0.25	0.24	0.24	0.22	0.24	(0.01)	38	1	0.249
KBANK13C2508A	0.56	180468	0.60	0.61	0.53	0.54	0.54	0.55	(0.02)	146,396	8,532	0.582
KBANK13P2507A	0.23	180468	0.20	0.23	0.20	0.22	0.22	0.23	(0.01)	29,214	620	0.212
KBANK19C2505A	0.01	180468	-	-	-	-	0.01	0.04	-	-	-	0
KBANK19C2507A	0.07	180468	-	-	-	-	0.09	0.12	-	-	-	0
KBANK19C2507B	0.21	180468	-	0.21	0.20	0.20	0.16	0.20	(0.01)	39	1	0.208
KBANK41C2505A	0.04	180468	-	-	-	-	0.01	0.03	-	-	-	0
KBANK41C2604T	0.67	180468	-	0.71	0.67	0.67	0.67	0.68	-	90,145	6,270	0.695
KBANK41C2609T	0.38	180468	-	0.39	0.38	0.38	0.37	0.38	-	25,000	970	0.388
KBANK41P2606T	0.39	180468	-	-	-	-	0.39	0.40	-	-	-	0
KKP	55.75	180468	54.00	54.00	50.00	50.00	49.75	50.00	(5.75)	107,536	551,677	51.301
KKP-W6	1.03	180468	0.92	1.01	0.88	0.88	0.88	0.90	(0.15)	6,385	578	0.905
KKP19C2507A	0.21	180468	0.18	0.18	0.09	0.10	0.09	0.10	(0.11)	24,293	283	0.116
KTB	21.30	180468	21.20	21.20	20.10	20.20	20.20	20.30	(1.10)	697,826	1,428,873	20.476
KTB-P	153.00	180468	-	-	-	-	-	-	-	-	-	0
KTB-Q	-	101743	-	-	-	-	-	-	-	-	-	0
KTB01C2506A	0.16	180468	-	0.12	0.08	0.08	0.08	0.09	(0.08)	13,825	144	0.104
KTB13C2505A	0.05	180468	-	0.03	0.02	0.02	0.02	0.03	(0.03)	1,208	3	0.022
KTB13C2507A	0.11	180468	-	0.10	0.06	0.07	0.06	0.07	(0.04)	1,490	12	0.077
KTB13C2508A	0.38	180468	-	0.37	0.27	0.28	0.28	0.29	(0.10)	26,314	794	0.301
KTB13P2507A	0.22	180468	0.23	0.29	0.22	0.28	0.28	0.29	0.06	69,859	1,873	0.268
KTB19C2505A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
KTB19C2506A	0.05	180468	-	-	-	-	0.02	0.05	-	-	-	0
KTB19C2508A	0.40	180468	0.39	0.39	0.29	0.29	0.29	0.30	(0.11)	10,609	315	0.297
KTB41C2506A	0.08	180468	-	-	-	-	0.04	0.05	-	-	-	0
LHFG	0.79	180468	0.80	0.80	0.78	0.78	0.78	0.79	(0.01)	186,620	14,722	0.788
SCB	115.00	180468	114.00	114.50	112.50	112.50	112.00	112.50	(2.50)	127,122	1,437,584	113.086
SCB01C2505A	0.06	180468	-	0.02	0.02	0.02	0.02	0.03	(0.04)	400	1	0.02
SCB01C2507A	0.19	180468	0.18	0.18	0.17	0.17	0.16	0.17	(0.02)	20,878	355	0.17
SCB01P2507A	0.37	180468	-	0.39	0.39	0.39	0.41	0.42	0.02	20	1	0.39
SCB13C2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	54	-	0.01
SCB13C2508A	0.20	180468	-	0.19	0.16	0.16	0.16	0.17	(0.04)	27,243	458	0.167
SCB13P2507A	0.16	180468	-	0.18	0.16	0.18	0.18	0.19	0.02	45,873	811	0.176
SCB19C2507A	0.11	180468	-	-	-	-	0.08	0.12	-	-	-	0
SCB19C2509A	0.28	180468	-	0.27	0.25	0.25	0.25	0.27	(0.03)	3,855	96	0.25
SCB41C2505A	0.10	180468	-	-	-	-	0.01	0.03	-	-	-	0
SCB41C2609T	0.33	180468	-	0.30	0.30	0.30	0.29	0.30	(0.03)	13,243	397	0.3
TCAP	47.50	180468	47.50	47.75	46.50	47.00	47.00	47.25	(0.50)	19,183	90,272	47.058
TCAP-P	560.00	180468	-	-	-	-	-	-	-	-	-	0
TCAP-Q	-	101743	-	-	-	-	-	-	-	-	-	0
TCAP13C2508A	0.22	180468	-	0.22	0.20	0.20	0.20	0.21	(0.02)	10,332	214	0.206
TISCO	100.00	180468	100.00	101.00	100.00	100.00	100.00	100.50	-	58,566	587,713	100.35
TISCO-P	1,346.00	180468	-	-	-	-	-	900.00	-	-	-	0
TISCO-Q	8.00	180468	-	-	-	-	-	-	-	-	-	0
TISCO041C2606T	0.32	180468	-	0.32	0.32	0.32	0.31	0.32	-	387	12	0.32
TTB	1.89	180468	1.89	1.90	1.82	1.82	1.82	1.83	(0.07)	5,101,915	942,211	1.846
TTB-W1	0.86	180468	-	-	-	-	-	-	-	-	-	0
TTB01C2507A	0.05	180468	-	-	-	-	0.03	0.04	-	-	-	0
TTB13C2506A	0.08	180468	-	0.06	0.05	0.05	0.04	0.05	(0.03)	14,472	83	0.057
TTB13C2507A	0.06	180468	-	-	-	-	0.03	0.04	-	-	-	0
TTB19C2508A	0.13	180468	-	0.11	0.10	0.10	0.09	0.10	(0.03)	4,650	48	0.103
Construction Materie												
CCP	0.19	180468	0.20	0.20	0.19	0.19	0.19	0.20	-	3,017	58	0.192
DCC	1.55	180468	1.55	1.57	1.53	1.53	1.53	1.55	(0.02)	16,806	2,598	1.545
DCON	0.25	180468	0.24	0.25	0.24	0.24	0.24	0.25	(0.01)	16,494	397	0.24
DCON-W3	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
DCON-W4	0.03	180468	-	0.03	0.03	0.03	0.02	0.03	-	10,000	30	0.03
DRT	5.80	180468	5.80	5.80	5.65	5.70	5.70	5.75	(0.10)	5,877	3,357	5.711
EPG	2.66	180468	2.68	2.68	2.50	2.56	2.52	2.56	(0.10)	35,080	9,057	2.581
GEL	0.05	180468	0.05	0.05	0.04	0.04	0.04	0.05	(0.01)	2,871	12	0.04
GEL-W5	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
PPP	1.02	180468	-	1.03	1.01	1.03	0.					

## Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SCC01C2507A	0.19	180468	-	0.12	0.12	0.12	0.09	0.16	(0.07)	20	-	0.12
SCC01C2508A	0.44	180468	-	0.43	0.38	0.38	0.38	0.41	(0.06)	126	5	0.403
SCC01C2508B	0.55	180468	-	0.54	0.45	0.46	0.45	0.46	(0.09)	30,077	1,509	0.501
SCC01C2606T	0.46	180468	-	-	-	-	0.41	0.48	-	-	-	0
SCC01P2507A	0.28	180468	-	0.33	0.29	0.32	0.32	0.34	0.04	1,134	34	0.296
SCC13C2505A	0.02	180468	-	0.02	0.01	0.02	0.01	0.02	-	1,901	2	0.01
SCC13C2505B	0.01	180468	0.01	0.02	0.01	0.01	0.01	0.02	-	1,049	1	0.01
SCC13C2507A	0.33	180468	-	0.31	0.23	0.23	0.23	0.24	(0.10)	79,604	2,128	0.267
SCC13P2505A	0.05	180468	-	0.04	0.03	0.03	0.03	0.05	(0.02)	829	2	0.03
SCC13P2508A	0.49	180468	0.50	0.59	0.49	0.59	0.58	0.59	0.10	91,953	4,919	0.534
SCC19C2505A	0.01	180468	-	-	-	-	0.01	0.09	-	-	-	0
SCC19C2505B	0.01	180468	-	-	-	-	0.01	0.09	-	-	-	0
SCC19C2506A	0.05	180468	-	-	-	-	0.04	0.05	-	-	-	0
SCC19C2507A	0.43	180468	-	0.40	0.30	0.30	0.30	0.31	(0.13)	3,735	137	0.366
SCC19C2509A	0.68	180468	-	0.66	0.57	0.57	0.55	0.56	(0.11)	36,424	2,218	0.608
SCC19P2505A	0.08	180468	-	0.13	0.09	0.12	0.12	0.13	0.04	2,346	27	0.117
SCC19P2508A	0.64	180468	-	0.74	0.63	0.74	0.74	0.76	0.10	48,911	3,293	0.673
SCC19P2509A	0.55	180468	-	0.62	0.54	0.62	0.62	0.64	0.07	73,722	4,372	0.593
SCC41C2505A	0.08	180468	-	0.01	0.01	0.01	0.01	0.03	(0.07)	300	-	0.01
SCC41C2608T	0.45	180468	-	0.44	0.41	0.42	0.40	0.41	(0.03)	61,911	2,663	0.43
SCC41P2508A	0.32	180468	-	0.35	0.34	0.35	0.35	0.36	0.03	31	1	0.349
SCCC	148.00	180468	150.00	150.00	147.00	147.00	147.00	148.50	(1.00)	185	2,740	148.083
SCGD	4.08	180468	4.06	4.06	3.94	3.98	3.96	3.98	(0.10)	6,957	2,775	3.989
SCP	6.15	180468	6.15	6.20	6.15	6.20	6.15	6.20	0.05	283	175	6.183
SKN	5.65	180468	-	5.70	5.60	5.60	5.60	5.65	(0.05)	48	27	5.654
STECH	1.00	180468	0.97	1.00	0.92	0.92	0.92	0.99	(0.08)	143	13	0.941
TASCO	14.60	180468	14.70	15.20	14.60	14.80	14.70	14.80	0.20	20,742	30,889	14.891
TASCO19C2507A	0.08	180468	-	0.09	0.08	0.09	0.08	0.09	0.01	1,312	10	0.08
TOA	10.50	180468	10.40	10.40	10.10	10.20	10.20	10.30	(0.30)	36,364	37,176	10.223
TPIPL	0.95	180468	0.95	0.96	0.91	0.91	0.91	0.93	(0.04)	20,252	1,882	0.929
UMI	0.65	180468	0.68	0.70	0.65	0.66	0.65	0.66	0.01	2,059	138	0.671
VNG	2.14	180468	2.14	2.16	2.10	2.16	2.10	2.16	0.02	962	205	2.134
WIHK	0.89	180468	0.88	0.89	0.87	0.88	0.87	0.88	(0.01)	929	82	0.879
WIHK-W3	0.03	180468	-	0.03	0.03	0.03	0.02	0.03	-	10	-	0.03
WINDOW	0.70	180468	0.72	0.73	0.69	0.70	0.70	0.71	-	2,416	171	0.707
Petrochemicals & Cr												
BCT	48.00	180468	48.00	48.25	46.00	48.00	46.75	48.00	-	34	160	47.154
CMAN	2.20	180468	2.20	2.20	2.14	2.18	2.16	2.18	(0.02)	2,565	560	2.183
GC	4.70	180468	4.72	4.74	4.68	4.70	4.68	4.72	-	741	348	4.695
GGC	4.08	180468	-	4.18	4.08	4.18	4.08	4.12	0.10	41	17	4.086
IVL	19.60	180468	19.70	19.70	19.00	19.00	19.00	19.10	(0.60)	94,522	182,574	19.315
IVL01C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
IVL01C2507A	0.21	180468	-	0.22	0.17	0.17	0.17	0.18	(0.04)	78,067	1,514	0.193
IVL01C2509A	1.00	180468	-	0.36	0.31	0.31	0.31	0.32	(0.69)	17,754	631	0.355
IVL01P2506A	0.60	180468	-	0.69	0.65	0.69	0.69	0.73	0.09	392	26	0.667
IVL13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
IVL13C2507A	0.11	180468	0.11	0.11	0.09	0.09	0.08	0.09	(0.02)	26,137	258	0.098
IVL13C2508A	0.25	180468	-	0.25	0.20	0.20	0.20	0.21	(0.05)	60,832	1,372	0.225
IVL13P2508A	0.46	180468	0.45	0.51	0.44	0.51	0.51	0.52	0.05	81,714	3,891	0.476
IVL19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
IVL19C2507A	0.14	180468	-	0.14	0.11	0.11	0.10	0.11	(0.03)	13,654	173	0.126
IVL19C2508A	0.26	180468	0.27	0.27	0.22	0.22	0.22	0.23	(0.04)	73,169	1,845	0.252
IVL19P2508A	0.50	180468	-	0.50	0.46	0.50	0.54	0.55	-	20,097	956	0.475
IVL41C2505A	0.09	180468	-	-	-	-	0.01	0.02	-	-	-	0
IVL41C2605T	0.16	180468	0.16	0.16	0.14	0.14	0.14	0.15	(0.02)	52,510	800	0.152
IVL41P2605T	0.55	180468	-	-	-	-	0.56	0.57	-	-	-	0
NFC	1.50	180468	-	1.50	1.49	1.50	1.49	1.50	-	48	7	1.498
PATO	7.00	180468	7.00	7.00	7.00	7.00	6.95	7.00	-	152	106	7
PMTA	7.85	180468	-	-	-	-	7.85	8.15	-	-	-	0
PTTGC	18.10	180468	18.00	18.30	17.80	17.90	17.90	18.00	(0.20)	178,737	321,780	18.002
PTTGC01C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC01C2506A	0.04	180468	-	-	-	-	0.03	0.04	-	-	-	0
PTTGC01C2507A	0.18	180468	0.17	0.18	0.16	0.16	0.15	0.16	(0.02)	35,350	583	0.164
PTTGC01C2508A	0.42	180468	0.40	0.42	0.37	0.38	0.38	0.39	(0.04)	27,226	1,070	0.393
PTTGC01P2506A	0.45	180468	-	-	-	-	0.41	0.45	-	-	-	0
PTTGC13C2505A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC13C2506A	0.02	180468	-	-	-	-	0.02	0.03	-	-	-	0
PTTGC13C2507A	0.17	180468	-	0.15	0.13	0.13	0.13	0.15	(0.04)	290	4	0.139
PTTGC13C2507B	0.35	180468	0.35	0.36	0.31	0.32	0.32	0.33	(0.03)	154,988	5,186	0.334
PTTGC13P2506A	0.23	180468	-	0.24	0.20	0.23	0.22	0.23	-	24,665	558	0.226
PTTGC19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC19C2506A	0.02	180468	0.02	0.02	0.02	0.02	0.01	0.02	-	112	-	0.02
PTTGC19C2508A	0.26	180468	-	0.28	0.25	0.25	0.25	0.26	(0.01)	105,737	2,736	0.258
PTTGC41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
PTTGC41C2506A	0.02	180468	-	-	-	-	0.02	0.04	-	-	-	0
PTTGC41C2608T	0.38	180468	0.38	0.38	0.37	0.37	0.37	0.38	(0.01)	107,501	4,051	0.376
PTTGC41P2506A	0.28	180468	-	0.30	0.28	0.30	0.29	0.30	0.02	37,703	1,125	0.298
SUTHA	2.44	180468	-	2.42	2.40	2.40	2.40	2.58	(0.04)	67	16	2.4
TPA	2.34	180468	-	2.46	2.46	2.46	2.06	2.46	0.12	1	-	2.46
UAC	2.46	180468	2.46	2.50	2.46	2.46	2.46	2.50	-	476	118	2.481
UP	16.90	180468	-	16.90	16.70	16.70	16.70	17.10	(0.20)	19	32	16.821
XYZ	0.51	180468	-	0.53	0.48	0.48	0.48	0.49	(0.03)	6,831	337	0.492
Commerce												
ADVICE	4.74	180468	4.74	4.80	4.58	4.58	4.58	4.62	(0.16)	30,044	14,165	4.714
B52	0.18	180468	0.18	0.18	0.15	0.17	0.17	0.18	(0.01)	3,478	56	0.161
B52-W4	0.03	180468	0.03	0.03	0.02	0.03	0.02	0.03	-	597	2	0.029
BEAUTY	0.21	180468	0.21	0.22	0.21	0.21	0.21	0.22	-	31,048	653	0.21
BIG	0.30	180468	-	0.30	0.29	0.30	0.29	0.30	-	4,089	120	0.293
BJC	23.90	180468	23.80	23.90	23.30	23.70	23.60	23.70	(0.20)	28,485	67,205	23.593
BJC13C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BJC13C2508A	0.48	180468	-	0.47	0.42	0.45	0.45	0.46	(0.03)	43,246	1,922	0.444
BJC41C2606T	0.31	180468	-	0.30	0.30	0.30	0.30	0.31	(0.01)	11,500	345	0.3
COM7	19.50	180468	19.50	19.60	18.70	18.80	18.70	18.80	(0.70)	76,048	144,446	18.994
COM701C2506A	0.10	180468	-	-	-	-	0.03	0.04	-	-	-	0
COM701C2508A	0.32	180468	-	0.31	0.27	0.27	0.26	0.27	(0.05)	14,199	408	0.287
COM713C2505A	0.05	180468	-	-	-	-	0.01	0.02	-	-	-	0
COM713C2506A	0.02	180468	-	-	-	-	0.02	0.04	-	-	-	0
COM713C2507A	0.16	180468	-	-	-	-	0.10	0.12	-	-	-	0
COM713C2508A	0.36	180468	-	0.35	0.30	0.30	0.30	0.31	(0.06)	17,897	586	0.327
COM719C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0

## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CPALL01C2507A	0.22	180468	0.22	0.24	0.20	0.21	0.20	0.21	(0.01)	42,268	937	0.221
CPALL01C2606T	0.28	180468	-	0.30	0.28	0.28	0.27	0.28	-	21,236	613	0.288
CPALL01P2505A	0.14	180468	-	-	-	-	0.12	0.14	-	-	-	0
CPALL01P2507A	0.34	180468	-	-	-	-	0.34	0.35	-	-	-	0
CPALL06C2504A	0.02	180468	-	-	-	-	-	0.02	-	-	-	0
CPALL13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CPALL13C2505B	0.02	180468	-	0.01	0.01	0.01	0.01	0.02	(0.01)	649	1	0.01
CPALL13C2506A	0.03	180468	-	0.03	0.03	0.03	0.03	0.03	-	580	2	0.03
CPALL13C2506B	0.09	180468	-	0.11	0.09	0.09	0.08	0.09	-	20,047	205	0.102
CPALL13C2508A	0.25	180468	-	0.28	0.23	0.23	0.23	0.24	(0.02)	76,191	2,008	0.263
CPALL13P2505A	0.08	180468	-	-	-	-	0.01	0.03	-	-	-	0
CPALL13P2506A	0.08	180468	-	0.08	0.07	0.07	0.07	0.10	(0.01)	7,014	55	0.078
CPALL19C2505A	0.01	180468	-	-	-	-	0.01	0.04	-	-	-	0
CPALL19C2505B	0.02	180468	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,405	1	0.01
CPALL19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CPALL19C2506B	0.08	180468	-	0.06	0.06	0.06	0.04	0.07	(0.02)	400	2	0.06
CPALL19C2508A	0.21	180468	-	0.23	0.19	0.19	0.19	0.20	(0.02)	91,131	1,871	0.205
CPALL19P2505A	0.03	180468	-	-	-	-	0.02	0.03	-	-	-	0
CPALL19P2505B	0.05	180468	-	-	-	-	0.01	0.04	-	-	-	0
CPALL41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CPALL41C2506A	0.06	180468	-	-	-	-	0.03	0.04	-	-	-	0
CPALL41C2605T	0.14	180468	0.15	0.15	0.14	0.14	0.13	0.14	-	14,500	209	0.144
CPALL41P2504A	0.33	180468	-	-	-	-	0.26	0.28	-	-	-	0
CPALL41P2508A	0.25	180468	-	0.24	0.22	0.24	0.23	0.24	(0.01)	206	5	0.225
CPAXT	25.50	180468	25.50	25.75	24.90	25.00	25.00	25.25	(0.50)	29,186	73,473	25.174
CPW	1.84	180468	-	1.87	1.84	1.84	1.83	1.84	-	861	159	1.849
CRC	23.90	180468	23.60	23.60	22.80	23.10	23.00	23.10	(0.80)	94,780	219,855	23.188
CRC01C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CRC13C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CRC13C2508A	0.07	180468	-	0.06	0.05	0.05	0.05	0.06	(0.02)	2,175	11	0.05
CRC19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CRC19C2508A	0.08	180468	-	0.07	0.06	0.07	0.06	0.07	(0.01)	603	4	0.063
CRC41C2608T	0.10	180468	-	0.08	0.08	0.08	0.08	0.09	(0.02)	200	2	0.08
CSS	0.83	180468	0.83	0.84	0.83	0.84	0.83	0.84	0.01	2,352	197	0.835
DOHOME	5.25	180468	5.30	5.30	4.90	4.94	4.94	4.96	(0.31)	87,212	43,586	4.997
DOHOME01C2507A	0.06	180468	0.06	0.06	0.04	0.04	0.03	0.04	(0.02)	5,266	24	0.044
DOHOME01C2508A	0.17	180468	0.18	0.18	0.13	0.13	0.13	0.14	(0.04)	9,476	125	0.132
DOHOME13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME13C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME13C2508A	0.17	180468	0.18	0.18	0.13	0.13	0.13	0.14	(0.04)	13,498	194	0.143
DOHOME19C2506A	0.10	180468	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME19C2506B	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
DOHOME19C2508A	0.19	180468	-	0.17	0.14	0.14	0.14	0.15	(0.05)	14,167	211	0.149
DOHOME41C2609T	0.25	180468	-	0.25	0.22	0.22	0.22	0.23	(0.03)	26,840	626	0.233
FN	0.48	180468	0.50	0.51	0.47	0.50	0.49	0.50	0.02	1,261	62	0.49
GLOBAL	7.15	180468	7.15	7.15	6.75	6.75	6.70	6.75	(0.40)	113,047	78,132	6.911
GLOBAL01C2507A	0.11	180468	-	0.10	0.09	0.09	0.07	0.08	(0.02)	12,638	125	0.098
GLOBAL13C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
GLOBAL13C2507A	0.10	180468	-	0.09	0.09	0.09	0.06	0.07	(0.01)	3,774	34	0.09
GLOBAL13C2508A	0.31	180468	-	0.30	0.24	0.24	0.23	0.24	(0.07)	19,657	537	0.273
GLOBAL19C2507A	0.13	180468	-	0.12	0.10	0.10	0.09	0.10	(0.03)	20,106	221	0.109
GLOBAL19C2509A	0.41	180468	-	0.40	0.35	0.35	0.33	0.34	(0.06)	24,734	933	0.377
GLOBAL41C2606T	0.12	180468	-	0.12	0.12	0.12	0.11	0.12	-	2,000	24	0.12
HMPRO	9.20	180468	9.20	9.20	8.80	8.90	8.90	8.95	(0.30)	330,582	295,344	8.934
HMPRO01C2507A	0.12	180468	-	0.13	0.10	0.10	0.09	0.10	(0.02)	6,788	74	0.108
HMPRO01C2508A	0.41	180468	-	0.40	0.33	0.35	0.35	0.36	(0.06)	20,177	716	0.354
HMPRO13C2506A	0.09	180468	-	0.07	0.06	0.07	0.06	0.07	(0.02)	28	-	0.06
HMPRO13C2508A	0.49	180468	-	0.47	0.39	0.41	0.41	0.42	(0.08)	44,030	1,815	0.412
HMPRO19C2506A	0.10	180468	-	0.08	0.07	0.08	0.07	0.08	(0.02)	240	2	0.077
HMPRO19C2508A	0.54	180468	-	-	-	-	0.51	0.55	-	-	-	0
HMPRO41C2606T	0.18	180468	-	0.18	0.16	0.16	0.16	0.17	(0.02)	29,000	497	0.171
ICC	32.50	180468	32.50	34.00	32.50	34.00	33.75	34.00	1.50	19	63	33.223
ILM	14.00	180468	-	14.20	13.80	13.80	13.80	13.90	(0.20)	1,316	1,833	13.926
IT	3.56	180468	3.52	3.52	3.46	3.48	3.46	3.48	(0.08)	226	79	3.484
KAMART	8.90	180468	8.95	9.00	8.70	8.70	8.70	8.75	(0.20)	17,399	15,329	8.81
LOXLEY	1.07	180468	1.07	1.08	1.05	1.06	1.06	1.07	(0.01)	37	4	1.065
MC	9.95	180468	10.00	10.00	9.80	9.90	9.85	9.90	(0.05)	8,670	8,596	9.914
MEGA	27.50	180468	27.50	28.00	27.00	27.00	27.00	27.25	(0.50)	8,419	23,017	27.338
MIDA	0.33	180468	0.32	0.34	0.30	0.33	0.32	0.33	-	5,976	195	0.326
MOSHI	43.00	180468	43.00	43.00	41.50	42.50	42.25	42.50	(0.50)	3,098	13,075	42.203
RS	0.55	180468	0.55	0.56	0.52	0.53	0.52	0.53	(0.02)	74,295	3,989	0.536
RS-W5	0.18	180468	0.18	0.19	0.15	0.16	0.15	0.16	(0.02)	8,992	146	0.162
RSP	1.71	180468	1.72	1.73	1.71	1.71	1.70	1.71	-	4,527	776	1.713
SABUY	0.41	180468	0.41	0.48	0.41	0.46	0.45	0.46	0.05	149,758	6,739	0.449
SCM	0.48	180468	0.48	0.51	0.48	0.50	0.49	0.50	0.02	122,689	6,128	0.499
SCM-W2	0.02	180468	-	0.02	0.02	0.02	0.01	0.02	-	3,275	7	0.02
SINGER	6.00	180468	6.05	6.40	6.05	6.15	6.10	6.15	0.15	51,673	32,046	6.201
SPC	59.00	180468	59.00	59.00	59.00	59.00	58.75	59.25	-	6	35	59
SPI	64.00	180468	-	64.00	63.75	64.00	63.75	64.25	-	6	38	63.958
SVT	1.18	180468	1.18	1.18	1.15	1.16	1.15	1.16	(0.02)	1,073	125	1.161
TAN	4.74	180468	4.74	4.76	4.58	4.58	4.58	4.60	(0.16)	7,390	3,419	4.625
Information & Commr												
3BBIF	5.75	180468	5.70	5.80	5.70	5.75	5.75	5.80	-	41,531	23,889	5.752
ADVANC	282.00	180468	282.00	283.00	279.00	281.00	280.00	281.00	(1.00)	18,525	520,106	280.758
ADVANC01C2506A	0.08	180468	-	-	-	-	0.07	0.08	-	-	-	0
ADVANC01C2508A	0.35	180468	0.35	0.36	0.33	0.33	0.33	0.35	(0.02)	25,939	873	0.336
ADVANC01P2505A	0.03	180468	-	-	-	-	0.01	0.03	-	-	-	0
ADVANC01P2507A	0.45	180468	-	0.45	0.44	0.44	0.44	0.46	(0.01)	641	29	0.447
ADVANC13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
ADVANC13C2507A	0.22	180468	-	0.22	0.19	0.20	0.20	0.21	(0.02)	30,841	616	0.199
ADVANC13P2507A	0.28	180468	-	0.28	0.27	0.27	0.27	0.30	(0.01)	9,305	259	0.278
ADVANC19C2505A	0.04	180468	-	-	-	-	0.01	0.04	-	-	-	0
ADVANC19C2506A	0.06	180468	-	-	-	-	0.05	0.09	-	-	-	0
ADVANC19C2507A	0.24	180468	-	0.21	0.20	0.20	0.20	0.21	(0.04)	28,116	565	0.201
ADVANC19P2508A	0.27	180468	-	0.25	0.25	0.25	0.26	0.28	(0.02)	700	18	0.25
ADVANC41C2505A	0.04	180468	-	-	-	-	0.01	0.03	-	-	-	0
ADVANC41C2606T	0.30	180468	-	0.30	0.30	0.30	0.30	0.31	-	1,000	30	0.3
ADVANC41P2508A	0.19	180468	-	-	-	-	0.19	0.20	-	-	-	0
AIT	4.26	180468	4.26	4.28	4.10	4.12	4.12	4.14	(0.14)	34,623	14,440	4.17
ALT	0.77	180468	-	0.77	0.68	0.74	0.72	0.74	(0.03)	1,476	106	0.72
AMR	0.59	180468	0.59	0.66	0.59	0.61	0.61	0.62	0.02	28,203	1,779	0.63
BLISS	0.14	180468	-	-	-	-	-	-	-	-	-	0
DIF	7.95	180468	7.90	8.05	7.90	7.95	7.95	8.00	-	110,74		

## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
ICN	1.75	180468	1.75	1.78	1.70	1.75	1.74	1.75	-	3,453	599	1.733
ILINK	5.65	180468	5.60	5.65	5.45	5.55	5.50	5.55	(0.10)	9,127	5,052	5.534
INET	4.42	180468	4.42	4.48	4.28	4.30	4.30	4.32	(0.12)	20,123	8,766	4.356
INSET	1.79	180468	1.80	1.83	1.75	1.75	1.75	1.77	(0.04)	38,278	6,834	1.785
ITEL	1.34	180468	1.35	1.35	1.29	1.31	1.31	1.32	(0.03)	14,817	1,954	1.318
JAS	1.38	180468	1.39	1.48	1.38	1.40	1.40	1.41	0.02	549,492	78,028	1.42
JAS-W4	0.30	180468	0.31	0.32	0.29	0.30	0.30	0.31	-	167,972	5,142	0.306
JAS13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
JAS13C2507A	0.11	180468	-	0.14	0.11	0.11	0.11	0.12	-	31,131	396	0.127
JAS19C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
JAS19C2507A	0.07	180468	-	0.10	0.08	0.08	0.08	0.09	0.01	9,821	89	0.09
JAS19C2509A	1.00	180468	-	0.48	0.39	0.41	0.41	0.42	(0.59)	90,726	3,908	0.43
JAS41C2605T	0.08	180468	-	0.10	0.09	0.09	0.09	0.10	0.01	8,100	77	0.094
JMART	7.85	180468	7.80	8.15	7.80	7.95	7.95	8.00	0.10	99,454	79,595	8.003
JMART-W5	0.18	180468	-	0.19	0.17	0.17	0.17	0.18	(0.01)	1,648	30	0.179
JMART13C2506A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	1	-	0.01
JMART13C2507A	0.05	180468	-	0.05	0.04	0.05	0.04	0.05	-	10,465	52	0.05
JMART13C2508A	1.00	180468	-	0.36	0.33	0.33	0.33	0.34	(0.67)	37,397	1,300	0.347
JMART19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
JMART19C2508A	0.08	180468	-	0.08	0.08	0.08	0.08	0.09	-	200	2	0.08
JMART19C2508B	0.21	180468	0.20	0.24	0.20	0.21	0.21	0.22	-	30,557	663	0.216
JMART41C2606T	0.09	180468	-	0.11	0.10	0.11	0.10	0.11	0.02	31,200	342	0.109
JMART41C2609T	0.33	180468	-	0.35	0.33	0.34	0.34	0.35	0.01	71,884	2,465	0.342
JTS	33.25	180468	34.00	34.75	33.00	34.50	34.50	34.75	1.25	2,421	8,287	34.229
MFEC	6.00	180468	6.00	6.00	5.90	5.90	5.90	5.95	(0.10)	805	480	5.966
MSC	8.00	180468	8.00	8.00	7.20	7.50	7.40	7.50	(0.50)	525	393	7.494
PT	11.70	180468	11.50	11.60	10.70	11.50	11.40	11.50	(0.20)	12,688	14,230	11.214
ROCTEC	0.57	180468	0.57	0.58	0.54	0.54	0.54	0.55	(0.03)	20,726	1,153	0.556
ROCTEC-W3	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
ROCTEC-W5	0.02	180468	0.02	0.03	0.02	0.02	0.02	0.03	-	163,003	342	0.02
SAMART	6.15	180468	6.25	6.25	6.20	6.20	6.15	6.20	0.05	50,037	31,049	6.205
SAMTEL	5.50	180468	-	5.70	5.30	5.65	5.40	5.65	0.15	1,520	858	5.647
SAMTEL-W2	1.04	180468	-	1.11	0.97	1.05	1.05	1.10	0.01	651	71	1.087
SDC	0.03	180468	0.04	0.04	0.02	0.04	0.03	0.04	0.01	889,728	2,674	0.03
SIS	21.50	180468	21.40	21.70	21.40	21.60	21.50	21.60	0.10	5,552	11,939	21.503
SKY	16.20	180468	16.20	16.70	15.20	15.20	15.20	15.30	(1.00)	17,252	27,037	15.671
SPREME	1.47	180468	1.47	1.47	1.44	1.46	1.44	1.46	(0.01)	923	134	1.447
SVOA	1.04	180468	-	1.05	1.03	1.04	1.02	1.04	-	220	23	1.033
SYMC	4.42	180468	-	4.50	4.42	4.44	4.44	4.46	0.02	1,326	588	4.437
SYNEX	11.50	180468	11.40	11.60	11.30	11.60	11.50	11.60	0.10	10,486	11,964	11.409
THCOM	8.50	180468	8.45	9.20	8.40	8.60	8.60	8.65	0.10	325,974	289,191	8.871
TKC	7.95	180468	8.00	8.10	7.70	7.75	7.70	7.75	(0.20)	452	356	7.88
TRUE	11.90	180468	11.90	12.00	11.80	12.00	11.90	12.00	0.10	356,715	424,703	11.905
TRUE01C2505A	0.06	180468	-	-	-	-	0.05	0.07	-	-	-	0
TRUE01C2507A	0.07	180468	-	-	-	-	0.06	0.07	-	-	-	0
TRUE01C2508A	0.26	180468	-	0.24	0.24	0.24	0.24	0.26	(0.02)	7,300	175	0.24
TRUE01P2505A	0.04	180468	-	-	-	-	0.01	0.03	-	-	-	0
TRUE01P2507A	0.25	180468	-	-	-	-	0.22	0.24	-	-	-	0
TRUE13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
TRUE13C2507A	0.16	180468	0.15	0.15	0.15	0.15	0.16	0.17	(0.01)	6	-	0.15
TRUE13P2506A	0.05	180468	-	0.06	0.05	0.05	0.05	0.07	-	5,010	30	0.059
TRUE19C2507A	0.10	180468	-	-	-	-	0.09	0.10	-	-	-	0
TRUE19C2507B	0.21	180468	-	0.20	0.20	0.20	0.20	0.22	(0.01)	7,682	154	0.2
TRUE19P2506A	0.08	180468	-	-	-	-	0.06	0.07	-	-	-	0
TRUE19P2507A	0.23	180468	-	0.23	0.23	0.23	0.23	0.33	-	1,015	23	0.23
TRUE41C2505A	0.01	180468	-	-	-	-	0.01	0.03	-	-	-	0
TRUE41C2604T	0.59	180468	-	-	-	-	0.61	0.63	-	-	-	0
TRUE41C2612T	0.32	180468	-	0.32	0.32	0.32	0.32	0.33	-	9,000	288	0.32
TWZ	0.03	180468	0.03	0.04	0.03	0.03	0.03	0.04	-	42,982	129	0.03
TWZ-W8	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
TWZ-W9	0.01	180468	-	0.01	0.01	0.01	-	0.01	-	23	-	0.01
Electronic Compone												
CCET	5.55	180468	5.45	5.50	5.20	5.20	5.20	5.25	(0.35)	445,329	237,234	5.327
CCET13C2505A	0.02	180468	-	0.02	0.02	0.02	0.01	0.02	-	500	1	0.02
CCET13C2505B	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
CCET13C2506A	0.02	180468	-	-	-	-	-	0.02	-	-	-	0
CCET13C2507A	0.04	180468	-	0.03	0.02	0.02	0.02	0.03	(0.02)	4,280	9	0.02
CCET13C2507B	0.16	180468	-	0.15	0.12	0.12	0.12	0.13	(0.04)	30,037	412	0.137
CCET13C2508A	0.31	180468	0.29	0.29	0.24	0.24	0.24	0.25	(0.07)	46,561	1,212	0.26
CCET19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CCET19C2506B	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CCET19C2506C	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CCET19C2507A	0.04	180468	-	-	-	-	0.03	0.04	-	-	-	0
CCET19C2507B	0.17	180468	-	0.16	0.12	0.12	0.12	0.13	(0.05)	76,038	1,087	0.142
CCET41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CCET41C2506A	0.03	180468	-	-	-	-	0.01	0.03	-	-	-	0
CCET41C2609T	0.30	180468	-	0.30	0.28	0.28	0.27	0.28	(0.02)	46,031	1,334	0.289
DELTA	69.00	180468	68.75	71.50	68.00	68.00	68.00	68.25	(1.00)	163,694	1,131,619	69.13
DELTA01C2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	2,955	3	0.01
DELTA01C2506A	0.01	180468	-	0.02	0.02	0.02	0.01	0.02	0.01	1,200	2	0.02
DELTA01C2507A	0.70	180468	0.69	0.76	0.66	0.66	0.66	0.67	(0.04)	41,000	2,920	0.712
DELTA06C2504A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
DELTA11C2507A	0.28	180468	-	0.32	0.26	0.26	0.25	0.26	(0.02)	19,707	548	0.278
DELTA13C2505A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
DELTA13C2506A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
DELTA13C2506B	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
DELTA13C2507A	0.12	180468	-	0.14	0.10	0.10	0.10	0.11	(0.02)	45,173	549	0.121
DELTA13C2507B	0.06	180468	-	0.06	0.05	0.05	0.05	0.06	(0.01)	29,309	151	0.051
DELTA13C2507C	0.30	180468	0.29	0.34	0.26	0.27	0.27	0.28	(0.03)	170,261	5,203	0.305
DELTA13C2508A	0.63	180468	0.62	0.70	0.58	0.58	0.57	0.58	(0.05)	379,466	23,766	0.626
DELTA13P2505A	3.00	180468	-	-	-	-	2.56	2.68	-	-	-	0
DELTA13P2505B	2.02	180468	-	-	-	-	1.88	2.04	-	-	-	0
DELTA13P2506A	0.99	180468	-	1.03	0.93	1.03	1.03	1.09	0.04	178	18	0.983
DELTA13P2507A	0.69	180468	0.72	0.72	0.62	0.69	0.69	0.70	-	20,129	1,322	0.656
DELTA13P2507B	0.26	180468	0.27	0.27	0.22	0.26	0.26	0.27	-	117,909	2,882	0.244
DELTA19C2506A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	100	-	0.01
DELTA19C2506B	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
DELTA19C2506C	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
DELTA19C2507A	0.04	180468	-	0.04	0.03	0.03	0.03	0.04	(0.01)	20,004	80	0.04
DELTA19C2507B	0.10	180468	-	0.12	0.09	0.09	0.09	0.10	(0.01)	51,221	544	0.106
DELTA19C2507C	0.37	180468	0.37	0.42	0.34	0.34	0.34	0.35	(0.03)	100,599	3,710	0.368
DELTA19C2508A	0.69	180468	0.68	0.77	0.64	0.64	0.63	0.64	(0.05)	161,276	10,941	0.678
DELTA19P2505A	3.46	180468	-	2.34	2.28	2.28	2.48	2.60	(1.18)	5,196	1,203	2.314

## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
DELTA41C2508A	0.25	180468	-	0.28	0.24	0.24	0.24	0.25	(0.01)	25,470	687	0.269
DELTA41C2608T	0.28	180468	-	0.28	0.27	0.27	0.26	0.27	(0.01)	8,015	216	0.27
DELTA41C2612T	0.06	180468	-	0.06	0.06	0.06	0.05	0.06	-	131	1	0.06
DELTA41P2505A	1.64	180468	-	-	-	-	1.67	1.69	-	-	-	0
DELTA41P2507A	0.24	180468	0.24	0.24	0.22	0.24	0.24	0.25	-	30,521	711	0.232
HANA	18.50	180468	18.40	18.80	17.70	18.00	17.90	18.00	(0.50)	90,710	165,022	18.193
HANA01C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
HANA01C2505B	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
HANA01P2505A	0.28	180468	-	-	-	-	0.29	0.33	-	-	-	0
HANA06C2504A	0.02	180468	-	-	-	-	-	-	-	-	-	0
HANA13C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
HANA13C2505B	0.01	180468	-	-	-	-	0.01	0.03	-	-	-	0
HANA13C2506A	0.05	180468	-	-	-	-	0.02	0.05	-	-	-	0
HANA13C2507A	0.10	180468	0.11	0.11	0.07	0.08	0.08	0.09	(0.02)	24,715	233	0.094
HANA13C2508A	0.43	180468	-	0.44	0.36	0.37	0.37	0.39	(0.06)	165,966	6,731	0.405
HANA13P2505A	0.61	180468	-	-	-	-	0.21	0.28	-	-	-	0
HANA13P2507A	0.21	180468	0.24	0.24	0.21	0.23	0.22	0.23	0.02	2,469	56	0.225
HANA19C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
HANA19C2505B	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	1,000	1	0.01
HANA19C2507A	0.07	180468	-	0.06	0.06	0.06	0.06	0.07	(0.01)	200	1	0.06
HANA19C2508A	0.41	180468	-	0.42	0.34	0.35	0.35	0.36	(0.06)	86,843	3,301	0.38
HANA41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
HANA41C2606T	0.14	180468	-	0.15	0.14	0.14	0.13	0.14	-	14,000	202	0.144
HANA41C2608T	0.52	180468	-	0.54	0.50	0.50	0.50	0.51	(0.02)	72,002	3,756	0.521
KCE	17.40	180468	17.30	17.60	16.70	16.70	16.70	16.80	(0.70)	61,459	104,985	17.087
KCE01C2505A	0.09	180468	-	-	-	-	0.01	0.02	-	-	-	0
KCE01C2507A	0.12	180468	-	-	-	-	0.09	0.12	-	-	-	0
KCE13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
KCE13C2505B	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
KCE13C2506A	0.04	180468	-	0.03	0.03	0.03	0.02	0.03	(0.01)	300	1	0.03
KCE13C2507A	0.13	180468	-	0.12	0.10	0.10	0.09	0.10	(0.03)	8,826	98	0.111
KCE13C2508A	0.23	180468	-	0.24	0.17	0.17	0.17	0.18	(0.06)	68,435	1,405	0.205
KCE13C2508B	0.36	180468	-	0.36	0.29	0.29	0.29	0.30	(0.07)	94,747	3,159	0.333
KCE13P2505A	0.11	180468	-	0.12	0.10	0.12	0.12	0.13	0.01	1,647	18	0.111
KCE13P2508A	0.31	180468	-	0.34	0.29	0.34	0.34	0.35	0.03	45,515	1,453	0.319
KCE19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
KCE19C2506A	0.02	180468	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1	-	0.01
KCE19C2507A	0.10	180468	-	0.10	0.08	0.08	0.07	0.08	(0.02)	1,214	12	0.096
KCE19C2508A	0.24	180468	0.24	0.25	0.19	0.19	0.19	0.20	(0.05)	102,078	2,296	0.224
KCE19P2505A	0.18	180468	-	0.19	0.13	0.13	0.22	0.33	0.01	12,198	187	0.153
KCE41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
KCE41C2606T	0.11	180468	-	0.11	0.10	0.10	0.10	0.11	(0.01)	8,000	85	0.106
METCO	170.00	180468	-	171.50	170.00	170.00	170.00	171.00	-	10	171	170.9
SMT	1.02	180468	1.02	1.05	1.02	1.02	1.02	1.04	-	2,230	230	1.03
SVI	8.10	180468	8.10	8.25	7.75	7.80	7.80	7.85	(0.30)	16,841	13,441	7.981
TEAM	2.64	180468	-	2.68	2.48	2.48	2.48	2.62	(0.16)	957	248	2.594
Energy & Utilities												
ACC	0.37	180468	0.37	0.45	0.37	0.41	0.41	0.42	0.04	241,741	10,215	0.422
ACC-W2	0.33	180468	-	0.38	0.33	0.34	0.34	0.37	0.01	694	25	0.357
ACE	1.35	180468	1.34	1.38	1.33	1.35	1.34	1.35	-	36,299	4,919	1.355
AE	0.10	180468	0.10	0.10	0.09	0.10	0.09	0.10	-	29,410	275	0.093
AGE	0.79	180468	0.80	0.82	0.78	0.80	0.79	0.80	0.01	3,738	298	0.797
AI	3.34	180468	3.34	3.38	3.34	3.34	3.34	3.36	-	891	298	3.346
AIE	1.25	180468	1.24	1.27	1.20	1.21	1.21	1.22	(0.04)	66,504	8,216	1.235
BAFS	7.75	180468	7.90	7.90	7.50	7.60	7.55	7.60	(0.15)	2,330	1,781	7.645
BANPU	4.34	180468	4.34	4.34	4.20	4.20	4.20	4.22	(0.14)	282,332	120,067	4.252
BANPU01C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BANPU01C2507A	0.16	180468	-	0.14	0.13	0.13	0.12	0.13	(0.03)	13,998	188	0.134
BANPU01C2508A	0.39	180468	0.39	0.39	0.34	0.34	0.33	0.34	(0.05)	22,167	793	0.357
BANPU01C2606T	0.30	180468	-	0.30	0.28	0.28	0.28	0.29	(0.02)	13,570	394	0.29
BANPU13C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BANPU13C2506A	0.05	180468	-	0.01	0.01	0.01	0.01	0.02	(0.04)	1,000	1	0.01
BANPU13C2506B	0.08	180468	-	-	-	-	0.04	0.05	-	-	-	0
BANPU13C2507A	0.25	180468	-	0.23	0.20	0.20	0.19	0.20	(0.05)	27,688	581	0.209
BANPU19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BANPU19C2507A	0.15	180468	-	0.14	0.12	0.12	0.11	0.12	(0.03)	20,202	259	0.128
BANPU19C2508A	0.37	180468	-	0.35	0.30	0.30	0.30	0.31	(0.07)	46,134	1,493	0.323
BANPU41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
BANPU41C2605T	0.11	180468	-	0.10	0.09	0.10	0.09	0.10	(0.01)	3,022	30	0.1
BBGI	3.18	180468	3.26	3.26	3.06	3.08	3.06	3.10	(0.10)	7,736	2,413	3.119
BCP	36.25	180468	36.50	36.50	35.75	35.75	35.75	36.00	(0.50)	15,795	56,818	35.972
BCP01C2505A	0.15	180468	-	0.12	0.10	0.10	0.10	0.11	(0.05)	27,196	310	0.113
BCP01C2507A	0.16	180468	0.16	0.16	0.14	0.14	0.13	0.14	(0.02)	67,172	968	0.144
BCP01P2505A	0.02	180468	-	0.04	0.04	0.04	0.02	0.04	0.02	5,400	22	0.04
BCP13C2505A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
BCP13C2507A	0.15	180468	-	0.15	0.14	0.14	0.13	0.14	(0.01)	27,819	414	0.148
BCP13C2508A	0.14	180468	-	0.13	0.12	0.12	0.12	0.13	(0.02)	29,332	379	0.129
BCP13P2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	5	-	0.01
BCP19C2506A	0.15	180468	-	0.14	0.12	0.12	0.12	0.13	(0.03)	13,377	180	0.134
BCP19C2507A	0.10	180468	-	0.10	0.09	0.09	0.09	0.10	(0.01)	5,970	58	0.097
BCP41C2505A	0.23	180468	-	0.14	0.14	0.14	0.12	-	(0.09)	1,200	17	0.14
BCP41C2609T	0.30	180468	-	0.30	0.30	0.30	0.29	0.30	-	12,000	360	0.3
BCPG	7.00	180468	7.05	7.05	6.75	6.85	6.85	6.90	(0.15)	84,489	58,307	6.901
BCPG01C2506A	0.21	180468	-	0.22	0.17	0.18	0.18	0.19	(0.03)	30,017	573	0.19
BCPG01C2508A	0.42	180468	-	0.44	0.38	0.38	0.38	0.40	(0.04)	400	16	0.41
BCPG01P2506A	0.04	180468	-	-	-	-	0.05	0.07	-	-	-	0
BCPG13C2507A	0.17	180468	-	0.17	0.14	0.14	0.14	0.15	(0.03)	84,934	1,287	0.151
BCPG13C2507B	0.44	180468	-	-	-	-	0.42	0.45	-	-	-	0
BCPG19C2505A	0.14	180468	-	-	-	-	0.16	0.20	-	-	-	0
BCPG19C2508A	0.21	180468	-	0.21	0.18	0.18	0.18	0.19	(0.03)	53,802	1,031	0.191
BCPG41C2606T	0.34	180468	-	0.34	0.33	0.33	0.32	0.33	(0.01)	10,000	334	0.334
BGRIM	10.90	180468	11.00	11.20	10.60	10.70	10.70	10.80	(0.20)	108,038	117,745	10.898
BGRIM01C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM01C2507A	0.04	180468	-	-	-	-	0.03	0.04	-	-	-	0
BGRIM01C2508A	0.14	180468	-	0.15	0.12	0.12	0.12	0.13	(0.02)	42,357	542	0.128
BGRIM01C2509A	0.21	180468	-	0.23	0.19	0.19	0.19	0.20	(0.02)	77,998	1,692	0.216
BGRIM01C2606T	0.15	180468	-	0.16	0.14	0.14	0.14	0.15	(0.01)	22,506	351	0.155
BGRIM01P2505A	1.51	180468	-	-	-	-	1.20	1.26	-	-	-	0
BGRIM01P2507A	0.42	180468	-	0.36	0.36	0.36	0.34	0.37	(0.06)	760	27	0.36
BGRIM11C2507A	0.22	180468	-	0.24	0.20	0.20	0.20	0.21	(0.02)	30,719	671	0.218
BGRIM13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM13C2505B	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0



## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
BGRIM19C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2506A	0.04	180468	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2507A	0.07	180468	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM19C2507B	0.09	180468	-	0.10	0.08	0.08	0.08	0.09	(0.01)	25,201	232	0.091
BGRIM19C2508A	0.48	180468	-	-	-	-	0.44	0.49	-	-	-	0
BGRIM19P2506A	0.66	180468	-	0.65	0.62	0.65	0.63	0.75	(0.01)	786	50	0.636
BGRIM41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM41C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BGRIM41C2608T	0.19	180468	-	0.20	0.19	0.19	0.18	0.19	-	95,000	1,885	0.198
BIOTEC	0.20	180468	0.19	0.20	0.19	0.19	0.19	0.20	(0.01)	461	9	0.19
BIOTEC-P	10.00	180468	-	-	-	-	-	-	-	-	-	0
BIOTEC-Q	10.00	180468	-	-	-	-	-	-	-	-	-	0
BIOTEC-W2	0.03	180468	-	0.03	0.02	0.03	0.02	0.03	-	127	-	0.024
BPP	7.05	180468	7.05	7.15	6.85	6.85	6.80	6.85	(0.20)	26,461	18,449	6.971
BRRGIF	3.86	180468	-	3.86	3.82	3.84	3.82	3.84	(0.02)	416	159	3.82
BSRC	5.55	180468	5.50	5.50	5.30	5.35	5.30	5.35	(0.20)	7,922	4,238	5.35
BSRC13C2506A	0.10	180468	-	0.09	0.08	0.08	0.07	0.08	(0.02)	6	-	0.081
CKP	2.76	180468	2.76	2.82	2.72	2.72	2.72	2.76	(0.04)	50,126	13,843	2.761
CV	0.20	180468	-	-	-	-	-	-	-	-	-	0
CV-W1	0.05	180468	-	-	-	-	-	-	-	-	-	0
EA	2.16	180468	2.16	2.20	2.08	2.08	2.08	2.10	(0.08)	560,337	119,638	2.135
EA-W1	0.26	180468	0.27	0.29	0.26	0.27	0.27	0.28	0.01	194,537	5,363	0.275
EA13C2505A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
EA13C2505B	0.01	180468	-	0.01	0.01	0.01	-	0.01	-	400	-	0.01
EA13C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
EA13C2506B	0.02	180468	0.02	0.02	0.01	0.01	0.01	0.02	(0.01)	60	-	0.018
EA13C2507A	0.06	180468	-	0.04	0.04	0.04	0.03	0.04	(0.02)	3,828	15	0.04
EA13C2508A	0.14	180468	-	0.14	0.11	0.11	0.11	0.12	(0.03)	46,860	623	0.132
EA13C2508B	0.25	180468	0.25	0.27	0.20	0.20	0.20	0.21	(0.05)	106,177	2,506	0.236
EA19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2506A	0.01	180468	-	0.02	0.02	0.02	0.01	0.02	0.01	2	-	0.02
EA19C2506B	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
EA19C2508A	0.18	180468	-	0.18	0.14	0.14	0.14	0.15	(0.04)	38,309	616	0.16
EA19C2508B	0.25	180468	-	0.26	0.22	0.22	0.21	0.22	(0.03)	27,048	640	0.236
EA19P2505A	1.53	180468	-	0.92	0.92	0.92	1.04	1.10	(0.61)	49	5	0.92
EA41C2606T	0.09	180468	-	-	-	-	0.08	0.09	-	-	-	0
EASTW	2.00	180468	1.91	1.95	1.87	1.90	1.90	1.91	(0.10)	5,678	1,081	1.904
EGATIF	5.85	180468	5.85	5.90	5.80	5.90	5.85	5.90	0.05	6,685	3,886	5.813
EGCO	96.50	180468	95.75	96.25	95.00	95.25	95.00	95.25	(1.25)	3,544	33,855	95.528
EP	1.42	180468	-	1.42	1.37	1.42	1.38	1.42	-	258	36	1.392
EP-W4	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
ETC	1.62	180468	1.65	1.75	1.62	1.67	1.66	1.67	0.05	16,366	2,732	1.669
GPSC	28.75	180468	28.75	29.50	28.25	28.75	28.50	28.75	-	92,923	267,797	28.83
GPSC01C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
GPSC01C2507A	0.16	180468	-	0.19	0.15	0.16	0.16	0.17	-	33,352	560	0.167
GPSC01C2508A	0.31	180468	-	0.34	0.34	0.34	0.31	0.33	0.03	395	13	0.34
GPSC01P2506A	0.16	180468	-	0.14	0.14	0.14	0.13	0.15	(0.02)	1	-	0.14
GPSC13C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13C2505B	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
GPSC13C2506A	0.04	180468	-	-	-	-	0.04	0.05	-	-	-	0
GPSC13C2507A	0.19	180468	-	0.20	0.18	0.19	0.19	0.20	-	139,918	2,631	0.188
GPSC13P2505A	0.11	180468	-	0.10	0.10	0.10	0.09	0.11	(0.01)	200	2	0.1
GPSC13P2506A	0.09	180468	-	0.09	0.08	0.09	0.08	0.09	-	3,012	26	0.086
GPSC19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
GPSC19C2506B	0.03	180468	-	-	-	-	0.04	0.05	-	-	-	0
GPSC19C2507A	0.17	180468	-	0.18	0.16	0.16	0.16	0.18	(0.01)	58,386	988	0.169
GPSC19P2506A	0.15	180468	-	0.15	0.13	0.14	0.14	0.15	(0.01)	22,176	319	0.143
GPSC41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
GPSC41C2606T	0.13	180468	0.14	0.14	0.13	0.13	0.13	0.14	-	36,856	510	0.138
GREEN	0.74	180468	-	0.75	0.74	0.75	0.74	0.75	0.01	26	2	0.743
GULF	46.75	180468	46.50	47.00	44.50	44.50	44.50	44.75	(2.25)	236,803	1,078,694	45.552
GULF01C2508A	0.22	180468	-	0.20	0.18	0.18	0.16	0.18	(0.04)	425	8	0.199
GULF01C2509A	1.00	180468	0.43	0.44	0.38	0.38	0.37	0.38	(0.62)	20,891	865	0.414
GULF13C2508A	0.17	180468	-	0.17	0.12	0.12	0.11	0.12	(0.05)	132,493	1,859	0.14
GULF13C2508B	0.46	180468	-	0.46	0.38	0.38	0.38	0.40	(0.08)	81,040	3,443	0.424
GULF19C2509A	0.56	180468	-	0.54	0.49	0.50	0.46	0.55	(0.06)	630	32	0.51
GULF41C2508A	0.39	180468	-	0.38	0.30	0.30	0.30	0.31	(0.09)	29,316	1,005	0.342
GUNKUL	1.59	180468	1.59	1.61	1.54	1.55	1.54	1.55	(0.04)	100,141	15,752	1.572
GUNKUL13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
GUNKUL19C2505A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
IRPC	0.85	180468	0.85	0.86	0.82	0.83	0.82	0.83	(0.02)	203,031	16,966	0.835
IRPC19C2508A	0.13	180468	-	0.12	0.11	0.11	0.11	0.12	(0.02)	825	9	0.115
KBSPIF	7.30	180468	-	7.30	7.25	7.30	7.25	7.30	-	210	153	7.264
LANNA	15.10	180468	15.20	15.30	14.90	15.00	15.00	15.10	(0.10)	5,428	8,193	15.094
MDX	2.78	180468	2.78	2.90	2.76	2.78	2.78	2.80	-	1,845	520	2.819
NOVA	7.50	180468	6.55	7.50	6.55	7.50	6.70	7.30	-	20	14	7.21
OR	12.70	180468	12.70	13.00	12.60	12.90	12.90	13.00	0.20	257,720	330,449	12.822
OR01C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
OR01C2507A	0.18	180468	-	0.20	0.18	0.20	0.20	0.21	0.02	32,237	603	0.187
OR01C2508A	0.34	180468	-	0.37	0.35	0.37	0.37	0.39	0.03	8,337	293	0.35
OR13C2506A	0.04	180468	-	0.04	0.04	0.04	0.05	0.06	-	1	-	0.04
OR13C2507A	0.18	180468	-	0.20	0.17	0.19	0.19	0.20	0.01	98,502	1,776	0.18
OR13C2508A	0.34	180468	-	0.36	0.34	0.34	0.37	0.41	-	490	17	0.342
OR19C2505A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
OR19C2506A	0.12	180468	-	0.14	0.12	0.13	0.13	0.14	0.01	49,514	628	0.126
OR19C2508A	0.42	180468	-	-	-	-	0.45	0.49	-	-	-	0
OR41C2505A	0.04	180468	-	-	-	-	0.01	0.03	-	-	-	0
OR41C2605T	0.06	180468	-	-	-	-	0.05	0.07	-	-	-	0
OR41C2608T	0.37	180468	-	0.38	0.36	0.38	0.38	0.39	0.01	78,450	2,917	0.371
PRIME	0.04	180468	0.05	0.05	0.04	0.05	0.04	0.05	0.01	34,435	167	0.048
PTG	6.60	180468	6.65	6.65	6.50	6.60	6.50	6.60	-	17,495	11,489	6.567
PTT	31.00	180468	31.00	31.00	30.25	30.75	30.50	30.75	(0.25)	392,542	1,205,053	30.698
PTT01C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
PTT01C2508A	0.16	180468	-	0.15	0.14	0.14	0.14	0.15	(0.02)	9,939	143	0.143
PTT13C2508A	0.14	180468	-	0.14	0.12	0.13	0.13	0.15	(0.01)	35,972	491	0.136
PTT19C2505A	0.04	180468	-	-	-	-	0.01	0.04	-	-	-	0
PTT41C2606T	0.25	180468	-	0.24	0.24	0.24	0.24	0.25	(0.01)	14,000	336	0.24
PTTEP	103.00	180468	100.50	102.00	99.75	100.50	100.00	100.50	(2.50)	66,827	672,630	100.652
PTTEP01C2505A	0.02	180468	-	0.01	0.01	0.01	0.01	0.02	(0.01)	122	-	0.01
PTTEP01C2507A	0.09	180468	0.08	0.08	0.06	0.07	0.06	0.07	(0.02)	6,394	48	0.074
PTTEP01C2509A	1.00	180468	-	0.45	0.43	0.43	0.42	0.44	(0.57)	28,988	1,282	0.442
PTTEP01P2506A	0.28	180468	-	0.36	0.36	0.36	0.37	0.38	0.08	50	2	0.36
PTTEP13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-</			

## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
PTTEP19C2508A	0.06	180468	0.06	0.06	0.06	0.06	0.04	0.07	-	190	1	0.06
PTTEP19C2509A	0.50	180468	0.45	0.47	0.44	0.44	0.45	0.46	(0.06)	124,457	5,745	0.461
PTTEP41C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
PTTEP41C2507A	0.11	180468	-	-	-	-	0.06	0.07	-	-	-	0
PTTEP41C2604T	0.07	180468	-	0.06	0.06	0.06	0.05	0.06	(0.01)	28	-	0.06
PTTEP41C2609T	0.41	180468	-	0.39	0.37	0.37	0.38	0.39	(0.03)	19,426	754	0.388
PTTEP41P2506A	0.31	180468	-	0.38	0.35	0.37	0.36	0.37	0.06	15,580	564	0.362
RATCH	25.75	180468	25.75	25.75	25.00	25.00	25.00	25.25	(0.75)	14,646	37,208	25.404
RATCH19C2506A	0.05	180468	-	-	-	-	0.04	0.05	-	-	-	0
RPC	0.27	180468	0.26	0.28	0.26	0.26	0.26	0.27	(0.01)	63,480	1,697	0.267
SCG	2.42	180468	2.42	2.42	2.30	2.30	2.30	2.40	(0.12)	141	33	2.344
SCN	0.39	180468	0.39	0.40	0.38	0.39	0.38	0.39	-	4,413	171	0.386
SCN-W2	0.02	180468	-	0.04	0.03	0.04	0.03	0.04	0.02	10,552	32	0.03
SEAOIL	2.44	180468	2.40	2.42	2.40	2.42	2.42	2.44	(0.02)	128	31	2.402
SGP	6.85	180468	-	6.90	6.80	6.85	6.85	6.90	-	116	80	6.854
SKE	0.19	180468	0.20	0.20	0.19	0.20	0.19	0.20	0.01	2,793	55	0.196
SKE-W1	0.03	180468	-	0.03	0.02	0.03	0.02	0.03	-	1,122	3	0.029
SOLAR	0.23	180468	0.22	0.23	0.21	0.23	0.22	0.23	-	9,886	217	0.22
SPCG	7.60	180468	7.60	7.60	7.45	7.50	7.50	7.55	(0.10)	1,066	799	7.499
SPRC	5.30	180468	5.25	5.30	4.98	5.00	5.00	5.05	(0.30)	67,199	34,075	5.07
SPRC13C2506A	0.05	180468	-	0.03	0.02	0.02	0.02	0.03	(0.03)	2	-	0.025
SPRC13C2508A	0.24	180468	-	0.23	0.19	0.19	0.19	0.20	(0.05)	76,449	1,569	0.205
SPRC19C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
SPRC41C2606T	0.18	180468	-	0.17	0.16	0.16	0.15	0.16	(0.02)	26,000	440	0.169
SSP	4.82	180468	4.84	4.84	4.80	4.82	4.80	4.82	-	3,203	1,544	4.82
SSP-W2	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
SUPER	0.14	180468	0.13	0.14	0.12	0.13	0.13	0.14	(0.01)	823,841	10,714	0.13
SUPEREIF	5.35	180468	5.40	5.40	5.30	5.30	5.30	5.35	(0.05)	3,837	2,038	5.312
SUSCO	2.68	180468	2.66	2.68	2.58	2.58	2.58	2.60	(0.10)	18,313	4,797	2.619
TAE	0.62	180468	0.63	0.64	0.60	0.63	0.62	0.63	0.01	2,077	129	0.622
TCC	0.23	180468	0.23	0.24	0.22	0.23	0.23	0.24	-	4,355	100	0.229
TCC-W5	0.14	180468	-	-	-	-	0.13	0.14	-	-	-	0
TGE	1.43	180468	1.43	1.47	1.41	1.41	1.41	1.43	(0.02)	2,223	320	1.437
TGE-W2	0.08	180468	0.09	0.09	0.08	0.08	0.08	0.10	-	1,156	9	0.081
TOP	24.60	180468	24.50	24.50	23.50	23.60	23.50	23.60	(1.00)	181,484	433,881	23.91
TOP01C2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	6,719	7	0.01
TOP01C2506A	0.05	180468	-	-	-	-	0.02	0.03	-	-	-	0
TOP01C2507A	0.39	180468	0.39	0.39	0.31	0.31	0.31	0.32	(0.08)	29,121	998	0.342
TOP01C2508A	0.15	180468	0.15	0.15	0.12	0.12	0.12	0.13	(0.03)	19,564	268	0.136
TOP01P2506A	0.16	180468	-	-	-	-	0.10	0.12	-	-	-	0
TOP01P2508A	0.31	180468	-	0.33	0.33	0.33	0.34	0.36	0.02	4	-	0.33
TOP13C2505A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
TOP13C2505B	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
TOP13C2505C	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
TOP13C2506A	0.28	180468	0.28	0.28	0.20	0.20	0.20	0.21	(0.08)	106,223	2,419	0.227
TOP13C2507A	0.09	180468	-	0.07	0.07	0.07	0.07	0.08	(0.02)	10	-	0.07
TOP13P2505A	0.49	180468	-	-	-	-	0.46	0.51	-	-	-	0
TOP13P2505B	0.16	180468	-	-	-	-	0.04	0.07	-	-	-	0
TOP13P2508A	0.29	180468	-	0.31	0.28	0.31	0.31	0.32	0.02	23,485	699	0.297
TOP19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
TOP19C2505B	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	55	-	0.01
TOP19C2508A	0.16	180468	0.16	0.16	0.13	0.13	0.13	0.14	(0.03)	30,746	456	0.148
TOP19P2505A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
TOP41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
TOP41C2506B	0.03	180468	-	-	-	-	0.02	0.03	-	-	-	0
TOP41C2609T	0.39	180468	-	0.38	0.37	0.37	0.36	0.37	(0.02)	10,808	402	0.372
TOP41P2505A	0.21	180468	-	-	-	-	0.06	0.08	-	-	-	0
TPIPP	2.16	180468	2.16	2.16	2.06	2.06	2.06	2.10	(0.10)	24,777	5,190	2.094
TSE	0.38	180468	0.39	0.39	0.35	0.37	0.36	0.37	(0.01)	13,161	484	0.367
TTW	8.75	180468	8.75	8.80	8.70	8.80	8.70	8.80	0.05	15,943	13,979	8.767
UBE	0.48	180468	0.48	0.50	0.48	0.48	0.48	0.49	-	23,705	1,150	0.485
WHAUP	3.52	180468	3.50	3.56	3.40	3.42	3.40	3.42	(0.10)	22,956	7,918	3.449
WP	3.42	180468	-	3.46	3.42	3.44	3.42	3.44	0.02	384	132	3.436
Media & Publishing												
AMARIN	2.04	180468	-	2.10	2.08	2.10	2.06	2.12	0.06	122	26	2.096
AQUA	0.20	180468	-	0.21	0.17	0.21	0.20	0.21	0.01	218,016	4,067	0.186
AS	2.22	180468	2.22	2.42	2.22	2.28	2.26	2.28	0.06	19,549	4,567	2.336
BEC	3.88	180468	4.02	4.02	3.88	3.90	3.88	3.90	0.02	5,932	2,345	3.953
FE	192.00	180468	-	-	-	-	176.00	195.00	-	-	-	0
GPI	1.56	180468	1.56	1.60	1.51	1.60	1.55	1.60	0.04	928	145	1.563
GRAMMY	5.00	180468	5.05	5.05	5.05	5.05	5.00	5.10	0.05	2	1	5.05
JKN	0.31	180468	-	-	-	-	-	-	-	-	-	0
MAJOR	10.30	180468	10.30	10.40	10.20	10.40	10.30	10.40	0.10	3,188	3,285	10.302
MATCH	1.16	180468	1.16	1.17	1.16	1.16	1.15	1.16	-	25	3	1.162
MATI	4.10	180468	-	4.50	4.50	4.50	4.20	4.38	0.40	1	-	4.5
MCOT	5.05	180468	5.05	5.10	4.84	4.94	4.94	4.96	(0.11)	167,324	83,106	4.966
MONO	1.29	180468	1.30	1.36	1.29	1.30	1.29	1.30	0.01	513,428	67,965	1.323
NATION	0.02	180468	0.02	0.03	0.02	0.03	0.02	0.03	0.01	4,415	12	0.027
NATION-W4	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
ONEE	2.52	180468	2.52	2.58	2.40	2.42	2.42	2.44	(0.10)	27,297	6,743	2.47
PLANB	5.30	180468	5.30	5.55	5.25	5.45	5.45	5.50	0.15	104,004	56,233	5.406
PLANB13C2508A	0.12	180468	-	0.14	0.12	0.13	0.13	0.14	0.01	16,436	211	0.128
PLANB19C2508A	0.11	180468	-	0.13	0.11	0.12	0.12	0.13	0.01	18,603	219	0.117
PLANB41C2606T	0.15	180468	-	0.16	0.16	0.16	0.16	0.17	0.01	16,000	256	0.16
PRAKIT	11.40	180468	-	11.40	11.40	11.40	11.30	11.40	-	4	5	11.4
PTECH	0.87	180468	-	0.84	0.70	0.83	0.71	0.83	(0.04)	40	3	0.769
SE-ED	1.95	180468	1.94	1.95	1.94	1.95	1.95	1.96	-	802	156	1.949
TKS	5.45	180468	5.45	5.55	5.40	5.40	5.35	5.40	(0.05)	1,951	1,058	5.42
VGI	2.20	180468	2.20	2.28	2.16	2.16	2.16	2.18	(0.04)	1,276,375	282,068	2.209
VGI-W3	0.03	180468	0.03	0.03	0.02	0.03	0.02	0.03	-	50,016	150	0.03
VGI-W4	0.50	180468	0.49	0.63	0.49	0.57	0.57	0.58	0.07	182,303	10,494	0.575
VGI01C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
VGI01C2507A	0.06	180468	-	0.07	0.06	0.06	0.05	0.06	-	5,947	40	0.066
VGI01C2509A	1.00	180468	-	0.40	0.35	0.35	0.34	0.35	(0.65)	6,487	246	0.379
VGI13C2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	31	-	0.01
VGI13C2507A	0.03	180468	-	0.03	0.03	0.03	0.02	0.03	-	1,250	4	0.03
VGI13C2508A	0.08	180468	0.08	0.09	0.07	0.07	0.07	0.08	(0.01)	26,012	214	0.082
VGI13C2508B	0.26	180468	0.27	0.27	0.24	0.24	0.24	0.25	(0.02)	29,727	760	0.255
VGI19C2505A	0.02	180468	-	0.02	0.01	0.02	0.01	0.02	-	3,000	3	0.01
VGI19C2507A	0.03	180468	-	0.03	0.03	0.03	0.02	0.03	-	2,471	7	0.03
VGI19C2508A	0.08	180468	-	0.09	0.08	0.08	0.07	0.08	-	5,577	50	0.089
VGI19C2509A	0.39	180468	0.41	0.42	0.37	0.37	0.37	0.38	(0.02)	132,171	5,234	0.396
VGI41C2505A	0.07	180468	-	-	-	-	0.01	0.02	-	-	-	0



## Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
VGI41C2606T	0.12	180468	-	0.13	0.13	0.13	0.12	0.13	0.01	4,000	52	0.13
WORK	4.66	180468	4.68	4.70	4.60	4.62	4.62	4.66	(0.04)	1,787	834	4.669
ZAA	0.66	180468	0.65	0.68	0.63	0.67	0.64	0.66	0.01	434	29	0.658
Finance & Securities												
AEONTS	110.50	180468	110.50	111.50	109.00	109.50	109.50	110.00	(1.00)	1,767	19,536	110.56
AMANAHAH	0.80	180468	-	0.80	0.77	0.78	0.78	0.79	(0.02)	2,254	176	0.781
ASAP	1.40	180468	-	1.44	1.35	1.35	1.35	1.38	(0.05)	176	24	1.364
ASK	7.00	180468	6.95	7.05	6.95	7.05	6.95	7.05	0.05	4,756	3,328	6.998
ASP	1.95	180468	1.95	1.96	1.91	1.92	1.92	1.93	(0.03)	13,056	2,530	1.937
BAM	6.60	180468	6.60	6.65	6.45	6.45	6.40	6.45	(0.15)	220,201	143,448	6.514
BAM01C2506A	0.15	180468	-	0.15	0.12	0.12	0.12	0.13	(0.03)	53,364	726	0.136
BAM13C2505A	0.07	180468	-	-	-	-	0.01	0.02	-	-	-	0
BAM13C2506A	0.15	180468	-	0.14	0.12	0.12	0.12	0.13	(0.03)	98,386	1,276	0.129
BAM19C2505A	0.09	180468	-	-	-	-	0.01	0.02	-	-	-	0
BAM19C2506A	0.20	180468	-	0.19	0.16	0.16	0.16	0.17	(0.04)	62,741	1,105	0.176
BAM41C2505A	0.07	180468	-	-	-	-	0.01	0.04	-	-	-	0
BAM41C2612T	0.35	180468	-	0.35	0.34	0.34	0.33	0.34	(0.01)	78,000	2,704	0.346
BYD	0.35	180468	0.35	0.36	0.31	0.33	0.33	0.34	(0.02)	54,649	1,827	0.334
CGH	0.45	180468	0.44	0.46	0.44	0.44	0.44	0.45	(0.01)	1,923	85	0.443
CGH-W5	0.04	180468	-	-	-	-	0.03	0.17	-	-	-	0
CHASE	0.68	180468	0.68	0.68	0.66	0.67	0.65	0.67	(0.01)	34,346	2,298	0.669
CHASE-W1	0.34	180468	-	0.36	0.32	0.35	0.35	0.36	0.01	7,054	237	0.336
CHAYO	2.06	180468	2.06	2.10	2.00	2.04	2.02	2.04	(0.02)	51,412	10,550	2.051
CHAYO-W3	0.08	180468	-	0.08	0.06	0.08	0.07	0.08	-	4,684	33	0.069
EAST	0.85	180468	0.83	0.85	0.82	0.82	0.82	0.84	(0.03)	3,747	312	0.832
FNS	1.04	180468	-	1.03	1.00	1.01	1.01	1.04	(0.03)	115	12	1.008
FSX	1.29	180468	-	1.29	1.26	1.28	1.26	1.28	(0.01)	183	23	1.279
GBX	0.47	180468	0.48	0.49	0.46	0.47	0.47	0.48	-	2,713	129	0.473
GL	0.03	180468	0.03	0.03	0.02	0.02	0.02	0.03	(0.01)	854,233	1,882	0.022
HENG	1.02	180468	1.02	1.03	1.00	1.01	1.00	1.01	(0.01)	3,890	396	1.018
IFS	2.26	180468	2.26	2.26	2.20	2.20	2.08	2.20	(0.06)	21	5	2.217
JMT	12.90	180468	12.70	13.10	12.60	12.60	12.60	12.70	(0.30)	92,623	118,668	12.811
JMT13C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
JMT13C2507A	0.11	180468	0.10	0.11	0.09	0.09	0.09	0.10	(0.02)	20,557	209	0.101
JMT19C2506A	0.03	180468	-	0.03	0.03	0.03	0.02	0.03	-	146	-	0.03
JMT19C2507A	0.14	180468	-	0.16	0.14	0.14	0.13	0.14	-	9,892	141	0.142
JMT41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
JMT41C2608T	0.23	180468	-	0.24	0.23	0.23	0.22	0.23	-	107,799	2,491	0.231
KCAR	3.80	180468	-	3.82	3.80	3.82	3.80	3.82	0.02	77	29	3.818
KGI	4.30	180468	3.96	4.00	3.94	3.96	3.96	3.98	(0.34)	55,858	22,168	3.968
KTC	46.25	180468	45.75	46.25	45.25	45.50	45.50	45.75	(0.75)	14,842	67,855	45.718
KTC01C2507A	0.13	180468	-	0.13	0.11	0.11	0.11	0.12	(0.02)	20,663	249	0.12
KTC01C2508A	0.29	180468	0.29	0.29	0.27	0.27	0.27	0.28	(0.02)	19,766	549	0.277
KTC13C2506A	0.06	180468	-	-	-	-	0.04	0.05	-	-	-	0
KTC19C2507A	0.06	180468	-	-	-	-	0.06	0.07	-	-	-	0
KTC41C2606T	0.23	180468	-	-	-	-	0.23	0.24	-	-	-	0
MFC	25.75	180468	-	25.75	25.25	25.75	25.50	25.75	-	102	263	25.742
MICRO	0.86	180468	0.86	0.89	0.84	0.84	0.84	0.86	(0.02)	5,164	447	0.865
ML	0.32	180468	0.33	0.34	0.33	0.33	0.32	0.33	0.01	1,338	44	0.333
MST	7.40	180468	-	7.45	7.25	7.35	7.20	7.35	(0.05)	157	115	7.308
MTC	43.50	180468	43.50	43.75	43.00	43.25	43.00	43.25	(0.25)	43,864	189,832	43.277
MTC01C2506A	0.11	180468	-	0.10	0.10	0.10	0.09	0.10	(0.01)	12,800	128	0.1
MTC01C2508A	0.38	180468	-	0.38	0.36	0.36	0.36	0.38	(0.02)	32,915	1,227	0.372
MTC01P2506A	0.17	180468	-	-	-	-	0.16	0.18	-	-	-	0
MTC13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
MTC13C2506A	0.08	180468	-	0.07	0.07	0.07	0.06	0.07	(0.01)	9,366	66	0.07
MTC13C2508A	0.36	180468	-	0.35	0.33	0.34	0.34	0.35	(0.02)	15,096	516	0.342
MTC13P2506A	0.10	180468	-	0.08	0.07	0.07	0.07	0.09	(0.03)	3,563	28	0.078
MTC19C2506A	0.06	180468	-	-	-	-	0.05	0.06	-	-	-	0
MTC19C2508A	0.31	180468	-	0.30	0.29	0.29	0.29	0.30	(0.02)	153,326	4,555	0.297
MTC19P2506A	0.10	180468	-	0.10	0.10	0.10	0.10	0.11	-	11,430	114	0.11
MTC19P2509A	0.40	180468	-	0.42	0.40	0.41	0.40	0.41	0.01	55,887	2,255	0.403
MTC41C2505A	0.12	180468	-	-	-	-	0.01	0.03	-	-	-	0
MTC41C2606T	0.27	180468	-	0.27	0.26	0.26	0.26	0.27	(0.01)	52,850	1,398	0.264
NCAP	2.50	180468	2.48	2.56	2.40	2.42	2.42	2.44	(0.08)	109,048	26,920	2.468
PL	1.02	180468	1.02	1.03	1.01	1.02	1.01	1.02	-	90	9	1.022
S11	2.62	180468	-	2.68	2.62	2.66	2.62	2.66	0.04	101	27	2.63
SAK	4.12	180468	4.12	4.14	3.98	3.98	3.98	4.00	(0.14)	12,849	5,179	4.031
SAWAD	30.25	180468	30.25	30.75	29.75	30.25	30.00	30.25	-	54,598	165,344	30.283
SAWAD-W2	0.20	180468	0.22	0.23	0.20	0.20	0.20	0.21	-	1,810	38	0.211
SAWAD01C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD01C2508A	0.09	180468	-	-	-	-	0.09	0.10	-	-	-	0
SAWAD01C2508B	0.28	180468	0.29	0.30	0.27	0.27	0.27	0.28	(0.01)	40,069	1,146	0.286
SAWAD01P2505A	0.51	180468	-	-	-	-	0.35	0.39	-	-	-	0
SAWAD13C2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	1,140	1	0.01
SAWAD13C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD13C2507A	0.07	180468	-	0.06	0.06	0.06	0.06	0.07	(0.01)	12,000	72	0.06
SAWAD13C2508A	0.16	180468	0.16	0.17	0.15	0.16	0.16	0.17	-	35,895	567	0.157
SAWAD13C2508B	0.27	180468	0.28	0.29	0.27	0.28	0.28	0.29	0.01	56,399	1,599	0.283
SAWAD19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD19C2507A	0.10	180468	-	0.10	0.09	0.09	0.09	0.10	(0.01)	12,572	124	0.098
SAWAD19C2508A	0.22	180468	-	0.23	0.21	0.21	0.21	0.23	(0.01)	38,183	844	0.221
SAWAD41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
SAWAD41C2609T	0.28	180468	-	0.28	0.28	0.28	0.28	0.29	-	12,000	336	0.28
SCAP	1.39	180468	1.40	1.48	1.39	1.47	1.47	1.48	0.08	163,716	23,727	1.449
SGC	0.83	180468	0.83	0.89	0.82	0.85	0.85	0.86	0.02	284,560	24,537	0.862
SGC-W1	0.09	180468	0.08	0.09	0.07	0.09	0.07	0.09	-	31,536	247	0.078
SGC-W2	0.28	180468	0.29	0.31	0.28	0.28	0.28	0.30	-	10,519	309	0.293
SM	0.80	180468	0.81	0.81	0.79	0.80	0.79	0.80	-	2,321	184	0.791
TH	0.59	180468	0.59	0.65	0.58	0.58						

## Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
XPG	0.82	180468	0.82	0.83	0.80	0.81	0.80	0.81	(0.01)	92,230	7,454	0.808
Food & Beverage												
AAI	4.40	180468	4.38	4.38	4.18	4.20	4.20	4.22	(0.20)	39,783	16,975	4.266
APURE	3.36	180468	-	3.34	3.24	3.34	3.24	3.34	(0.02)	335	110	3.289
ASIAN	7.50	180468	7.50	7.55	7.40	7.40	7.40	7.45	(0.10)	5,803	4,337	7.473
BR	1.60	180468	1.60	1.60	1.59	1.59	1.58	1.59	(0.01)	234	37	1.593
BR-W1	0.03	180468	-	0.04	0.03	0.04	0.03	0.04	0.01	1,821	5	0.03
BRR	4.60	180468	4.62	4.76	4.62	4.72	4.70	4.72	0.12	9,292	4,347	4.678
BRR-W2	0.12	180468	-	0.19	0.12	0.18	0.17	0.18	0.06	14,572	226	0.155
BTG	19.90	180468	20.00	20.30	19.80	20.00	19.90	20.00	0.10	22,126	44,386	20.06
CBG	63.00	180468	63.75	63.75	62.50	62.75	62.50	62.75	(0.25)	30,365	191,542	63.081
CBG01C2506A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
CBG01C2507A	0.12	180468	-	0.13	0.11	0.11	0.11	0.12	(0.01)	19,386	244	0.125
CBG01C2508A	0.37	180468	-	0.39	0.35	0.36	0.36	0.37	(0.01)	56,455	2,095	0.371
CBG01P2506A	1.11	180468	-	-	-	-	0.77	0.80	-	-	-	0
CBG01P2507A	0.42	180468	-	0.43	0.40	0.41	0.41	0.43	(0.01)	286	12	0.412
CBG13C2505A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
CBG13C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CBG13C2507A	0.15	180468	0.16	0.16	0.14	0.14	0.13	0.14	(0.01)	20,919	308	0.147
CBG13C2508A	0.50	180468	-	0.51	0.46	0.47	0.47	0.48	(0.03)	84,816	4,132	0.487
CBG19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CBG19C2506B	0.04	180468	-	-	-	-	0.03	0.04	-	-	-	0
CBG19C2508A	0.31	180468	-	0.32	0.29	0.29	0.29	0.30	(0.02)	27,546	858	0.311
CBG19P2507A	0.44	180468	0.41	0.44	0.40	0.44	0.44	0.45	-	49,696	2,106	0.423
CBG41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CBG41C2608T	0.25	180468	0.26	0.26	0.25	0.25	0.25	0.26	-	99,000	2,558	0.258
CFRESH	1.00	180468	1.05	1.05	1.00	1.00	1.00	1.01	-	2,903	298	1.028
CH	2.00	180468	1.99	2.00	1.99	2.00	1.99	2.00	-	233	46	1.991
CHAO	5.90	180468	5.85	5.85	5.40	5.65	5.60	5.65	(0.25)	93,137	52,552	5.642
CHOTI	62.50	180468	-	63.50	61.25	63.50	61.25	63.50	1.00	2	12	62.375
CM	1.65	180468	-	1.66	1.65	1.66	1.65	1.67	0.01	360	59	1.651
COCOCO	6.60	180468	6.60	6.60	6.35	6.35	6.35	6.40	(0.25)	39,620	25,602	6.461
COCOCO13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
COCOCO19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CPF	25.25	180468	25.00	25.25	24.70	24.90	24.90	25.00	(0.35)	206,468	514,439	24.916
CPF01C2508A	0.67	180468	-	0.64	0.64	0.64	0.63	0.67	(0.03)	1	-	0.64
CPF01C2509A	1.00	180468	-	0.18	0.18	0.18	0.18	0.19	(0.82)	20	-	0.18
CPF13C2505A	0.09	180468	-	0.05	0.05	0.05	0.03	0.05	(0.04)	1,400	7	0.05
CPF13C2506A	0.43	180468	-	-	-	-	0.35	0.39	-	-	-	0
CPF13C2508A	0.17	180468	-	0.16	0.15	0.16	0.15	0.16	(0.01)	575	9	0.155
CPF19C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CPF19C2509A	0.21	180468	-	0.20	0.20	0.20	0.20	0.21	(0.01)	28,360	567	0.2
CPF41C2505A	0.10	180468	-	-	-	-	0.01	0.03	-	-	-	0
CPF41C2505B	0.09	180468	-	-	-	-	0.05	0.07	-	-	-	0
CPF41C2612T	0.65	180468	-	-	-	-	0.62	0.64	-	-	-	0
CPI	2.72	180468	2.68	2.68	2.62	2.62	2.62	2.68	(0.10)	1,203	319	2.654
F&D	42.25	180468	-	43.00	42.25	42.75	41.00	42.75	0.50	132	563	42.643
FM	3.92	180468	3.90	4.00	3.82	3.82	3.82	3.86	(0.10)	56,949	22,267	3.91
GLOCON	0.13	180468	0.13	0.14	0.10	0.11	0.10	0.11	(0.02)	559,557	6,207	0.11
HTC	16.20	180468	16.20	16.30	16.10	16.10	16.10	16.20	(0.10)	952	1,540	16.172
ICHI	12.30	180468	12.20	12.20	11.80	11.80	11.80	11.90	(0.50)	51,646	62,042	12.012
ITC	13.60	180468	13.60	13.60	12.80	13.10	13.00	13.10	(0.50)	71,952	94,102	13.078
ITC01C2506A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
ITC01C2606T	0.25	180468	-	0.25	0.23	0.23	0.23	0.24	(0.02)	30,513	723	0.237
ITC13C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
ITC13C2508A	0.19	180468	-	0.19	0.15	0.16	0.16	0.17	(0.03)	7,985	134	0.167
ITC19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
ITC19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
ITC41C2505A	0.09	180468	-	0.01	0.01	0.01	0.01	0.02	(0.08)	1,012	1	0.01
ITC41C2612T	0.27	180468	-	0.26	0.24	0.24	0.24	0.25	(0.03)	32,115	804	0.25
JDF	1.90	180468	1.91	1.91	1.76	1.84	1.84	1.85	(0.06)	1,213	223	1.839
KBS	5.30	180468	5.30	5.30	5.15	5.20	5.15	5.20	(0.10)	1,108	578	5.22
KCG	8.35	180468	8.35	8.45	8.30	8.40	8.35	8.40	0.05	9,893	8,280	8.37
KSL	1.49	180468	1.49	1.51	1.47	1.49	1.48	1.49	-	3,382	502	1.485
KTIS	2.40	180468	-	2.42	2.30	2.38	2.28	2.38	(0.02)	496	116	2.343
LST	4.64	180468	-	4.68	4.64	4.68	4.64	4.68	0.04	90	42	4.653
M	18.20	180468	18.30	18.30	17.90	18.00	17.90	18.00	(0.20)	14,649	26,467	18.067
MALEE	6.80	180468	6.85	6.85	6.50	6.60	6.55	6.60	(0.20)	3,540	2,352	6.643
NRF	0.40	180468	0.39	0.41	0.34	0.36	0.35	0.36	(0.04)	40,659	1,444	0.355
NSL	29.50	180468	29.75	30.25	29.25	29.50	29.25	29.50	-	11,486	34,084	29.674
OKJ	9.35	180468	9.40	9.40	8.65	8.80	8.80	8.85	(0.55)	74,018	66,158	8.938
OSP	14.50	180468	14.50	14.50	14.10	14.30	14.20	14.30	(0.20)	50,506	72,249	14.304
OSP01C2507A	0.04	180468	-	-	-	-	0.04	0.05	-	-	-	0
OSP01C2507B	0.09	180468	-	-	-	-	0.08	0.09	-	-	-	0
OSP01C2508A	0.27	180468	-	0.27	0.24	0.25	0.25	0.26	(0.02)	31,425	789	0.251
OSP01P2507A	0.22	180468	-	0.23	0.23	0.23	0.22	0.24	0.01	60	1	0.23
OSP13C2505A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
OSP13C2506A	0.02	180468	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1,500	2	0.01
OSP13C2506B	0.02	180468	-	-	-	-	0.02	0.03	-	-	-	0
OSP13C2507A	0.09	180468	-	-	-	-	0.08	0.10	-	-	-	0
OSP13C2508A	0.26	180468	0.27	0.27	0.23	0.24	0.24	0.25	(0.02)	37,280	899	0.241
OSP19C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
OSP19C2506B	0.10	180468	-	-	-	-	0.01	0.02	-	-	-	0
OSP19C2506C	0.05	180468	-	-	-	-	0.04	0.05	-	-	-	0
OSP41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
OSP41C2606T	0.13	180468	-	0.13	0.13	0.13	0.12	0.13	-	20,000	260	0.13
PB	53.75	180468	-	53.75	53.50	53.75	53.25	53.75	-	3	16	53.666
PLUS	3.20	180468	3.20	3.24	3.08	3.24	3.20	3.24	0.04	879	282	3.213
PM	10.10	180468	10.20	10.40	10.10	10.30	10.20	10.30	0.20	3,428	3,504	10.221
PQS	2.44	180468	2.46	2.46	2.38	2.40	2.38	2.40	(0.04)	247	60	2.439
PRG	8.10	180468	-	8.10	8.10	8.10	7.95	8.15	-	4	3	8.1
PRG-W2	3.36	180468	-	3.98	3.46	3.9						

## Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SNNP	11.50	180468	11.50	11.50	11.40	11.50	11.40	11.50	-	5,637	6,448	11.439
SNP	10.80	180468	-	10.80	10.70	10.80	10.70	10.90	-	178	191	10.737
SORKON	4.42	180468	-	4.42	4.40	4.42	4.42	4.44	-	223	98	4.415
SSF	5.85	180468	5.85	5.85	5.70	5.70	5.70	5.75	(0.15)	24	14	5.762
SST	1.96	180468	-	-	-	-	1.81	1.95	-	-	-	0
SUN	3.00	180468	3.04	3.04	2.96	2.96	2.96	3.00	(0.04)	3,791	1,133	2.989
TC	5.85	180468	-	5.90	5.75	5.80	5.75	5.80	(0.05)	509	295	5.797
TFG	4.66	180468	4.66	4.80	4.66	4.78	4.76	4.78	0.12	74,926	35,622	4.754
TFG-W4	0.79	180468	0.80	0.81	0.79	0.80	0.79	0.80	0.01	20,588	1,654	0.803
TFMAMA	197.50	180468	197.50	199.00	197.50	197.50	197.00	197.50	-	53	1,048	197.783
TIPCO	9.20	180468	9.25	9.40	9.25	9.25	9.25	9.30	0.05	805	745	9.259
TKN	7.75	180468	7.75	7.80	7.50	7.55	7.50	7.55	(0.20)	8,587	6,595	7.68
TU	11.00	180468	11.00	11.10	10.80	10.90	10.90	11.00	(0.10)	58,818	64,047	10.889
TU01C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
TU01C2506A	0.02	180468	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1	-	0.01
TU01C2508A	0.10	180468	-	-	-	-	0.09	0.10	-	-	-	0
TU13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
TU13C2508A	0.16	180468	-	0.15	0.14	0.15	0.15	0.16	(0.01)	37,116	554	0.149
TU19C2505A	0.05	180468	-	0.01	0.01	0.01	0.01	0.02	(0.04)	400	-	0.01
TU19C2506A	0.08	180468	-	-	-	-	0.03	0.04	-	-	-	0
TU41C2506A	0.06	180468	-	-	-	-	0.01	0.02	-	-	-	0
TU41C2609T	0.22	180468	-	0.21	0.21	0.21	0.21	0.22	(0.01)	53,900	1,132	0.21
TVO	22.10	180468	22.10	22.10	21.80	22.10	22.00	22.10	-	4,907	10,800	22.008
TWPC	2.22	180468	2.20	2.22	2.18	2.22	2.20	2.22	-	1,441	318	2.207
XBIO	0.11	180468	0.11	0.12	0.10	0.11	0.10	0.11	-	73,065	803	0.109
XBIO-W6	0.02	180468	-	0.02	0.02	0.02	0.01	0.02	-	1	-	0.02
XBIO-W7	0.02	180468	0.02	0.02	0.01	0.02	0.01	0.02	-	10,001	10	0.01
ZEN	6.30	180468	-	6.30	6.30	6.30	5.95	6.30	-	10	6	6.3
Health Care Service												
AHC	14.50	180468	15.00	15.00	14.60	14.60	14.60	14.90	0.10	130	193	14.823
BCH	14.90	180468	14.90	15.10	14.60	14.70	14.60	14.70	(0.20)	33,995	50,317	14.82
BCH01C2508A	0.13	180468	-	0.13	0.12	0.12	0.11	0.12	(0.01)	5,088	64	0.125
BCH13C2507A	0.08	180468	-	-	-	-	0.07	0.08	-	-	-	0
BCH13C2508A	0.26	180468	-	0.26	0.23	0.23	0.23	0.24	(0.03)	12,840	323	0.251
BCH19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
BCH19C2505B	0.09	180468	-	-	-	-	0.01	0.02	-	-	-	0
BCH19C2508A	0.13	180468	-	0.13	0.12	0.12	0.12	0.13	(0.01)	6,448	80	0.124
BCH41C2506A	0.04	180468	-	-	-	-	0.07	0.08	-	-	-	0
BCH41C2609T	0.35	180468	-	0.35	0.34	0.34	0.34	0.35	(0.01)	18,705	647	0.345
BDMS	23.50	180468	23.40	23.60	23.30	23.60	23.50	23.60	0.10	178,041	418,424	23.5
BDMS01C2506A	0.08	180468	-	-	-	-	0.07	0.08	-	-	-	0
BDMS01C2508A	0.07	180468	0.07	0.08	0.07	0.07	0.07	0.08	-	30	-	0.073
BDMS01C2509A	0.43	180468	-	0.44	0.43	0.44	0.44	0.45	0.01	14,617	639	0.436
BDMS13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
BDMS13C2508A	0.30	180468	-	0.30	0.28	0.30	0.30	0.31	-	7,577	219	0.289
BDMS19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
BDMS19C2508A	0.36	180468	-	0.35	0.34	0.35	0.35	0.36	(0.01)	40,686	1,408	0.346
BDMS41C2505A	0.04	180468	-	-	-	-	0.01	0.03	-	-	-	0
BDMS41C2609T	0.20	180468	-	0.21	0.20	0.21	0.20	0.21	0.01	4,001	80	0.2
BH	172.50	180468	172.50	174.00	170.00	170.50	170.00	170.50	(2.00)	14,637	251,230	171.648
BH-P	22.80	180468	-	-	-	-	17.20	-	-	-	-	0
BH-Q	23.40	180468	-	-	-	-	21.20	-	-	-	-	0
BH01C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BH01C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BH01C2507A	0.33	180468	-	0.36	0.33	0.33	0.30	0.31	-	13,448	460	0.342
BH01P2507A	0.35	180468	-	0.36	0.34	0.36	0.34	0.36	0.01	561	19	0.342
BH13C2505A	0.02	180468	-	0.01	0.01	0.01	0.01	0.02	(0.01)	506	1	0.01
BH13C2506A	0.12	180468	-	0.12	0.09	0.09	0.09	0.10	(0.03)	11,519	124	0.107
BH13C2508A	0.55	180468	-	0.57	0.50	0.50	0.50	0.51	(0.05)	23,253	1,260	0.542
BH19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2506A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
BH19C2506B	0.09	180468	-	-	-	-	0.07	0.08	-	-	-	0
BH19C2508A	0.45	180468	-	0.46	0.40	0.40	0.39	0.40	(0.05)	24,378	1,043	0.427
BH41C2505A	0.04	180468	-	-	-	-	0.01	0.03	-	-	-	0
BH41C2605T	0.09	180468	-	-	-	-	0.09	0.10	-	-	-	0
BH41C2609T	0.29	180468	-	0.30	0.29	0.29	0.28	0.29	-	18,000	524	0.291
BH41P2508A	0.35	180468	-	-	-	-	0.35	0.36	-	-	-	0
BKGI	1.87	180468	1.87	1.90	1.84	1.84	1.84	1.85	(0.03)	7,010	1,307	1.864
CHG	1.75	180468	1.80	1.81	1.75	1.77	1.76	1.77	0.02	166,273	29,486	1.773
CHG19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CMR	1.21	180468	1.21	1.24	1.20	1.20	1.20	1.23	(0.01)	2,460	298	1.211
EKH	6.20	180468	6.20	6.25	6.15	6.15	6.15	6.20	(0.05)	7,597	4,692	6.176
KDH	87.00	180468	84.00	85.00	84.00	85.00	84.00	94.00	(2.00)	12	102	84.833
LPH	3.64	180468	3.62	3.64	3.58	3.60	3.58	3.60	(0.04)	386	139	3.607
M-CHAI	18.70	180468	-	18.70	18.30	18.30	18.30	18.40	(0.40)	401	740	18.461
MASTER	21.10	180468	21.40	21.40	20.60	20.60	20.60	20.80	(0.50)	16,595	34,694	20.906
MEDEZE	7.35	180468	7.35	7.40	7.05	7.05	7.05	7.10	(0.30)	21,138	15,170	7.176
NEW	97.00	180468	-	-	-	-	80.00	118.00	-	-	-	0
NKT	4.74	180468	4.74	4.90	4.70	4.74	4.74	4.78	-	23,559	11,278	4.787
NTV	26.75	180468	27.00	27.25	26.75	26.75	26.50	27.00	-	68	183	26.86
PHG	14.00	180468	13.80	13.90	13.80	13.90	13.80	14.00	(0.10)	6	8	13.85
PR9	24.20	180468	24.10	24.10	23.40	23.80	23.70	23.80	(0.40)	16,134	38,204	23.679
PR901C2507A	0.28	180468	0.25	0.26	0.22	0.25	0.25	0.26	(0.03)	9,583	232	0.242
PR913C2505A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
PR913C2506A	0.10	180468	-	-	-	-	0.08	0.10	-	-	-	0
PR919C2506A	0.04	180468	-	-	-	-	0.04	0.05	-	-	-	0
PR941C2609T	0.46	180468	-	0.46	0.44	0.45	0.45	0.46	(0.01)	34,000	1,529	0.449
PRINC	2.22	180468	2.26	2.28	2.22	2.22	2.22	2.26	-	4,925	1,104	2.242
RAM	18.30	180468	-	18.40	18.10	18.20	18.10	18.20	(0.10)	16	29	18.218
RJH	13.00	180468	13.10	13.40	12.80	13.00	13.00	13.10	-	9,225	12,032	13.043
RPH	5.30	180468	5.30	5.35	5.25	5.35	5.30	5.35	0.05	1,416	751	5.303
SAFE	8.80	180468	8.80	8.80	8.70	8.70	8.65	8.70	(0.10)	530	463	8.741
SKR	7.20	180468	7.15	7.15	7.00	7.05	7.00	7.05	(0.15)	1,280	901	7.038
THG	10.00	180468	10.20	10.20	9.65	9.65	9.65	9.80	(0.35)	6,731	6,633	9.855
VIBHA	1.56	180468	1.56	1.56	1.54	1.55	1.54	1.55	(0.01)	6,866	1,062	1.546
VIBHA-W4	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
VIH	7.15	180468	7.10	7.25	7.10	7.20	7.15	7.20	0.05	2,142	1,539	7.182
VIH-W1	0.70	180468	-	0.80	0.80	0.80	0.75	0.90	0.10	20	2	0.8
WPH	8.80	180468	8.80	8.80	8.50	8.75	8.65	8.75	(0.05)	3,484	3,021	8.67
Tourism & Leisure												
ASIA	5.15	180468	-	5.40	5.30	5.30	5.10	5.25	0.15	5	3	5.32
BEYOND	6.85	180468	-	6.90	6.35	6.35	6.30	6.35	(0.50)	302	194	6.413
CENDEL	26.00	180468	26.25	26.25	25.00	25.25	25.25	25.50	(0.75)	28,671	73,277	25.558

## Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
CENTEL01C2508A	0.05	180468	-	-	-	-	0.04	0.05	-	-	-	0
CENTEL13C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CENTEL13C2508A	0.09	180468	0.10	0.10	0.06	0.07	0.06	0.08	(0.02)	2,355	17	0.072
CENTEL19C2506A	0.03	180468	-	0.03	0.03	0.03	0.02	0.03	-	2,000	6	0.03
CENTEL19C2508A	0.13	180468	-	0.12	0.10	0.11	0.10	0.11	(0.02)	8,957	98	0.108
CENTEL41C2606T	0.17	180468	-	0.17	0.16	0.16	0.15	0.16	(0.01)	4,200	69	0.164
CSR	80.00	180468	-	-	-	-	82.00	86.75	-	-	-	0
DUSIT	8.50	180468	8.50	8.55	8.40	8.40	8.40	8.45	(0.10)	254	215	8.465
ERW	2.44	180468	2.42	2.44	2.30	2.30	2.30	2.32	(0.14)	289,925	68,169	2.351
ERW01C2507A	0.03	180468	-	0.02	0.02	0.02	0.01	0.02	(0.01)	195	-	0.02
ERW13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
ERW13C2507A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
ERW13C2508A	0.11	180468	-	0.11	0.08	0.08	0.07	0.09	(0.03)	41,770	373	0.089
ERW19C2506A	0.09	180468	-	-	-	-	0.01	0.02	-	-	-	0
ERW19C2508A	0.13	180468	-	0.13	0.09	0.09	0.09	0.10	(0.04)	34,805	385	0.11
ERW41C2606T	0.07	180468	-	-	-	-	0.07	0.08	-	-	-	0
GRAND	0.03	180468	0.03	0.04	0.03	0.04	0.03	0.04	0.01	359	1	0.038
LRH	37.50	180468	-	-	-	-	37.25	37.75	-	-	-	0
MANRIN	24.90	180468	-	-	-	-	21.00	29.00	-	-	-	0
MINT	26.50	180468	26.50	26.50	25.75	26.00	25.75	26.00	(0.50)	67,058	175,183	26.128
MINT01C2506A	0.32	180468	-	-	-	-	0.24	0.29	-	-	-	0
MINT01C2507A	0.08	180468	-	0.08	0.08	0.08	0.07	0.08	-	5,000	40	0.08
MINT13C2505A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
MINT13C2506A	0.19	180468	-	-	-	-	0.15	0.19	-	-	-	0
MINT13C2506B	0.08	180468	-	0.07	0.06	0.06	0.06	0.07	(0.02)	12,502	87	0.069
MINT19C2506A	0.22	180468	-	0.20	0.20	0.20	0.17	0.21	(0.02)	1	-	0.2
MINT19C2508A	0.12	180468	-	0.12	0.10	0.11	0.10	0.11	(0.01)	43,574	494	0.113
MINT41C2604T	0.06	180468	-	-	-	-	0.05	0.06	-	-	-	0
MINT41C2612T	0.23	180468	-	0.23	0.22	0.22	0.21	0.22	(0.01)	15,177	340	0.224
OHTL	330.00	180468	-	327.00	327.00	327.00	312.00	330.00	(3.00)	2	65	327
ROH	1.78	180468	-	1.79	1.78	1.79	1.65	1.78	0.01	5	1	1.788
SHANG	45.50	180468	-	-	-	-	43.00	45.00	-	-	-	0
SHR	1.84	180468	1.84	1.84	1.75	1.76	1.76	1.77	(0.08)	21,752	3,875	1.781
SPA	4.04	180468	4.04	4.12	3.90	3.98	3.98	4.00	(0.06)	56,702	22,568	3.98
VRANDA	4.52	180468	4.54	4.54	4.48	4.50	4.46	4.50	(0.02)	81	36	4.495
Home & Office Prod												
AJA	0.09	180468	0.09	0.10	0.09	0.10	0.09	0.10	0.01	26,258	239	0.091
DTCI	30.75	180468	-	-	-	-	27.25	30.00	-	-	-	0
FANCY	0.44	180468	0.44	0.44	0.41	0.43	0.42	0.43	(0.01)	563	24	0.43
FTI	1.80	180468	1.88	1.88	1.82	1.82	1.82	1.85	0.02	193	36	1.84
KYE	290.00	180468	-	289.00	287.00	289.00	288.00	290.00	(1.00)	29	835	287.896
L&E	1.21	180468	-	1.20	1.18	1.20	1.20	1.21	(0.01)	128	15	1.189
MODERN	2.20	180468	-	2.20	2.18	2.18	2.16	2.20	(0.02)	330	73	2.198
OGC	10.00	180468	-	-	-	-	9.50	10.10	-	-	-	0
ROCK	12.30	180468	-	11.70	11.70	11.70	11.80	12.50	(0.60)	1	1	11.7
SIAM	0.70	180468	0.75	0.75	0.68	0.71	0.68	0.71	0.01	313	22	0.7
TCMC	0.44	180468	0.45	0.47	0.44	0.45	0.45	0.46	0.01	13,287	599	0.451
TSR	0.18	180468	0.17	0.19	0.16	0.17	0.17	0.19	(0.01)	6,965	120	0.172
TSR-W2	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
Insurance												
AYUD	32.50	180468	32.25	32.25	31.75	32.25	31.75	32.25	(0.25)	101	323	31.985
BKIH	280.00	180468	-	280.00	280.00	280.00	279.00	280.00	-	123	3,444	280
BLA	16.60	180468	16.60	17.10	16.50	16.60	16.60	16.70	-	45,762	76,871	16.799
BLA01C2508A	0.10	180468	-	0.11	0.10	0.10	0.09	0.10	-	21,311	223	0.104
BLA13C2507A	0.03	180468	-	-	-	-	0.03	0.04	-	-	-	0
BLA19C2506A	0.02	180468	-	-	-	-	0.02	0.03	-	-	-	0
BLA41C2606T	0.20	180468	0.20	0.21	0.20	0.20	0.20	0.21	-	52,162	1,089	0.208
BUI	15.90	180468	15.70	15.70	14.50	14.50	14.50	14.70	(1.40)	1,476	2,246	15.214
CHARAN	14.60	180468	-	14.60	12.90	12.90	12.80	13.00	(1.70)	519	678	13.068
INSURE	95.50	180468	-	96.75	96.00	96.75	96.00	96.50	1.25	14	135	96.482
KWI	0.30	180468	-	-	-	-	-	-	-	-	-	0
MTI	107.50	180468	107.00	108.00	107.00	108.00	107.00	108.00	0.50	4	43	107.75
NKI	22.10	180468	-	23.10	21.10	23.10	21.10	23.10	1.00	4	9	21.625
TGH	12.70	180468	-	-	-	-	10.20	16.50	-	-	-	0
THRE	0.39	180468	0.39	0.40	0.38	0.39	0.38	0.39	-	10,118	395	0.389
THREL	1.44	180468	1.46	1.47	1.41	1.46	1.44	1.46	0.02	626	91	1.456
TIPH	18.30	180468	18.40	18.90	18.40	18.70	18.60	18.70	0.40	6,253	11,623	18.587
TLI	11.80	180468	11.80	12.20	11.70	12.00	11.90	12.00	0.20	139,331	167,418	12.015
TLI01C2507A	0.18	180468	-	0.21	0.18	0.18	0.18	0.19	-	29,718	565	0.19
TLI13C2505A	0.03	180468	-	0.04	0.04	0.04	0.04	0.05	0.01	1,038	4	0.04
TLI19C2506A	0.13	180468	-	0.15	0.13	0.14	0.14	0.15	0.01	49,556	698	0.14
TLI41C2606T	0.28	180468	0.30	0.30	0.29	0.30	0.29	0.30	0.02	13,200	389	0.294
TQM	14.90	180468	14.90	14.90	14.30	14.70	14.70	14.80	(0.20)	8,477	12,368	14.589
TSI	0.05	180468	-	0.05	0.04	0.05	0.04	0.05	-	203	1	0.04
TVH	8.00	180468	8.15	8.15	8.10	8.10	8.10	8.15	0.10	44	36	8.105
Packaging												
AJ	2.12	180468	-	2.12	2.04	2.06	2.04	2.06	(0.06)	2,513	521	2.074
ALUCON	180.00	180468	180.00	181.00	180.00	181.00	180.00	181.50	1.00	14	252	180.25
BGC	5.30	180468	5.25	5.40	5.15	5.25	5.25	5.30	(0.05)	1,517	799	5.269
CSC	43.00	180468	42.00	43.50	42.00	43.50	43.00	43.75	0.50	28	121	43.348
CSC-P	150.00	180468	-	-	-	-	155.00	-	-	-	-	0
CSC-Q	76.00	180468	-	-	-	-	-	-	-	-	-	0
NEP	0.23	180468	-	0.23	0.23	0.23	0.22	0.23	-	5	-	0.23
PJW	2.22	180468	-	2.22	2.18	2.22	2.20	2.22	-	4,981	1,105	2.218
PTL	10.60	180468	10.60	10.60	10.30	10.50	10.40	10.50	(0.10)	1,624	1,697	10.448
SCGP	13.00	180468	13.00	13.20	12.60	12.90	12.80	12.90	(0.10)	124,285	160,088	12.88
SCGP01C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
SCGP01C2507A	0.04	180468	-	0.03	0.03	0.03	0.02	0.03	(0.01)	412	1	0.03
SCGP01C2508A	0.13	180468	0.14	0.14	0.12	0.12	0.12	0.13	(0.01)	47,843	623	0.13
SCGP01P2507A	1.03	180468	-	-	-	-	0.60	0.64	-	-	-	0
SCGP13C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2506B	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
SCGP13C2507A	0.07	180468	-	0.07	0.07	0.07	0.07	0.08	-	7,100	50	0.07
SCGP13C2508A	0.22	180468	0.22	0.22	0.19	0.20	0.20	0.21	(0.02)	64,860	1,326	0.204
SCGP13P2506A	0.36	180468	-	0.39	0.34	0.38	0.32	0.36	0.02	820	30	0.361
SCGP19C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2506A	0.04	180468	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2506B	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
SCGP19C2507A	0.16	180468	-	0.16	0.13	0.14	0.13	0.14	(0.02)	35,243	502	0.142
SCGP19P2505A	1.29	180468	-	-	-	-	0.89	1.04	-	-	-	0
SCGP41C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
SCGP41C2606T	0.13	180468	-	0.13	0.13	0.13	0.13	0.14	-	60	1	0.13
SFLEX	3.14	180468	3.16	3.22	3.14	3.14	3.14	3.16	-	58,669	18,637	3.176

## Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SFLEX-W2	0.05	180468	0.05	0.05	0.05	0.05	0.04	0.05	-	7,251	36	0.05
SITHAI	1.26	180468	1.27	1.30	1.20	1.20	1.20	1.23	(0.06)	10,234	1,275	1.245
SLP	0.36	180468	-	0.38	0.36	0.38	0.37	0.38	0.02	877	33	0.371
SMPC	8.55	180468	8.50	8.55	8.40	8.40	8.40	8.50	(0.15)	463	392	8.473
SPACK	1.36	180468	-	1.40	1.36	1.36	1.34	1.36	-	10	1	1.392
TCOAT	23.20	180468	-	-	-	-	22.60	24.90	-	-	-	0
TFI	0.05	180468	0.04	0.05	0.04	0.05	0.04	0.05	-	1,407	6	0.042
TFI-W1	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
THIP	25.50	180468	25.50	25.50	25.25	25.25	25.00	25.50	(0.25)	85	216	25.358
TMD	24.10	180468	-	24.10	24.10	24.10	23.90	24.20	-	1	2	24.1
TOPP	155.00	180468	-	-	-	-	141.00	155.00	-	-	-	0
TPAC	7.45	180468	7.40	7.95	7.40	7.70	7.70	7.75	0.25	821	635	7.731
TPBI	3.86	180468	3.90	3.90	3.80	3.82	3.82	3.84	(0.04)	134	51	3.835
TPP	11.90	180468	-	11.80	11.80	11.80	10.20	11.90	(0.10)	1	1	11.8
Personal Products												
APCO	3.24	180468	-	3.24	3.22	3.24	3.22	3.24	-	361	116	3.224
BIZ	3.24	180468	3.24	3.24	3.20	3.20	3.20	3.24	(0.04)	358	116	3.239
BLC	3.72	180468	3.70	3.76	3.58	3.64	3.64	3.66	(0.08)	38,607	14,154	3.666
DDD	6.25	180468	6.25	6.25	6.10	6.10	6.10	6.20	(0.15)	69	43	6.168
IP	3.52	180468	3.48	3.50	3.38	3.38	3.38	3.40	(0.14)	6,899	2,374	3.441
IP-W2	0.06	180468	0.06	0.06	0.04	0.05	0.04	0.05	(0.01)	6,758	34	0.05
JCT	75.25	180468	-	78.75	78.25	78.25	75.00	78.25	3.00	7	55	78.464
KISS	3.56	180468	3.56	3.58	3.50	3.52	3.50	3.52	(0.04)	5,284	1,867	3.533
NAM	4.28	180468	4.36	4.36	4.26	4.26	4.26	4.32	(0.02)	172	74	4.296
NEO	32.00	180468	32.25	32.25	31.25	31.75	31.50	31.75	(0.25)	8,934	28,357	31.74
NV	0.65	180468	0.67	0.70	0.65	0.65	0.65	0.66	-	1,080	72	0.665
OCC	9.75	180468	10.60	10.60	10.60	10.60	9.50	9.95	0.85	1	1	10.6
S&J	28.25	180468	-	30.00	30.00	30.00	30.00	32.50	1.75	1	3	30
SNPS	5.10	180468	5.00	5.05	4.88	4.88	4.88	4.90	(0.22)	3,286	1,635	4.976
STGT	7.00	180468	7.05	7.10	6.85	6.85	6.85	6.90	(0.15)	36,516	25,340	6.939
STGT13C2506A	0.03	180468	-	0.02	0.02	0.02	0.02	0.03	(0.01)	100	-	0.02
STGT13C2508A	0.28	180468	-	0.28	0.25	0.25	0.25	0.26	(0.03)	31,031	829	0.267
STGT19C2509A	0.37	180468	-	0.37	0.35	0.35	0.34	0.35	(0.02)	7,034	260	0.369
STGT41C2606T	0.17	180468	-	0.16	0.16	0.16	0.15	0.16	(0.01)	1,000	16	0.16
TMAN	10.60	180468	10.60	11.30	10.50	10.70	10.70	10.80	0.10	5,012	5,445	10.864
TNR	7.50	180468	7.50	7.55	7.40	7.45	7.40	7.50	(0.05)	212	158	7.444
TOG	7.90	180468	7.80	8.05	7.80	7.95	7.85	7.95	0.05	630	496	7.875
Professional Service												
BWG	0.28	180468	0.29	0.30	0.28	0.28	0.28	0.29	-	253,730	7,316	0.288
BWG-W6	0.01	180468	-	0.01	0.01	0.01	-	0.01	-	31	-	0.01
GENCO	0.29	180468	0.28	0.29	0.27	0.28	0.27	0.28	(0.01)	3,314	91	0.273
PRTR	3.70	180468	-	3.74	3.68	3.72	3.68	3.72	0.02	182	67	3.692
SISB	19.50	180468	19.60	19.60	18.50	18.50	18.50	18.60	(1.00)	29,509	55,469	18.797
SISB13C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
SISB13C2506B	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
SISB13C2508A	0.47	180468	-	0.44	0.37	0.37	0.37	0.38	(0.10)	13,994	555	0.396
SISB19C2507A	0.03	180468	-	-	-	-	0.02	0.03	-	-	-	0
SO	4.04	180468	4.04	4.06	4.04	4.04	4.04	4.06	-	616	249	4.04
WAVE	0.04	180468	0.04	0.04	0.03	0.03	0.03	0.04	(0.01)	5,425	19	0.035
WAVE-W3	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
WAVE-W4	0.02	180468	-	0.02	0.01	0.02	0.01	0.02	-	58	-	0.014
Property Developme												
A	4.90	180468	-	4.90	4.90	4.90	4.80	4.90	-	1	-	4.9
A5	2.24	180468	-	2.24	2.20	2.22	2.22	2.24	(0.02)	258	57	2.214
A5-W4	0.03	180468	-	0.03	0.02	0.03	0.02	0.03	-	12,251	25	0.02
AKS	0.01	180468	0.01	0.01	0.01	0.01	0.01	0.01	-	21,093	21	0.01
AMATA	14.90	180468	14.80	15.30	14.30	14.40	14.40	14.50	(0.50)	302,358	445,720	14.747
AMATA01C2507A	0.03	180468	-	-	-	-	0.01	0.08	-	-	-	0
AMATA01C2508A	0.06	180468	-	0.07	0.07	0.07	0.03	0.07	0.01	70	-	0.07
AMATA01C2509A	1.00	180468	-	0.62	0.55	0.55	0.55	0.56	(0.45)	32,538	1,881	0.577
AMATA13C2505A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	7,089	7	0.01
AMATA13C2506A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
AMATA13C2506B	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	1,000	1	0.01
AMATA13C2508A	0.05	180468	-	0.05	0.04	0.04	0.03	0.04	(0.01)	1,920	8	0.04
AMATA13C2508B	0.18	180468	0.19	0.19	0.14	0.14	0.14	0.15	(0.04)	150,661	2,577	0.171
AMATA13C2508C	0.44	180468	-	0.46	0.40	0.40	0.40	0.41	(0.04)	183,910	7,993	0.434
AMATA19C2505A	0.05	180468	-	-	-	-	0.01	0.09	-	-	-	0
AMATA19C2508A	0.02	180468	-	0.02	0.02	0.02	0.02	0.10	-	18,888	38	0.02
AMATA19C2509A	0.54	180468	-	0.55	0.48	0.48	0.48	0.49	(0.06)	49,111	2,486	0.506
AMATA41C2505A	0.04	180468	-	-	-	-	0.01	0.02	-	-	-	0
AMATA41C2508A	0.28	180468	0.27	0.29	0.25	0.25	0.24	0.25	(0.03)	122,584	3,363	0.274
AMATA41C2608T	0.07	180468	-	0.07	0.07	0.07	0.06	0.07	-	1,205	8	0.07
AMATAV	3.10	180468	3.12	3.12	3.08	3.08	3.06	3.08	(0.02)	326	101	3.093
ANAN	0.49	180468	0.49	0.54	0.48	0.50	0.50	0.51	0.01	106,116	5,414	0.51
AP	8.00	180468	8.05	8.20	7.95	8.00	8.00	8.05	-	160,846	129,913	8.076
AP01C2507A	0.16	180468	-	0.18	0.15	0.16	0.16	0.17	-	39,271	669	0.17
ASW	6.25	180468	-	6.30	6.25	6.30	6.25	6.30	0.05	90	56	6.25
AWC	2.24	180468	2.22	2.24	2.12	2.14	2.12	2.14	(0.10)	950,120	205,727	2.166
AWC01C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
AWC01C2508A	0.03	180468	-	0.03	0.03	0.03	0.02	0.03	-	550	2	0.03
AWC13C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
AWC13C2508A	0.04	180468	-	0.04	0.04	0.04	0.03	0.05	-	400	2	0.04
AWC19C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
AWC41C2606T	0.05	180468	-	-	-	-	0.04	0.05	-	-	-	0
BLAND	0.41	180468	0.42	0.43	0.41	0.41	0.41	0.42	-	138,025	5,805	0.42
BRI	1.96	180468	1.97	1.98	1.90	1.93	1.90	1.93	(0.03)	2,168	423	1.952
BROCK	1.45	180468	-	1.53	1.50	1.52	1.29	1.51	0.07	6	1	1.523
CGD	0.19	180468	0.20	0.20	0.19	0.20	0.19	0.20	0.01	15,853	305	0.192
CI	0.31	180468	-	0.32	0.30	0.31	0.30	0.31	-	13,168	411	0.312
CMC	0.80	180468	0.79	0.81	0.78	0.81	0.80	0.81	0.01	234	19	0.801
CPN	48.25	180468	48.25	48.75	47.75	48.00	47.75	48.00	(0.25)	35,908	172,674	48.088
CPN01C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CPN01C2506A	0.08	180468	-	-	-	-	0.06	0.07	-	-	-	0
CPN01C2606T	0.23	180468	-	0.24	0.23	0.23	0.23	0.24	-	17,565	421	0.239
CPN13C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CPN13C2507A	0.10	180468	-	0.10	0.09	0.09	0.09	0.10	(0.01)	30,760	298	0.096
CPN19C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
CPN19C2508A	0.16	180468	-	0.17	0.14	0.15	0.14	0.15	(0.01)	7,347	110	0.15
CPN41C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
CPN41C2608T	0.29	180468	-	-	-	-	0.28	0.29	-	-	-	0
ESTAR	0.18	180468	0.19	0.20	0.18	0.19	0.18	0.19	0.01	31,032	590	0.19
EVER	0.06	180468	0.06	0.07	0.06	0.06	0.06	0.07	-	4,070	25	0.06
FPT	6.70	180468	6.55	6.80	6.55	6.80	6.65	6.85	0.10	31	21	6.758

## Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
GLAND	0.85	180468	-	0.86	0.84	<b>0.84</b>	0.83	0.85	(0.01)	187	16	0.848
J	0.93	180468	0.92	0.93	0.89	<b>0.89</b>	0.89	0.90	(0.04)	5,077	460	0.906
J-W3	0.13	180468	0.14	0.15	0.12	<b>0.12</b>	0.12	0.13	(0.01)	146	2	0.138
J-W4	0.14	180468	-	0.16	0.13	<b>0.14</b>	0.13	0.14	-	133	2	0.146
JCK	0.17	180468	0.17	0.17	0.16	<b>0.17</b>	0.16	0.17	-	4,332	70	0.162
KC	0.03	180468	0.03	0.04	0.03	<b>0.03</b>	0.03	0.04	-	2,479	9	0.037
KUN	1.24	180468	1.24	1.24	1.17	<b>1.18</b>	1.17	1.18	(0.06)	73	9	1.181
KUN-W2	0.01	180468	-	-	-	<b>-</b>	-	0.01	-	-	-	0
KUN-W3	0.03	180468	0.04	0.04	0.03	<b>0.04</b>	0.03	0.04	0.01	14,617	58	0.039
LALIN	5.00	180468	5.00	5.05	4.98	<b>4.98</b>	4.98	5.00	(0.02)	1,046	522	4.988
LH	4.36	180468	4.44	4.46	4.34	<b>4.36</b>	4.36	4.38	-	352,834	155,574	4.409
LH19C2510A	0.46	180468	-	0.50	0.45	<b>0.45</b>	0.45	0.46	(0.01)	17,881	861	0.481
LPN	2.06	180468	2.06	2.06	2.02	<b>2.04</b>	2.04	2.06	(0.02)	5,344	1,087	2.034
MBK	15.80	180468	15.80	15.80	15.30	<b>15.50</b>	15.40	15.50	(0.30)	15,021	23,279	15.497
MBK-W4	13.20	180468	-	13.20	12.40	<b>12.70</b>	12.40	12.70	(0.50)	2,360	3,015	12.775
MBK19C2508A	0.08	180468	-	-	-	<b>-</b>	0.04	0.05	-	-	-	0
MJD	0.57	180468	-	0.58	0.53	<b>0.56</b>	0.54	0.56	(0.01)	273	15	0.545
MK	1.40	180468	-	1.42	1.39	<b>1.39</b>	1.35	1.39	(0.01)	4	1	1.402
NCH	0.64	180468	0.64	0.65	0.64	<b>0.64</b>	0.64	0.65	-	257	16	0.640
NNCL	1.55	180468	-	1.57	1.54	<b>1.56</b>	1.54	1.56	0.01	170	26	1.544
NOBLE	2.12	180468	2.12	2.14	2.00	<b>2.08</b>	2.04	2.08	(0.04)	15,563	3,199	2.055
NVD	1.14	180468	1.14	1.14	1.14	<b>1.14</b>	1.13	1.14	-	19	2	1.14
ORI	2.00	180468	2.00	2.04	1.95	<b>1.95</b>	1.95	1.96	(0.05)	62,676	12,389	1.976
ORN	0.65	180468	0.65	0.67	0.65	<b>0.65</b>	0.64	0.65	-	8,161	533	0.652
PEACE	2.04	180468	2.38	2.38	2.04	<b>2.38</b>	2.08	2.26	0.34	18	4	2.21
PF	0.11	180468	0.10	0.11	0.09	<b>0.10</b>	0.10	0.11	(0.01)	33,172	333	0.1
PIN	6.60	180468	6.55	6.60	6.40	<b>6.45</b>	6.40	6.45	(0.15)	25,672	16,712	6.509
PLAT	1.39	180468	1.40	1.43	1.38	<b>1.40</b>	1.39	1.40	0.01	10,630	1,488	1.4
PRECHA	0.33	180468	-	0.35	0.33	<b>0.34</b>	0.33	0.34	0.01	37	1	0.335
PRIN	1.64	180468	1.55	1.55	1.49	<b>1.51</b>	1.49	1.51	(0.13)	4,075	609	1.493
PROUD	1.27	180468	-	1.29	1.25	<b>1.28</b>	1.25	1.28	0.01	874	110	1.263
PSH	4.96	180468	4.94	5.05	4.90	<b>4.94</b>	4.94	4.98	(0.02)	6,192	3,076	4.967
QH	1.61	180468	1.62	1.62	1.58	<b>1.58</b>	1.57	1.58	(0.03)	216,097	34,520	1.597
RABBIT	0.29	180468	0.29	0.31	0.29	<b>0.29</b>	0.29	0.30	-	42,081	1,244	0.295
RABBIT-P	0.52	180468	0.50	0.52	0.50	<b>0.50</b>	0.50	0.51	(0.02)	2,452	124	0.504
RABBIT-Q	4.00	180468	-	-	-	<b>-</b>	-	-	-	-	-	0
RICHY	0.32	180468	0.31	0.32	0.30	<b>0.31</b>	0.30	0.31	(0.01)	1,154	36	0.309
RML	0.15	180468	0.15	0.15	0.14	<b>0.15</b>	0.14	0.15	-	3,584	54	0.149
ROJNA	5.45	180468	5.45	5.50	5.25	<b>5.35</b>	5.35	5.40	(0.10)	42,260	22,736	5.38
S	0.62	180468	0.62	0.65	0.61	<b>0.63</b>	0.62	0.63	0.01	8,216	522	0.635
SA	7.45	180468	-	7.45	7.45	<b>7.45</b>	7.40	7.45	-	61	45	7.45
SA-W1	0.01	180468	-	-	-	<b>-</b>	-	0.01	-	-	-	0
SAMCO	0.73	180468	0.72	0.73	0.71	<b>0.71</b>	0.71	0.72	(0.02)	159	11	0.716
SC	2.32	180468	2.34	2.34	2.24	<b>2.30</b>	2.26	2.30	(0.02)	17,007	3,881	2.282
SENA	1.91	180468	1.91	1.91	1.87	<b>1.90</b>	1.88	1.90	(0.01)	5,311	999	1.881
SIRI	1.45	180468	1.46	1.48	1.44	<b>1.45</b>	1.45	1.46	-	214,803	31,293	1.456
SIRI13C2508A	0.09	180468	-	-	-	<b>-</b>	0.08	0.09	-	-	-	0
SIRI19C2508A	0.11	180468	-	0.11	0.10	<b>0.10</b>	0.10	0.11	(0.01)	3,344	34	0.101
SIRI41C2606T	0.20	180468	-	-	-	<b>-</b>	0.19	0.20	-	-	-	0
SPALI	17.10	180468	17.10	17.20	16.70	<b>17.00</b>	16.90	17.00	(0.10)	50,885	86,431	16.985
SPALI13C2507A	0.17	180468	-	0.16	0.15	<b>0.16</b>	0.16	0.17	(0.01)	24,364	389	0.162
SPALI19C2509A	0.31	180468	-	0.31	0.30	<b>0.30</b>	0.30	0.32	(0.01)	11,753	360	0.306
SPALI41C2609T	0.29	180468	-	0.30	0.29	<b>0.30</b>	0.29	0.30	0.01	26,000	778	0.299
STELLA	0.20	180468	0.20	0.20	0.19	<b>0.19</b>	0.19	0.20	(0.01)	36,789	730	0.198
STELLA-W5	0.01	180468	-	-	-	<b>-</b>	-	0.01	-	-	-	0
STELLA-W6	0.08	180468	-	-	-	<b>-</b>	0.05	0.09	-	-	-	0
UV	0.96	180468	0.97	1.00	0.95	<b>0.95</b>	0.95	0.97	(0.01)	23,208	2,248	0.968
WHA	2.88	180468	2.92	3.06	2.84	<b>2.84</b>	2.84	2.86	(0.04)	3,033,406	892,883	2.943
WHA01C2506A	0.02	180468	-	0.01	0.01	<b>0.01</b>	0.01	0.03	(0.01)	1	-	0.01
WHA01C2507A	0.03	180468	-	-	-	<b>-</b>	0.01	0.02	-	-	-	0
WHA01C2508A	0.10	180468	-	0.13	0.12	<b>0.13</b>	0.08	0.13	0.03	825	10	0.12
WHA01C2509A	1.00	180468	-	0.53	0.45	<b>0.45</b>	0.43	0.45	(0.55)	55,391	2,702	0.487
WHA13C2505A	0.01	180468	-	-	-	<b>-</b>	0.01	0.02	-	-	-	0
WHA13C2506A	0.01	180468	-	-	-	<b>-</b>	0.01	0.02	-	-	-	0
WHA13C2506B	0.01	180468	-	-	-	<b>-</b>	0.01	0.02	-	-	-	0
WHA13C2507A	0.03	180468	-	0.03	0.03	<b>0.03</b>	0.02	0.03	-	23,309	70	0.03
WHA13C2507B	0.05	180468	-	0.08	0.05	<b>0.05</b>	0.05	0.06	-	24,092	159	0.065
WHA13C2508A	0.19	180468	0.20	0.25	0.17	<b>0.17</b>	0.17	0.18	(0.02)	74,955	1,653	0.22
WHA13C2508B	0.41	180468	-	0.47	0.38	<b>0.38</b>	0.38	0.39	(0.03)	114,555	4,855	0.423
WHA19C2506A	0.02	180468	-	-	-	<b>-</b>	0.01	0.04	-	-	-	0
WHA19C2507A	0.04	180468	-	0.05	0.04	<b>0.04</b>	0.02	0.04	-	850	4	0.042
WHA19C2509A	0.26	180468	-	0.31	0.24	<b>0.24</b>	0.24	0.26	(0.02)	50,004	1,318	0.263
WHA41C2605T	0.03	180468	-	0.03	0.03	<b>0.03</b>	0.02	0.03	-	1,261	4	0.03
WHA41C2608T	0.10	180468	0.11	0.12	0.10	<b>0.10</b>	0.10	0.11	-	58,169	683	0.117
WIN	0.35	180468	-	0.34	0.32	<b>0.32</b>	0.32	0.34	(0.03)	942	31	0.329
Paper & Printing Ma												
UTP	7.75	180468	7.75	7.80	7.70	<b>7.70</b>	7.70	7.75	(0.05)	1,047	810	7.734
Fashion												
AFC	3.84	180468	-	-	-	<b>-</b>	3.78	3.84	-	-	-	0
AURA	17.40	180468	17.40	17.40	16.80	<b>16.80</b>	16.80	17.00	(0.60)	18,761	32,032	17.073
BTNC	11.90	180468	12.10	12.30	12.10	<b>12.30</b>	11.50	12.30	0.40	4	5	12.225
CPH	7.10	180468	7.20	7.30	7.05	<b>7.10</b>	7.05	7.10	-	635	453	7.128
CPL	0.78	180468	0.80	0.81	0.76	<b>0.76</b>	0.76	0.78	(0.02)	564	44	0.784
NC	2.46	180468	2.46	2.54	2.38	<b>2.40</b>	2.40	2.44	(0.06)	1,723	420	2.435
PAF	0.70	180468	-	0.80	0.70	<b>0.70</b>	0.70	0.72	-	2,214	165	0.744
PDJ	1.59	180468	-	1.59	1.58	<b>1.58</b>	1.56	1.58	(0.01)	142	22	1.581
PG	7.65	180468	-	-	-	<b>-</b>	6.60	7.60	-	-	-	0
SABINA	18.70	180468	18.70	18.80	18.30	<b>18.70</b>	18.60	18.70	-	3,786	7,028	18.564
SAWANG	10.20	180468	-	10.20	9.40	<b>9.40</b>	9.55	11.40	(0.80)	7	7	9.985
SUC	29.25	180468	29.25	29.25	29.00	<b>29.00</b>	28.75	29.00	(0.25)	19	55	29.184
TR	29.00	180468	-	-	-	<b>-</b>	27.75	30.00	-	-	-	0
TTI	24.50	180468	-	-	-	<b>-</b>	22.00	27.00	-	-	-	0
TTT	51.75	180468	-	-	-	<b>-</b>	49.75	51.75	-	-	-	0
UPF	27.50	180468	-	27.25	27.25	<b>27.25</b>	27.00	27.25	(0.25)	5	14	27.25
WACOAL	19.20	180468	-	-	-	<b>-</b>	18.60	19.00	-	-	-	0
WFX	0.82	180468	0.83	0.85	0.80	<b>0.81</b>	0.81	0.84	(0.01)	2,460	200	0.811
Transportation & Log												
AAV	1.38	180468	1.38	1.38	1.31	<b>1.31</b>	1.31	1.32	(0.07)	456,519	61,051	1.337
AAV13C2506A	0.01	180468	0.01	0.01	0.01	<b>0.01</b>	0.01	0.02	-	400	-	0.01
AAV13C2508A	0.13	180468	-	0.13	0.10	<b>0.10</b>	0.09	0.10	(0.03)	64,053	724	0.112
AAV19C2505A	0.01	180468	-	0.02	0.02	<b>0.02</b>	0.01					



## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
AAV41C2608T	0.08	180468	-	0.07	0.07	0.07	0.06	0.07	(0.01)	1	-	0.07
ANI	2.66	180468	2.64	2.64	2.62	2.64	2.62	2.64	(0.02)	19	5	2.635
AOT	38.00	180468	38.00	38.25	37.00	37.25	37.25	37.50	(0.75)	274,213	1,032,066	37.637
AOT01C2506A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	11,496	11	0.01
AOT01C2507A	0.05	180468	-	0.05	0.04	0.04	0.04	0.05	(0.01)	3,960	17	0.043
AOT01C2507B	0.14	180468	-	0.14	0.14	0.14	0.12	0.13	-	37,305	522	0.14
AOT01C2509A	1.00	180468	-	0.27	0.24	0.24	0.24	0.25	(0.76)	21,772	575	0.263
AOT01C2606T	0.20	180468	-	0.20	0.19	0.20	0.19	0.20	-	21,115	422	0.199
AOT01P2507A	1.49	180468	-	1.49	1.40	1.49	1.49	1.53	-	874	123	1.408
AOT01P2507B	0.44	180468	-	-	-	-	0.44	0.46	-	-	-	0
AOT11C2507A	0.11	180468	-	0.12	0.09	0.10	0.09	0.10	(0.01)	5,376	59	0.109
AOT13C2506A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
AOT13C2507A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
AOT13C2507B	0.03	180468	-	0.04	0.04	0.04	0.03	0.04	0.01	211	1	0.04
AOT13C2507C	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
AOT13C2508A	0.14	180468	0.14	0.14	0.12	0.12	0.12	0.13	(0.02)	66,658	931	0.139
AOT13P2507A	1.65	180468	-	-	-	-	1.41	1.48	-	-	-	0
AOT13P2507B	0.29	180468	-	0.30	0.27	0.30	0.30	0.31	0.01	48,804	1,371	0.281
AOT19C2506A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	20	-	0.01
AOT19C2507A	0.01	180468	-	0.01	0.01	0.01	0.01	0.02	-	60	-	0.01
AOT19C2507B	0.04	180468	-	-	-	-	0.01	0.04	-	-	-	0
AOT19C2508A	0.15	180468	-	0.14	0.12	0.12	0.12	0.13	(0.03)	31,724	438	0.137
AOT19P2507A	0.34	180468	-	-	-	-	0.35	0.46	-	-	-	0
AOT41C2505A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
AOT41C2507A	0.05	180468	-	-	-	-	0.04	0.05	-	-	-	0
AOT41C2605T	0.03	180468	-	-	-	-	0.02	0.03	-	-	-	0
AOT41C2609T	0.25	180468	-	0.26	0.25	0.25	0.24	0.25	-	27,774	717	0.258
AOT41P2606T	0.66	180468	-	-	-	-	0.62	0.63	-	-	-	0
ASIMAR	1.32	180468	-	1.35	1.30	1.33	1.32	1.33	0.01	710	95	1.334
B	0.04	180468	0.04	0.05	0.03	0.04	0.03	0.04	-	97,857	347	0.035
B-W8	0.01	180468	-	0.01	0.01	0.01	-	0.01	-	1	-	0.01
BA	15.40	180468	15.60	15.90	15.30	15.40	15.40	15.50	-	101,872	158,642	15.572
BA01C2508A	0.09	180468	-	0.09	0.08	0.08	0.08	0.09	(0.01)	4,231	35	0.083
BA13C2506A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
BA19C2507A	0.04	180468	-	-	-	-	0.03	0.04	-	-	-	0
BA41C2606T	0.11	180468	-	-	-	-	0.09	0.10	-	-	-	0
BEM	6.00	180468	6.05	6.05	5.85	5.85	5.85	5.90	(0.15)	343,741	202,575	5.894
BEM13C2505A	0.01	180468	-	-	-	-	0.01	0.02	-	-	-	0
BEM13C2506A	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
BEM13C2508A	0.20	180468	-	0.21	0.17	0.18	0.17	0.18	(0.02)	50,779	921	0.181
BEM19C2505A	0.01	180468	-	-	-	-	0.01	0.04	-	-	-	0
BEM41C2606T	0.13	180468	-	0.14	0.13	0.13	0.12	0.13	-	11,428	152	0.133
BTS	4.84	180468	4.82	4.86	4.70	4.72	4.72	4.74	(0.12)	309,901	147,409	4.756
BTS-W8	0.02	180468	0.02	0.03	0.02	0.02	0.02	0.03	-	27,996	57	0.02
BTS01C2507A	0.06	180468	-	-	-	-	0.01	0.02	-	-	-	0
BTS01C2508A	0.10	180468	-	-	-	-	0.07	0.08	-	-	-	0
BTS01C2509A	1.00	180468	-	0.60	0.54	0.54	0.54	0.55	(0.46)	6,794	399	0.587
BTS01P2505A	0.37	180468	-	-	-	-	0.24	0.27	-	-	-	0
BTS13C2505A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
BTS13C2507A	0.03	180468	-	-	-	-	0.02	0.04	-	-	-	0
BTS13C2508A	0.08	180468	-	0.08	0.07	0.08	0.06	0.07	-	31	-	0.07
BTS13P2505A	0.08	180468	-	0.09	0.09	0.09	0.09	0.12	0.01	15	-	0.09
BTS19C2505A	0.02	180468	-	0.01	0.01	0.01	0.01	0.02	(0.01)	1	-	0.01
BTS19C2508A	0.07	180468	-	0.06	0.05	0.05	0.05	0.06	(0.02)	30,003	180	0.06
BTS19P2508A	0.33	180468	-	0.35	0.32	0.34	0.34	0.35	0.01	13,354	440	0.329
BTS41C2608T	0.12	180468	-	0.12	0.12	0.12	0.11	0.12	-	16,000	192	0.12
BTS41C2608T	2.80	180468	2.78	2.80	2.78	2.80	2.78	2.80	-	13,177	3,688	2.798
DMT	9.90	180468	10.00	10.10	9.80	9.90	9.90	10.00	-	5,444	5,401	9.921
ETL	0.54	180468	-	0.55	0.54	0.54	0.54	0.55	-	3,172	172	0.543
III	5.10	180468	5.10	5.10	4.96	5.05	5.00	5.05	(0.05)	1,702	855	5.021
KEX	1.12	180468	1.17	1.24	1.12	1.12	1.12	1.13	-	431,779	50,908	1.179
KIAT	0.30	180468	0.30	0.31	0.30	0.30	0.30	0.31	-	1,948	59	0.3
KWC	310.00	180468	-	-	-	-	290.00	310.00	-	-	-	0
MENA	0.95	180468	0.96	0.97	0.92	0.94	0.93	0.94	(0.01)	5,745	545	0.949
NYT	3.42	180468	3.42	3.46	3.38	3.42	3.42	3.44	-	49,163	16,813	3.419
PORT	0.77	180468	0.79	0.80	0.78	0.78	0.78	0.79	0.01	1,151	90	0.786
PRM	5.80	180468	5.85	6.00	5.75	5.80	5.75	5.80	-	93,102	54,708	5.876
PSL	5.90	180468	5.85	5.90	5.70	5.80	5.75	5.80	(0.10)	31,144	18,082	5.805
RCL	23.40	180468	23.50	23.50	22.80	22.80	22.70	22.90	(0.60)	17,473	40,075	22.935
RCL01C2505A	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
RCL01C2507A	0.12	180468	-	0.11	0.10	0.10	0.10	0.11	(0.02)	8,450	90	0.106
RCL13C2506A	0.03	180468	-	-	-	-	0.02	0.03	-	-	-	0
RCL13C2507A	0.39	180468	-	0.38	0.32	0.32	0.32	0.35	(0.07)	2,520	87	0.343
RCL19C2507A	0.13	180468	-	0.12	0.11	0.11	0.11	0.12	(0.02)	2,606	31	0.117
RCL41C2505A	0.11	180468	-	0.01	0.01	0.01	0.01	0.03	(0.10)	2,503	3	0.01
RCL41C2608T	0.40	180468	-	0.40	0.38	0.38	0.38	0.39	(0.02)	38,600	1,504	0.389
SAV	15.80	180468	16.30	16.90	16.10	16.30	16.20	16.30	0.50	8,955	14,759	16.481
SINO	0.92	180468	-	0.93	0.89	0.92	0.89	0.92	-	2,202	199	0.905
SJWD	7.10	180468	7.25	7.25	6.95	6.95	6.95	7.00	(0.15)	36,892	26,095	7.073
TFFIF	5.85	180468	5.85	5.95	5.75	5.90	5.90	5.95	0.05	30,605	18,021	5.888
THAI	3.32	180468	-	-	-	-	-	-	-	-	-	0
TSTE	13.20	180468	13.20	13.20	13.00	13.20	13.00	14.80	-	148	195	13.189
TTA	4.02	180468	4.04	4.04	3.98	3.98	3.98	4.00	(0.04)	16,365	6,547	4
WICE	2.48	180468	2.48	2.48	2.44	2.48	2.46	2.48	-	3,656	904	2.471
Automotive	-	-	-	-	-	-	-	-	-	-	-	-
ACG	0.69	180468	0.69	0.70	0.67	0.68	0.67	0.68	(0.01)	92	6	0.678
AH	11.60	180468	11.40	11.60	11.30	11.60	11.60	11.70	-	916	1,057	11.535
CWT	0.69	180468	0.65	0.68	0.65	0.68	0.83	0.84	0.14	372,515	30,454	0.817
EASON	1.02	180468	-	1.01	1.00	1.01	1.00	1.01	(0.01)	2,536	256	1.009
GYT	175.00	180468	-	-	-	-	170.00	177.00	-	-	-	0
HFT	3.60	180468	3.62	3.62	3.58	3.60	3.58	3.60	-	3,909	1,409	3.605
IHL	1.47	180468	1.47	1.49	1.44	1.49	1.45	1.49	0.02	81	12	1.456
INGRS	0.22	180468	-	0.23	0.22	0.23	0.22	0.23	0.01	3,885	86	0.22
IRC	11.30	180468	-	11.40	11.10	11.10	11.10	11.40	(0.20)	31	34	11.109
MGC	3.20	180468	3.20	3.20	3.14	3.16	3.16	3.18	(0.04)	158	50	3.174
NEX	0.59	180468	0.59	0.62	0.57	0.58	0.57	0.58	(0.01)	29,970	1,780	0.593
PCSGH	3.04	180468	3.04	3.06	2.92	3.02	3.00	3.04	(0.02)	1,465	440	3.006
POLY	7.05	180468	-	-	-	-	6.60	7.05	-	-	-	0
SAT	11.40	180468	11.40	11.60	11.40	11.60	11.40	11.60	0.20	5,369	6,161	11.475
SPG	13.30	180468	-	-	-	-	12.00	13.20	-	-	-	0
STANLY	223.00	180468	-	224.00	222.00	224.00	224.00	225.00	1.00	9	201	223.555
TKT	1.06	180468	-	1.10	1.03	1.05	1.04	1.06	(0.01)	77	8	1.056
TNPC	0.80	180468	-	0.81	0.77	0.81	0.78	0.81	0.01	748	59	0.795

## Main Board Quotation

Issue Date **Monday April 21, 2025**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TRU	3.28	180468	3.28	3.28	3.26	<b>3.28</b>	3.26	3.28	-	223	73	3.261
TSC	12.50	180468	-	12.50	12.50	<b>12.50</b>	12.40	12.50	-	30	38	12.5
Industrial Materials												
AKR	1.01	180468	1.01	1.04	1.00	<b>1.01</b>	1.01	1.02	-	59,181	6,041	1.02
ALLA	1.33	180468	1.33	1.33	1.31	<b>1.31</b>	1.30	1.31	(0.02)	1,608	212	1.319
ASEFA	3.04	180468	3.04	3.10	3.04	<b>3.10</b>	3.08	3.10	0.06	1,694	521	3.075
CPT	0.93	180468	0.94	0.95	0.93	<b>0.93</b>	0.93	0.94	-	3,592	337	0.937
CRANE	0.49	180468	-	0.52	0.49	<b>0.49</b>	0.49	0.50	-	2,065	103	0.499
CTW	2.62	180468	-	2.68	2.60	<b>2.68</b>	2.60	2.70	0.06	103	27	2.637
FMT	27.00	180468	-	26.50	26.50	<b>26.50</b>	25.75	27.00	(0.50)	10	27	26.5
FTE	1.60	180468	1.60	1.61	1.60	<b>1.60</b>	1.60	1.61	-	236	38	1.602
HTECH	3.10	180468	3.10	3.18	3.08	<b>3.08</b>	3.08	3.10	(0.02)	5,530	1,728	3.124
KKC	0.04	180468	-	-	-	-	-	-	-	-	-	0
PCC	2.58	180468	2.56	2.58	2.54	<b>2.58</b>	2.54	2.58	-	2,674	685	2.562
PK	0.33	180468	0.33	0.34	0.32	<b>0.33</b>	0.32	0.33	-	3,206	104	0.324
PSP	4.08	180468	4.08	4.08	4.02	<b>4.02</b>	4.02	4.04	(0.06)	4,609	1,863	4.043
QTC	3.50	180468	3.48	3.78	3.48	<b>3.52</b>	3.52	3.76	0.02	131	46	3.496
SCI	0.89	180468	0.89	0.99	0.88	<b>0.89</b>	0.89	0.90	-	3,228	288	0.89
SE	0.40	180468	0.40	0.41	0.40	<b>0.41</b>	0.40	0.41	0.01	466	19	0.4
SELIC	2.90	180468	-	2.90	2.88	<b>2.90</b>	2.88	2.90	-	21	6	2.88
SNC	5.40	180468	5.45	5.50	5.40	<b>5.45</b>	5.40	5.45	0.05	559	303	5.425
TCJ	2.72	180468	-	2.72	2.62	<b>2.70</b>	2.64	2.70	(0.02)	201	53	2.623
TPCS	12.20	180468	-	-	-	-	11.20	12.20	-	-	-	0
VARO	4.56	180468	-	4.44	4.34	<b>4.36</b>	4.36	4.46	(0.20)	81	36	4.386
Property Fund & REI												
AIMCG	2.08	180468	2.10	2.10	2.08	<b>2.10</b>	2.08	2.10	0.02	2,449	512	2.092
AIMIRT	9.65	180468	9.65	9.70	9.60	<b>9.60</b>	9.60	9.70	(0.05)	7,306	7,052	9.651
ALLY	4.68	180468	4.70	4.72	4.60	<b>4.66</b>	4.64	4.68	(0.02)	1,096	509	4.643
AMATAR	6.00	180468	-	6.35	6.00	<b>6.05</b>	6.00	6.10	0.05	440	267	6.061
AXTRART	11.80	180468	11.90	12.00	11.80	<b>11.80</b>	11.80	12.00	-	15,834	18,824	11.888
B-WORK	4.54	180468	-	4.56	4.52	<b>4.56</b>	4.54	4.56	0.02	2,221	1,008	4.536
BAREIT	9.15	180468	-	9.25	9.05	<b>9.25</b>	9.10	9.25	0.10	4,928	4,515	9.162
BOFFICE	4.76	180468	4.76	4.80	4.74	<b>4.76</b>	4.74	4.76	-	3,649	1,740	4.768
CPNCG	6.00	180468	-	6.00	5.95	<b>6.00</b>	5.95	6.00	-	871	522	5.998
CPNREIT	11.80	180468	11.80	11.80	11.70	<b>11.80</b>	11.70	11.80	-	5,832	6,855	11.754
CPTREIT	4.42	180468	-	4.48	4.38	<b>4.44</b>	4.40	4.44	0.02	2,044	896	4.382
CTARAF	4.60	180468	4.60	4.62	4.60	<b>4.60</b>	4.56	4.58	-	440	202	4.601
DREIT	4.98	180468	-	4.96	4.92	<b>4.94</b>	4.92	4.94	(0.04)	148	73	4.933
FTREIT	9.15	180468	9.15	9.25	9.00	<b>9.00</b>	9.00	9.05	(0.15)	5,597	5,089	9.091
FUTURERT	9.25	180468	-	9.40	9.30	<b>9.40</b>	9.30	9.40	0.15	682	637	9.34
GAHREIT	6.45	180468	-	-	-	-	6.40	6.50	-	-	-	0
GROREIT	8.40	180468	8.35	8.40	8.35	<b>8.40</b>	8.35	8.45	-	408	342	8.373
GVREIT	6.65	180468	6.60	6.70	6.60	<b>6.65</b>	6.60	6.65	-	2,322	1,539	6.627
HPF	4.52	180468	-	4.54	4.54	<b>4.54</b>	4.52	4.54	0.02	448	203	4.54
HYDROGEN	8.70	180468	-	-	-	-	7.00	8.80	-	-	-	0
IMPACT	9.40	180468	9.40	9.40	9.25	<b>9.40</b>	9.35	9.40	-	2,929	2,727	9.309
INETREIT	8.70	180468	8.75	8.80	8.70	<b>8.70</b>	8.70	8.80	-	7,942	6,966	8.77
ISSARA	8.20	180468	-	8.20	8.00	<b>8.20</b>	8.15	8.20	-	37	30	8.059
KPNREIT	2.28	180468	-	-	-	-	2.18	2.30	-	-	-	0
KTBSTMR	5.95	180468	-	5.95	5.90	<b>5.90</b>	5.85	5.90	(0.05)	430	254	5.904
LHHOTEL	13.10	180468	13.00	13.10	12.90	<b>13.00</b>	13.00	13.10	(0.10)	7,053	9,169	13
LHRREIT	4.94	180468	4.94	4.94	4.94	<b>4.94</b>	4.94	4.96	-	312	154	4.94
LHSC	11.70	180468	11.80	11.80	11.60	<b>11.70</b>	11.50	11.70	-	1,081	1,261	11.666
LUXF	8.00	180468	-	-	-	-	7.95	8.00	-	-	-	0
M-PAT	3.76	180468	-	4.10	3.76	<b>4.10</b>	3.02	4.06	0.34	62	23	3.787
M-STOR	7.20	180468	-	-	-	-	7.05	7.30	-	-	-	0
MII	5.25	180468	-	5.25	5.20	<b>5.20</b>	5.20	5.25	(0.05)	149	78	5.216
MIPF	13.50	180468	-	-	-	-	9.75	13.40	-	-	-	0
MIT	0.38	180468	-	0.39	0.38	<b>0.39</b>	0.35	0.39	0.01	2	-	0.385
MJLF	3.92	180468	-	3.92	3.90	<b>3.90</b>	3.88	3.90	(0.02)	328	128	3.902
MNIT	1.91	180468	1.91	2.00	1.89	<b>1.95</b>	1.91	1.95	0.04	634	122	1.919
MNIT2	4.98	180468	-	4.98	4.98	<b>4.98</b>	4.94	4.98	-	1	-	4.98
MNRF	2.04	180468	2.02	2.04	2.02	<b>2.02</b>	2.00	2.04	(0.02)	330	67	2.02
POPF	5.70	180468	5.65	5.65	5.60	<b>5.65</b>	5.60	5.65	(0.05)	976	551	5.649
PROSPECT	7.95	180468	-	8.10	7.95	<b>8.10</b>	8.00	8.10	0.15	659	529	8.033
QHBREIT	3.68	180468	3.68	3.70	3.66	<b>3.66</b>	3.66	3.68	(0.02)	771	284	3.681
QHHRREIT	6.55	180468	-	6.60	6.50	<b>6.55</b>	6.55	6.60	-	2,027	1,326	6.542
QHOP	3.20	180468	3.24	3.38	3.24	<b>3.38</b>	3.22	3.38	0.18	4	1	3.31
SIRIPRT	6.30	180468	-	6.60	6.55	<b>6.60</b>	6.50	6.70	0.30	11	7	6.595
SRPIME	3.94	180468	3.92	3.92	3.90	<b>3.90</b>	3.88	3.90	(0.04)	1,684	658	3.904
SRIPANWA	5.20	180468	-	5.20	5.10	<b>5.20</b>	5.10	5.20	-	18	9	5.172
SSPF	3.48	180468	-	3.56	3.56	<b>3.56</b>	3.22	3.90	0.08	1	-	3.56
SSTRT	4.66	180468	4.66	4.66	4.62	<b>4.64</b>	4.60	4.64	(0.02)	62	29	4.643
TIF1	6.90	180468	-	6.95	6.90	<b>6.90</b>	6.80	6.95	-	19	13	6.926
TLHPF	2.70	180468	-	2.74	2.64	<b>2.70</b>	2.70	2.82	-	3,151	849	2.694
TNPF	1.37	180468	1.37	1.37	1.35	<b>1.37</b>	1.35	1.37	-	90	12	1.366
TPRIME	6.70	180468	-	6.70	6.70	<b>6.70</b>	6.70	6.85	-	17	11	6.7
TTLPF	12.10	180468	-	12.20	12.10	<b>12.10</b>	12.10	12.20	-	35	43	12.157
TU-PF	0.95	180468	-	-	-	-	0.76	0.90	-	-	-	0
WHABT	6.50	180468	-	6.55	6.55	<b>6.55</b>	6.55	7.00	0.05	10	7	6.55
WHAIR	4.60	180468	4.66	4.68	4.62	<b>4.66</b>	4.64	4.66	0.06	3,363	1,566	4.657
WHART	9.15	180468	9.20	9.20	8.95	<b>9.10</b>	9.00	9.10	(0.05)	10,381	9,365	9.02
Steel and Metal Proc												
2S	2.12	180468	2.10	2.14	2.10	<b>2.12</b>	2.10	2.14	-	290	61	2.119
AMC	2.24	180468	2.22	2.22	2.20	<b>2.22</b>	2.22	2.24	(0.02)	739	163	2.206
BSBM	0.72	180468	-	0.74	0.70	<b>0.70</b>	0.70	0.72	(0.02)	1,942	139	0.716
CEN	1.69	180468	1.72	1.72	1.68	<b>1.70</b>	1.69	1.70	0.01	168	28	1.689
CEN-W5	0.06	180468	-	0.06	0.06	<b>0.06</b>	0.05	0.06	-	1	-	0.06
CITY	1.50	180468	-	1.60	1.46	<b>1.60</b>	1.52	1.60	0.10	137	20	1.465
CSP	0.47	180468	-	0.49	0.44	<b>0.44</b>	0.44	0.45	(0.03)	5,276	246	0.466
GJS	0.15	180468	0.16	0.16	0.15	<b>0.15</b>	0.15	0.16	-	9,515	145	0.152
GSTEEL	0.09	180468	-	-	-	-	-	-	-	-	-	0
INOX	0.44	180468	0.44	0.								

## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
TMT	3.24	180468	3.34	3.36	3.10	3.16	3.16	3.18	(0.08)	1,127	367	3.258
TSTH	0.67	180468	0.68	0.72	0.67	0.67	0.67	0.68	-	87,367	6,057	0.693
TWP	1.00	180468	-	1.02	1.00	1.00	1.00	1.01	-	15	2	1.008
TYCN	1.67	180468	-	-	-	-	1.66	1.67	-	-	-	0
Construction Service												
APCS	1.47	180468	-	1.48	1.38	1.46	1.40	1.46	(0.01)	45	6	1.422
BJCHI	0.65	180468	0.67	0.69	0.66	0.68	0.68	0.69	0.03	2,479	168	0.678
BKD	1.16	180468	-	1.16	1.12	1.14	1.13	1.14	(0.02)	3,546	401	1.131
CIVIL	1.52	180468	-	1.55	1.51	1.55	1.55	1.56	0.03	4,105	629	1.531
CK	15.90	180468	15.80	16.10	15.60	15.60	15.60	15.80	(0.30)	21,491	33,890	15.769
CNT	0.94	180468	0.93	0.95	0.93	0.94	0.93	0.94	-	222	21	0.946
DEMCO	1.71	180468	-	1.70	1.69	1.69	1.68	1.69	(0.02)	611	104	1.697
EMC	0.06	180468	0.05	0.06	0.05	0.05	0.05	0.06	(0.01)	39,366	197	0.05
EMC-W7	0.04	180468	-	0.04	0.03	0.04	0.03	0.04	-	10,285	31	0.03
ITD	0.17	180468	0.18	0.19	0.17	0.17	0.17	0.18	-	24,476	437	0.178
JR	1.61	180468	1.65	1.70	1.64	1.70	1.69	1.70	0.09	2,989	502	1.68
NL	0.94	180468	0.95	0.95	0.92	0.94	0.93	0.94	-	3,292	308	0.934
NWR	0.03	180468	0.02	0.04	0.02	0.03	0.03	0.04	-	248,978	737	0.029
PLE	0.21	180468	0.21	0.22	0.20	0.21	0.20	0.21	-	1,661	35	0.209
PREB	3.64	180468	3.64	3.66	3.60	3.66	3.60	3.66	0.02	151	55	3.619
PYLON	1.81	180468	1.80	1.82	1.80	1.82	1.81	1.82	0.01	396	71	1.805
RT	0.29	180468	0.29	0.31	0.28	0.29	0.29	0.30	-	63,048	1,844	0.292
SEAFCO	1.99	180468	1.98	2.02	1.98	1.98	1.98	1.99	(0.01)	2,990	595	1.989
SQ	0.73	180468	0.72	0.75	0.72	0.72	0.72	0.73	(0.01)	2,278	167	0.731
SRICHA	3.94	180468	3.98	4.04	3.90	3.94	3.94	3.96	-	1,618	644	3.978
STECON	7.65	180468	7.80	8.15	7.55	7.70	7.70	7.80	0.05	161,905	126,630	7.821
STI	2.50	180468	2.44	2.48	2.42	2.48	2.40	2.48	(0.02)	224	55	2.449
STPI	2.34	180468	2.44	2.52	2.34	2.38	2.38	2.40	0.04	22,117	5,404	2.443
SYNTEC	1.57	180468	-	1.58	1.49	1.50	1.49	1.50	(0.07)	5,577	840	1.506
TEAMG	3.10	180468	3.10	3.16	3.06	3.10	3.08	3.10	-	35,666	11,119	3.117
TEAMG-W1	0.16	180468	0.16	0.17	0.16	0.16	0.16	0.17	-	7,578	126	0.165
TEKA	1.96	180468	1.93	1.94	1.91	1.91	1.91	1.93	(0.05)	495	95	1.914
TPOLY	0.39	180468	0.42	0.45	0.39	0.40	0.40	0.42	0.01	11,722	487	0.415
TRC	0.58	180468	0.58	0.58	0.56	0.58	0.56	0.58	-	2,605	147	0.564
TRITN	0.08	180468	0.08	0.08	0.07	0.08	0.07	0.08	-	270,076	2,159	0.079
TRITN-W7	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
TTCL	0.99	180468	-	1.01	0.98	0.98	0.97	0.98	(0.01)	7,558	746	0.986
UNIQ	2.02	180468	2.02	2.08	1.98	2.00	1.98	2.00	(0.02)	6,149	1,238	2.013
WGE	0.79	180468	-	0.79	0.76	0.76	0.76	0.79	(0.03)	1,111	88	0.788
Unit Trust												
SCBSET	7.54	180468	-	-	-	-	7.00	-	-	-	-	0
VAYU1	10.10	180468	10.10	10.20	10.10	10.10	10.10	10.20	-	20,186	20,391	10.101
ETF												
1DIV	9.94	180468	9.94	9.94	9.73	9.75	9.75	9.82	(0.19)	123	121	9.812
ABFTH	1,346.00	180468	-	-	-	-	1,348.00	1,378.00	-	-	-	0
BMSCG	7.05	180468	-	7.03	6.93	6.93	6.93	6.97	(0.12)	23	16	7.021
BMSCITH	8.61	180468	-	8.62	8.45	8.49	8.48	8.52	(0.12)	365	312	8.546
BSET100	7.88	180468	-	7.90	7.77	7.78	7.77	7.79	(0.10)	139	109	7.858
CHINA	5.64	180468	-	5.69	5.57	5.58	5.58	5.60	(0.06)	203	113	5.584
ENGY	4.00	180468	-	4.00	3.96	3.96	3.95	3.96	(0.04)	81	32	3.985
GLD	4.52	180468	4.58	4.61	4.57	4.61	4.60	4.61	0.09	27,137	12,463	4.592
TDEX	7.15	180468	7.15	7.16	7.02	7.05	7.03	7.06	(0.10)	2,850	2,018	7.081
UBOT	11.40	180468	-	11.20	11.10	11.10	8.00	13.50	(0.30)	6	7	11.183
UHERO	8.25	180468	-	-	-	-	7.85	8.28	-	-	-	0
Warrant Foreign												
AIA41C2504A	0.02	180468	-	-	-	-	-	0.02	-	-	-	0
BABA28C2506A	0.78	180468	-	-	-	-	0.08	3.00	-	-	-	0
BABA28C2506B	0.07	180468	-	-	-	-	0.03	-	-	-	-	0
BABA28C2506C	0.37	180468	-	-	-	-	0.02	-	-	-	-	0
BABA28C2509A	0.14	180468	-	0.13	0.11	0.11	0.11	0.13	(0.03)	121	2	0.126
BABA28P2507A	1.49	180468	-	-	-	-	0.08	-	-	-	-	0
BABA28P2509A	0.26	180468	-	-	-	-	-	-	-	-	-	0
BABA41C2504A	0.64	180468	-	-	-	-	0.10	2.50	-	-	-	0
BABA41C2504B	0.01	180468	-	-	-	-	-	0.05	-	-	-	0
BABA41C2505A	0.04	180468	-	0.04	0.03	0.04	0.01	0.04	-	11	-	0.03
BABA41C2506A	0.17	180468	-	0.17	0.17	0.17	0.09	0.17	-	40	1	0.17
BABA41P2504A	0.17	180468	-	-	-	-	0.01	0.16	-	-	-	0
BABA41P2506A	0.47	180468	-	-	-	-	-	-	-	-	-	0
BABA41P2507A	1.18	180468	-	-	-	-	0.08	-	-	-	-	0
BIDU41C2504A	0.02	180468	-	0.10	0.02	0.02	0.02	0.10	-	211	1	0.027
BIDU41C2506A	0.32	180468	-	0.32	0.32	0.32	0.08	0.32	-	140	4	0.32
BIDU41P2507A	0.65	180468	-	-	-	-	0.10	-	-	-	-	0
BYDCOM28C2508A	1.18	180468	-	-	-	-	0.13	1.18	-	-	-	0
BYDCOM28C2510A	0.39	180468	-	-	-	-	0.08	-	-	-	-	0
BYDCOM28P2510A	0.29	180468	-	-	-	-	-	-	-	-	-	0
BYDCOM41C2506A	1.13	180468	-	1.13	1.13	1.13	0.15	1.13	-	1	-	1.13
BYDCOM41C2506B	0.20	180468	-	-	-	-	0.08	0.48	-	-	-	0
DJI28C2506A	0.05	180468	-	0.09	0.06	0.06	0.04	0.08	0.01	12	-	0.062
DJI28C2509A	0.68	180468	-	0.50	0.48	0.48	0.48	0.49	(0.20)	15,936	779	0.489
DJI28P2506A	1.29	180468	-	1.55	1.54	1.55	1.55	1.56	0.26	103	16	1.547
DJI41C2506A	0.06	180468	0.03	0.04	0.03	0.04	0.03	0.04	(0.02)	5,490	19	0.034
DJI41C2506B	0.35	180468	0.20	0.20	0.19	0.20	0.19	0.20	(0.15)	17,267	342	0.198
DJI41P2506A	1.10	180468	1.27	1.29	1.25	1.29	1.28	1.29	0.19	2,691	342	1.271
GEELY41C2506A	0.11	180468	-	-	-	-	0.03	-	-	-	-	0
HSI06C2504A	0.08	180468	-	-	-	-	0.02	0.08	-	-	-	0
HSI06C2504B	0.42	180468	-	-	-	-	0.25	0.42	-	-	-	0
HSI06C2504C	0.20	180468	-	-	-	-	0.01	0.16	-	-	-	0
HSI06C2504D	0.09	180468	-	0.29	0.22	0.22	0.01	0.20	0.13	229	5	0.22
HSI06C2504E	0.02	180468	-	0.02	0.01	0.02	0.01	0.02	-	679	1	0.019
HSI06C2505A	0.13	180468	-	-	-	-	0.15	0.25	-	-	-	0
HSI06C2505B	0.10	180468	-	0.05	0.05	0.05	0.06	0.20	(0.05)	1	-	0.05
HSI06C2505C	0.13	180468	-	0.13	0.06	0.06	0.06	0.08	(0.07)	251	2	0.06
HSI06C2505D	0.08	180468	-	0.05	0.05	0.05	0.03	0.05	(0.03)	1	-	0.05
HSI06C2505E	0.53	180468	-	-	-	-	0.04	-	-	-	-	0
HSI06C2505F	0.77	180468	-	-	-	-	0.02	0.77	-	-	-	0
HSI06C2506A	0.50	180468	0.50	0.50	0.50	0.50	0.25	0.49	-	20	1	0.5
HSI06C2506B	0.92	180468	-	-	-	-	-	0.94	-	-	-	0
HSI06C2506C	0.23	180468	-	0.21	0.21	0.21	0.11	0.24	(0.02)	1	-	0.21
HSI06C2506D	0.02	180468	-	-	-	-	0.05	0.40	-	-	-	0
HSI06C2506E	0.10	180468	-	0.09	0.09	0.09	0.04	0.09	(0.01)	50	-	0.09
HSI06C2507A	0.12	180468	-	-	-	-	0.11	0.12	-	-	-	0
HSI06C2508A	0.35	180468	-	-	-	-	0.31	0.35	-	-	-	0
HSI06P2504A	0.06	180468	-	-	-	-	-	-	-	-	-	0

## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
HSI06P2504B	0.01	180468	-	0.04	0.02	0.02	0.01	0.02	0.01	2	-	0.03
HSI06P2504C	0.06	180468	-	-	-	-	0.01	0.07	-	-	-	0
HSI06P2504D	0.49	180468	-	0.48	0.02	0.12	0.09	7.00	(0.37)	32	1	0.327
HSI06P2504E	0.25	180468	-	-	-	-	0.05	-	-	-	-	0
HSI06P2504F	0.48	180468	-	0.49	0.49	0.49	0.25	0.49	0.01	1	-	0.49
HSI06P2504G	0.67	180468	-	-	-	-	0.02	-	-	-	-	0
HSI06P2504H	1.40	180468	-	-	-	-	0.22	-	-	-	-	0
HSI06P2505A	0.32	180468	-	0.33	0.03	0.33	0.26	0.35	0.01	1,984	63	0.319
HSI06P2505B	0.63	180468	-	-	-	-	-	-	-	-	-	0
HSI06P2505C	1.03	180468	-	-	-	-	0.08	-	-	-	-	0
HSI06P2505D	1.88	180468	-	-	-	-	1.00	1.88	-	-	-	0
HSI06P2505E	1.14	180468	-	-	-	-	0.08	-	-	-	-	0
HSI06P2505F	3.76	180468	-	-	-	-	0.17	-	-	-	-	0
HSI06P2506A	0.17	180468	-	0.17	0.17	0.17	0.20	0.30	-	1	-	0.17
HSI06P2506B	0.46	180468	-	-	-	-	0.08	0.80	-	-	-	0
HSI06P2506C	1.00	180468	-	-	-	-	0.08	-	-	-	-	0
HSI06P2506D	1.45	180468	-	-	-	-	0.52	-	-	-	-	0
HSI06P2506E	2.06	180468	-	-	-	-	0.86	-	-	-	-	0
HSI06P2506F	2.68	180468	-	-	-	-	0.11	-	-	-	-	0
HSI06P2507A	1.22	180468	-	-	-	-	0.79	1.22	-	-	-	0
HSI06P2508A	1.38	180468	-	1.38	1.38	1.38	0.50	27.50	-	3	-	1.38
HSI28C2504A	0.03	180468	-	0.02	0.01	0.02	0.01	0.02	(0.01)	3,308	3	0.01
HSI28C2504B	0.09	180468	-	-	-	-	0.03	0.12	-	-	-	0
HSI28C2504C	0.38	180468	-	0.23	0.18	0.20	0.22	0.45	(0.18)	391	9	0.217
HSI28C2504D	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
HSI28C2504E	0.02	180468	-	-	-	-	0.01	0.02	-	-	-	0
HSI28C2504F	0.02	180468	-	-	-	-	-	0.01	-	-	-	0
HSI28C2505A	0.10	180468	-	-	-	-	0.05	0.12	-	-	-	0
HSI28C2505B	0.07	180468	-	-	-	-	0.03	0.07	-	-	-	0
HSI28C2505C	0.04	180468	-	0.03	0.03	0.03	0.03	0.04	(0.01)	119	-	0.03
HSI28C2505D	0.08	180468	-	-	-	-	0.05	0.20	-	-	-	0
HSI28C2505E	0.14	180468	-	-	-	-	0.08	0.14	-	-	-	0
HSI28C2505F	0.29	180468	-	-	-	-	0.02	-	-	-	-	0
HSI28C2505G	0.21	180468	-	-	-	-	0.11	0.40	-	-	-	0
HSI28C2505H	0.48	180468	-	0.48	0.38	0.45	0.38	0.46	(0.03)	409	16	0.381
HSI28C2506A	0.17	180468	0.17	0.17	0.17	0.17	0.09	0.17	-	124	2	0.17
HSI28C2506B	0.11	180468	-	0.12	0.12	0.12	0.10	0.11	0.01	5	-	0.12
HSI28C2506C	0.14	180468	-	-	-	-	0.05	0.14	-	-	-	0
HSI28C2506D	1.22	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28C2506E	0.83	180468	-	-	-	-	0.81	16.60	-	-	-	0
HSI28C2506F	0.60	180468	-	0.30	0.08	0.30	0.30	12.00	(0.30)	101	1	0.087
HSI28C2507A	0.16	180468	0.17	0.17	0.15	0.15	0.14	0.15	(0.01)	1,046	16	0.155
HSI28C2507B	0.73	180468	-	-	-	-	-	-	-	-	-	0
HSI28C2507C	0.56	180468	-	-	-	-	0.25	-	-	-	-	0
HSI28C2508A	0.24	180468	-	0.24	0.20	0.22	0.21	0.23	(0.02)	250	6	0.222
HSI28C2508B	0.33	180468	-	0.33	0.33	0.33	0.08	0.33	-	190	6	0.33
HSI28P2504A	0.04	180468	-	-	-	-	-	-	-	-	-	0
HSI28P2504B	0.14	180468	-	-	-	-	-	-	-	-	-	0
HSI28P2504C	0.13	180468	-	0.13	0.09	0.13	0.03	0.12	-	356	3	0.091
HSI28P2504D	0.10	180468	-	-	-	-	0.10	0.20	-	-	-	0
HSI28P2504E	0.19	180468	-	-	-	-	0.01	-	-	-	-	0
HSI28P2504F	0.50	180468	-	-	-	-	-	-	-	-	-	0
HSI28P2504G	1.12	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2504H	1.45	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2505A	0.08	180468	-	0.08	0.07	0.08	0.08	0.13	-	1,010	7	0.073
HSI28P2505B	0.19	180468	-	0.20	0.18	0.20	0.18	0.20	0.01	1,003	19	0.187
HSI28P2505C	1.03	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2505D	0.45	180468	-	-	-	-	0.22	0.50	-	-	-	0
HSI28P2505E	1.21	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2505F	1.52	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2505G	2.98	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2506A	0.19	180468	0.20	0.20	0.20	0.20	0.20	0.21	0.01	150	3	0.2
HSI28P2506B	0.25	180468	-	0.23	0.23	0.23	0.24	0.28	(0.02)	887	20	0.23
HSI28P2506C	0.38	180468	-	0.42	0.35	0.40	0.38	0.41	0.02	742	27	0.37
HSI28P2506D	1.02	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2506E	1.93	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2506F	1.18	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2507A	0.93	180468	-	0.90	0.90	0.90	0.90	1.20	(0.03)	1	-	0.9
HSI28P2507B	0.29	180468	-	0.31	0.31	0.31	0.25	0.31	0.02	195	6	0.31
HSI28P2508A	1.05	180468	-	-	-	-	0.08	-	-	-	-	0
HSI28P2508B	0.36	180468	-	0.38	0.36	0.38	0.33	0.39	0.02	222	8	0.36
HSTECH28C2506A	0.63	180468	-	-	-	-	0.08	-	-	-	-	0
HSTECH28C2506B	0.13	180468	-	-	-	-	-	-	-	-	-	0
HSTECH28C2506C	0.27	180468	-	-	-	-	-	-	-	-	-	0
HSTECH28P2506A	0.22	180468	-	-	-	-	-	-	-	-	-	0
HSTECH28P2506B	0.71	180468	-	-	-	-	0.01	-	-	-	-	0
HSTECH28P2506C	1.10	180468	-	-	-	-	0.01	-	-	-	-	0
JD41C2506A	0.21	180468	-	-	-	-	0.08	-	-	-	-	0
KUAI5H41C2506A	0.66	180468	-	-	-	-	0.08	-	-	-	-	0
KUAI5H41C2506B	0.07	180468	-	-	-	-	0.03	0.15	-	-	-	0
MCA5041C2506A	0.24	180468	-	0.26	0.25	0.25	0.24	0.25	0.01	15	-	0.253
MCA5041P2506A	0.54	180468	-	0.52	0.52	0.52	0.52	0.53	(0.02)	2	-	0.52
MEITUA28C2504A	0.02	180468	-	-	-	-	-	-	-	-	-	0
MEITUA28C2507A	0.06	180468	-	-	-	-	0.05	0.06	-	-	-	0
MEITUA28P2504B	0.37	180468	-	-	-	-	-	-	-	-	-	0
MEITUA41C2504A	0.07	180468	-	-	-	-	-	0.01	-	-	-	0
MEITUA41C2506A	0.04	180468	-	-	-	-	0.01	-	-	-	-	0
NDX28C2506A	0.14	180468	-	-	-	-	0.03	0.06	-	-	-	0
NDX28C2506B	0.23	180468	-	0.19	0.18	0.19	0.15	0.18	(0.04)	6	-	0.181
NDX28C2506C	0.15	180468	-	0.10	0.10	0.10	0.08	0.10	(0.05)	1	-	0.1
NDX28C2509A	0.60	180468	-	0.50	0.48	0.48	0.47	0.48	(0.12)	6	-	0.483
NDX28C2509B	0.39	180468	0.32	0.32	0.31	0.31	0.30	0.32	(0.08)	2,209	70	0.319
NDX28P2506A	0.78	180468	-	0.84	0.84	0.84	0.83	0.84	0.06	2	-	0.84
NDX28P2509A	0.65	180468	-	0.72	0.71	0.72	0.72	0.73	0.07	120	9	0.719
NDX28P2509B	1.00	180468	-	0.53	0.53	0.53	0.53	0.54	(0.47)	13	1	0.53
NDX41C2506A	0.05	180468	-	0.04	0.02	0.02	0.02	0.04	(0.03)	300	1	0.026
NDX41C2506B	0.07	180468	-	0.05	0.05	0.05	0.04	0.05	(0.02)	6	-	0.05
NDX41C2506C	0.19	180468	0.13	0.13	0.11	0.11	0.11	0.12	(0.08)	7,103	86	0.12
NDX41C2506D	0.57	180468	0.44	0.44	0.42	0.42	0.41	0.42	(0.15)	7,533	318	0.421
NDX41C2509T	1.21	180468	-	1.05	1.03	1.03	1.02	1.03	(0.18)	125	13	1.036
NDX41P2506A	0.99	180468	1.13	1.17	1.12	1.16	1.16	1.17	0.17	5,911	683	1.155
NDX41P2506B	0.48	180468	-	0.54	0.53	0.54	0.53	0.54	0.06	3,584	193	0.539
NDX41P2509T	4.10	180468	-	4.44	4.38	4.42	4.42	4.44	0.32	20,676	9,120	4.411

## Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
NIKKEI28C2506A	0.22	180468	-	0.19	0.18	<b>0.18</b>	0.17	0.18	(0.04)	565	11	0.189
NIKKEI28C2506B	0.08	180468	-	-	-	-	0.08	0.11	-	-	-	0
NIKKEI28C2506C	0.07	180468	-	-	-	-	0.05	0.08	-	-	-	0
NIKKEI28P2506A	0.26	180468	-	0.29	0.28	<b>0.29</b>	0.28	0.29	0.03	374	10	0.28
NIKKEI28P2506B	0.51	180468	-	-	-	-	0.49	0.52	-	-	-	0
NIKKEI28P2506C	0.75	180468	-	0.82	0.82	<b>0.82</b>	0.82	0.85	0.07	1	-	0.82
NIKKEI41C2506A	0.05	180468	-	0.04	0.04	<b>0.04</b>	0.04	0.05	(0.01)	2,500	10	0.04
NIKKEI41C2506B	0.02	180468	-	-	-	-	0.01	0.04	-	-	-	0
NIKKEI41C2509A	0.25	180468	-	0.22	0.21	<b>0.21</b>	0.20	0.22	(0.04)	2,630	58	0.219
NIKKEI41C2509B	0.15	180468	-	-	-	-	0.12	0.14	-	-	-	0
NIKKEI41C2509C	0.37	180468	0.32	0.33	0.31	<b>0.31</b>	0.31	0.32	(0.06)	8,490	270	0.318
NIKKEI41P2506A	0.47	180468	-	0.53	0.51	<b>0.52</b>	0.52	0.53	0.05	96	5	0.529
NIKKEI41P2506B	0.25	180468	-	0.27	0.27	<b>0.27</b>	0.27	0.28	0.02	10,883	294	0.27
NIKKEI41P2509A	0.68	180468	-	0.73	0.72	<b>0.72</b>	0.73	0.74	0.04	8,030	584	0.727
NIKKEI41P2509B	0.51	180468	-	0.57	0.56	<b>0.57</b>	0.56	0.57	0.06	2,850	161	0.564
NIKKEI41P2509C	0.88	180468	-	0.90	0.88	<b>0.90</b>	0.89	0.90	0.02	32	3	0.891
NTES41C2506A	0.26	180468	-	-	-	-	0.08	-	-	-	-	0
PINGAN41C2504A	0.10	180468	-	-	-	-	-	-	-	-	-	0
PINGAN41C2507A	0.15	180468	-	-	-	-	0.12	-	-	-	-	0
POPMAR41C2506A	0.97	180468	-	-	-	-	0.08	-	-	-	-	0
POPMAR41C2507A	0.45	180468	-	-	-	-	0.40	-	-	-	-	0
SET01C2505A	0.02	180468	0.02	0.02	0.01	<b>0.02</b>	0.01	0.02	-	1,020	2	0.015
SET01C2506A	0.01	180468	0.02	0.02	0.02	<b>0.02</b>	0.01	0.02	0.01	120	-	0.02
SET01C2506B	0.03	180468	0.03	0.03	0.01	<b>0.02</b>	0.01	0.02	(0.01)	80,194	80	0.01
SET01C2507A	0.15	180468	-	0.16	0.12	<b>0.12</b>	0.12	0.14	(0.03)	4,234	64	0.15
SET01C2509A	1.00	180468	-	0.79	0.69	<b>0.69</b>	0.69	0.71	(0.31)	19,532	1,493	0.764
SET01P2505A	4.52	180468	-	-	-	-	3.84	4.68	-	-	-	0
SET01P2506A	1.19	180468	-	1.50	1.50	<b>1.50</b>	1.50	1.68	0.31	1	-	1.5
SET01P2507A	1.01	180468	-	1.03	0.98	<b>0.99</b>	0.99	1.00	(0.02)	1,037	105	1.015
SET5001C2505A	0.02	180468	-	0.01	0.01	<b>0.01</b>	0.01	0.02	(0.01)	25,745	26	0.01
SET5001C2506A	0.02	180468	0.02	0.02	0.01	<b>0.01</b>	0.01	0.02	(0.01)	4,609	5	0.01
SET5001C2506F	0.02	180468	0.02	0.02	0.02	<b>0.02</b>	0.01	0.02	-	6	-	0.02
SET5001C2506G	0.03	180468	-	-	-	-	0.01	0.03	-	-	-	0
SET5001C2507A	0.11	180468	-	0.11	0.10	<b>0.10</b>	0.09	0.10	(0.01)	12,691	129	0.101
SET5001C2509A	1.00	180468	-	0.67	0.57	<b>0.57</b>	0.57	0.58	(0.43)	17,336	1,090	0.628
SET5001C2509F	0.29	180468	0.30	0.32	0.27	<b>0.27</b>	0.26	0.27	(0.02)	5,733	161	0.28
SET5001P2505A	3.26	180468	-	-	-	-	3.24	3.94	-	-	-	0
SET5001P2506A	1.26	180468	-	1.43	1.18	<b>1.43</b>	1.44	1.81	0.17	307	37	1.191
SET5001P2506F	4.66	180468	-	-	-	-	3.12	3.72	-	-	-	0
SET5001P2506G	1.61	180468	-	-	-	-	1.77	2.38	-	-	-	0
SET5001P2507A	0.76	180468	0.77	0.79	0.76	<b>0.79</b>	0.76	0.96	0.03	505	39	0.765
SET5001P2509F	1.40	180468	-	1.60	0.95	<b>1.60</b>	1.61	1.67	0.20	57	9	1.575
SET5006C2506A	0.02	180468	-	-	-	-	-	0.02	-	-	-	0
SET5006C2506B	0.32	180468	0.28	0.29	0.22	<b>0.23</b>	0.21	0.29	(0.09)	61,063	1,665	0.272
SET5006C2506C	0.42	180468	0.37	0.39	0.28	<b>0.30</b>	0.28	-	(0.12)	82,998	2,961	0.356
SET5006C2506D	0.38	180468	-	0.36	0.26	<b>0.27</b>	0.25	0.30	(0.11)	52,808	1,743	0.329
SET5006C2506E	0.48	180468	0.44	0.46	0.34	<b>0.35</b>	0.34	-	(0.13)	53,042	2,246	0.423
SET5006C2506F	0.70	180468	-	0.66	0.52	<b>0.54</b>	-	0.55	(0.16)	27,165	1,543	0.567
SET5006C2509A	0.44	180468	0.41	0.43	0.35	<b>0.36</b>	0.35	0.37	(0.08)	94,445	3,857	0.408
SET5006P2506A	2.70	180468	-	-	-	-	0.02	-	-	-	-	0
SET5006P2506B	1.56	180468	-	-	-	-	-	-	-	-	-	0
SET5006P2506C	1.66	180468	-	-	-	-	-	-	-	-	-	0
SET5006P2506D	0.89	180468	-	0.96	0.96	<b>0.96</b>	0.60	-	0.07	1	-	0.96
SET5006P2506E	0.71	180468	0.73	0.84	0.70	<b>0.81</b>	0.77	-	0.10	81,615	5,911	0.724
SET5006P2506F	0.63	180468	-	0.75	0.61	<b>0.72</b>	0.72	0.73	0.09	165,569	10,709	0.646
SET5006P2509A	0.52	180468	-	0.52	0.49	<b>0.52</b>	0.53	0.93	-	111	6	0.506
SET5013C2506A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
SET5013C2506B	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
SET5013C2506C	0.01	180468	-	0.01	0.01	<b>0.01</b>	-	0.01	-	1	-	0.01
SET5013C2506D	0.01	180468	0.02	0.02	0.01	<b>0.01</b>	-	0.01	-	67	-	0.01
SET5013C2506E	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
SET5013C2506F	0.01	180468	-	0.01	0.01	<b>0.01</b>	-	0.01	-	7,240	7	0.01
SET5013C2506G	0.04	180468	0.03	0.03	0.03	<b>0.03</b>	0.03	0.04	(0.01)	21	-	0.03
SET5013C2506H	0.04	180468	-	0.04	0.02	<b>0.03</b>	0.02	0.03	(0.01)	17	-	0.031
SET5013C2506I	0.04	180468	-	0.04	0.03	<b>0.03</b>	0.02	0.03	(0.01)	1,392	4	0.031
SET5013C2506J	0.06	180468	0.06	0.07	0.05	<b>0.05</b>	0.05	0.06	(0.01)	27,785	144	0.051
SET5013C2506K	0.10	180468	0.11	0.11	0.06	<b>0.06</b>	0.06	0.07	(0.04)	198,638	1,339	0.067
SET5013C2506L	0.17	180468	0.17	0.18	0.10	<b>0.10</b>	0.10	0.11	(0.07)	1,102,095	13,789	0.125
SET5013C2506M	0.28	180468	0.27	0.28	0.16	<b>0.17</b>	0.17	0.18	(0.11)	884,872	18,400	0.207
SET5013C2506N	0.13	180468	0.12	0.12	0.07	<b>0.08</b>	0.07	0.08	(0.05)	82,862	781	0.094
SET5013C2506O	0.50	180468	0.47	0.50	0.37	<b>0.38</b>	0.38	0.39	(0.12)	1,707,677	73,724	0.431
SET5013C2506P	0.62	180468	0.59	0.61	0.47	<b>0.48</b>	0.48	0.49	(0.14)	1,748,622	93,102	0.532
SET5013C2506Q	0.33	180468	0.31	0.33	0.25	<b>0.25</b>	0.25	0.26	(0.08)	952,077	26,665	0.28
SET5013C2506T	0.01	180468	0.01	0.01	0.01	<b>0.01</b>	-	0.01	-	1,204	1	0.01
SET5013C2509A	0.67	180468	0.65	0.67	0.55	<b>0.56</b>	0.56	0.57	(0.11)	367,168	22,065	0.6
SET5013P2506A	1.89	180468	-	2.10	1.85	<b>2.04</b>	2.06	2.10	0.15	137	27	1.999
SET5013P2506B	1.49	180468	-	2.30	2.28	<b>2.28</b>	1.61	2.30	0.79	10	2	2.29
SET5013P2506C	2.88	180468	-	2.66	2.66	<b>2.66</b>	3.06	3.68	(0.22)	10	3	2.66
SET5013P2506D	1.65	180468	-	2.84	2.84	<b>2.84</b>	1.75	2.80	1.19	1	-	2.84
SET5013P2506E	0.54	180468	-	-	-	-	0.71	1.28	-	-	-	0
SET5013P2506F	0.70	180468	0.52	0.72	0.52	<b>0.71</b>	0.70	0.71	0.01	1,994	137	0.687
SET5013P2506G	0.44	180468	0.48	0.56	0.45	<b>0.53</b>	0.53	0.54	0.09	51,688	2,680	0.518
SET5013P2506H	2.00	180468	-	1.98	1.00	<b>1.98</b>	0.80	1.90	(0.02)	49	6	1.2
SET5013P2506I	0.30	180468	0.31	0.35	0.26	<b>0.26</b>	0.26	0.29	(0.04)	30,497	972	0.318
SET5013P2506J	0.27	180468	0.29	0.37	0.27	<b>0.33</b>	0.33	0.35	0.06	22,028	710	0.322
SET5013P2506K	0.42	180468	-	0.52	0.30	<b>0.46</b>	0.41	0.46	0.04	1,292	53	0.408
SET5013P2506L	0.79	180468	-	0.81	0.77	<b>0.81</b>	0.80	0.81	0.02	1,035	82	0.791
SET5013P2506M	0.90	180468	1.39	1.39	0.99	<b>0.99</b>	0.73	1.37	0.09	2	-	1.19
SET5013P2506N	0.08	180468	0.09	0.11	0.07	<b>0.09</b>	0.09	0.10	0.01	773,026	7,063	0.091
SET5013P2506O	0.16	180468	0.16	0.18	0.14	<b>0.17</b>	0.17	0.18	0.01	111,201	1,809	0.162
SET5013P2506P	0.37	180468	0.37	0.42	0.34	<b>0.41</b>	0.40	0.41	0.04	1,531,685	57,883	0.377
SET5013P2506Q	0.51	180468	0.50	0.58	0.47	<b>0.56</b>	0.56	0.57	0.05	911,329	47,400	0.52
SET5013P2506R	1.00	180468	0.61	0.72	0.58	<b>0.69</b>	0.69	0.70	(0.31)	1,245,830	82,404	0.661
SET5013P2506T	3.18	180468	-	3.24	3.24	<b>3.24</b>	3.20	3.42	0.06	5	2	3.24
SET5013P2509A	0.24	180468	0.25	0.29	0.23	<b>0.27</b>	0.27	0.28	0.03	793,650	20,688	0.26
SET5013P2509B	0.68	180468	0.69	0.76	0.66	<b>0.75</b>	0.74	0.75	0.07	840,110	59,903	0.713
SET5019C2506A	0.01	180468	-	-	-	-	-	0.01	-	-	-	0
SET5019C2506B												

## Main Board Quotation

Issue Date Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
SET5019C2506H	0.03	180468	-	-	-	-	0.01	0.02	-	-	-	0
SET5019C2506I	0.98	180468	-	-	-	-	0.07	0.08	-	-	-	0
SET5019C2506J	0.06	180468	-	-	-	-	0.02	0.03	-	-	-	0
SET5019C2506K	0.10	180468	-	0.11	0.11	0.11	0.06	0.07	0.01	3	-	0.11
SET5019C2506L	0.16	180468	-	0.13	0.10	0.11	0.10	0.11	(0.05)	2,560	32	0.123
SET5019C2506M	0.22	180468	-	-	-	-	0.14	0.15	-	-	-	0
SET5019C2506N	0.21	180468	-	-	-	-	0.12	0.26	-	-	-	0
SET5019C2506O	0.68	180468	-	0.76	0.48	0.48	0.48	0.50	(0.20)	45,489	2,258	0.496
SET5019C2506P	1.40	180468	-	-	-	-	1.14	1.15	-	-	-	0
SET5019C2506Q	0.58	180468	-	0.57	0.45	0.46	0.46	0.47	(0.12)	268,331	13,837	0.515
SET5019C2509A	1.01	180468	-	1.01	0.89	0.90	0.90	0.92	(0.11)	37,324	3,622	0.97
SET5019P2506A	2.50	180468	-	-	-	-	2.76	2.78	-	-	-	0
SET5019P2506B	2.56	180468	-	-	-	-	2.42	2.44	-	-	-	0
SET5019P2506C	4.02	180468	-	3.14	3.14	3.14	3.12	3.14	(0.88)	70	22	3.14
SET5019P2506D	2.02	180468	-	3.82	3.82	3.82	1.93	1.94	1.80	1	-	3.82
SET5019P2506E	1.60	180468	-	1.51	1.51	1.51	1.48	1.51	(0.09)	1	-	1.51
SET5019P2506F	1.26	180468	-	-	-	-	1.16	1.17	-	-	-	0
SET5019P2506G	0.72	180468	-	0.90	0.90	0.90	0.90	0.91	0.18	4	-	0.9
SET5019P2506H	0.55	180468	-	0.64	0.55	0.62	0.60	0.63	0.07	573	34	0.6
SET5019P2506I	0.74	180468	-	1.70	0.72	0.72	0.85	0.86	(0.02)	22	2	0.942
SET5019P2506J	0.37	180468	0.30	0.36	0.30	0.36	0.37	0.38	(0.01)	655	21	0.324
SET5019P2506K	2.64	180468	-	1.50	1.50	1.50	0.85	0.86	(1.14)	1	-	1.5
SET5019P2506L	0.39	180468	-	0.45	0.36	0.43	0.43	0.44	0.04	238,353	9,554	0.4
SET5019P2506M	0.79	180468	-	0.88	0.76	0.85	0.86	0.87	0.06	246,385	19,769	0.802
SET5019P2509A	0.70	180468	-	0.78	0.69	0.77	0.76	0.77	0.07	257,743	18,778	0.728
SET5041C2506A	0.02	180468	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	1	-	0.01
SET5041C2506B	0.01	180468	0.01	0.02	0.01	0.02	0.01	0.02	0.01	4,802	5	0.01
SET5041C2506C	0.18	180468	0.15	0.15	0.11	0.12	0.11	0.12	(0.06)	18,673	248	0.132
SET5041C2506D	0.59	180468	0.53	0.57	0.42	0.45	0.43	0.44	(0.14)	339,243	15,951	0.47
SET5041C2506E	0.64	180468	-	0.62	0.47	0.48	0.48	0.49	(0.16)	1,208,861	66,457	0.549
SET5041C2506F	0.40	180468	0.36	0.38	0.27	0.29	0.28	0.29	(0.11)	244,258	7,508	0.307
SET5041C2506G	0.60	180468	0.55	0.58	0.41	0.44	0.43	0.44	(0.16)	1,024,449	51,819	0.505
SET5041C2506H	0.63	180468	-	0.61	0.43	0.45	0.44	0.45	(0.18)	34,583	1,755	0.507
SET5041C2506I	1.59	180468	-	1.47	1.21	1.25	1.24	1.26	(0.34)	5,500	755	1.372
SET5041C2506J	1.66	180468	-	1.31	1.31	1.31	1.32	1.35	(0.35)	66	9	1.31
SET5041C2506K	0.29	180468	-	0.27	0.21	0.22	0.21	0.22	(0.07)	49,437	1,260	0.254
SET5041C2506T	0.02	180468	0.01	0.01	0.01	0.01	0.01	0.02	(0.01)	1,681	2	0.01
SET5041C2509T	0.10	180468	-	0.09	0.06	0.08	0.06	0.08	(0.02)	13,818	105	0.075
SET5041C2509U	0.32	180468	0.31	0.31	0.25	0.26	0.25	0.27	(0.06)	6,301	168	0.266
SET5041C2509V	0.72	180468	-	0.72	0.63	0.66	0.64	0.65	(0.06)	417,678	28,481	0.681
SET5041P2506A	4.28	180468	-	4.04	4.04	4.04	4.04	4.14	(0.24)	10	4	4.04
SET5041P2506B	1.74	180468	-	1.95	1.80	1.95	1.95	1.98	0.21	30	6	1.9
SET5041P2506C	0.47	180468	-	0.56	0.53	0.54	0.54	0.63	0.07	3,002	166	0.553
SET5041P2506D	0.28	180468	-	0.40	0.36	0.36	0.35	0.44	0.08	184	7	0.365
SET5041P2506E	0.49	180468	-	0.68	0.50	0.68	0.56	0.65	0.19	500	32	0.636
SET5041P2506F	0.30	180468	-	0.35	0.30	0.34	0.34	0.35	0.04	382,232	11,656	0.304
SET5041P2506T	1.84	180468	-	1.99	1.83	1.96	1.97	1.99	0.12	182,576	34,176	1.871
SET5041P2509A	0.55	180468	0.56	0.63	0.54	0.61	0.61	0.62	0.06	516,119	29,247	0.566
SET5041P2509T	0.48	180468	0.49	0.54	0.47	0.54	0.53	0.54	0.06	41,675	2,065	0.495
SPX28C2506A	0.08	180468	-	-	-	-	0.01	0.04	-	-	-	0
SPX28C2506B	0.19	180468	-	-	-	-	0.05	0.08	-	-	-	0
SPX28C2506C	0.31	180468	-	0.20	0.20	0.20	0.18	0.19	(0.11)	1	-	0.2
SPX28C2509A	0.89	180468	-	-	-	-	0.63	0.64	-	-	-	0
SPX28P2506A	0.73	180468	-	-	-	-	0.77	0.78	-	-	-	0
SPX28P2506B	0.44	180468	-	-	-	-	0.43	0.46	-	-	-	0
SPX41C2506A	0.05	180468	-	-	-	-	0.02	0.04	-	-	-	0
SPX41C2506B	0.09	180468	-	-	-	-	0.05	0.06	-	-	-	0
SPX41C2506C	0.21	180468	-	0.13	0.12	0.12	0.11	0.12	(0.09)	2,303	28	0.12
SPX41C2506D	0.62	180468	0.41	0.42	0.40	0.40	0.39	0.40	(0.22)	3,073	127	0.413
SPX41C2509T	1.39	180468	-	1.24	1.21	1.21	1.21	1.22	(0.18)	177	22	1.219
SPX41P2506A	0.80	180468	-	1.02	1.00	1.02	1.02	1.03	0.22	404	41	1.002
SPX41P2506B	0.44	180468	-	0.48	0.47	0.48	0.48	0.49	0.04	981	47	0.476
SPX41P2509T	3.94	180468	-	4.22	4.22	4.22	4.20	4.24	0.28	60	25	4.22
TENCEN28C2508A	0.64	180468	-	-	-	-	0.08	-	-	-	-	0
TENCEN28C2509A	0.22	180468	-	-	-	-	0.22	0.30	-	-	-	0
TENCEN28P2509A	0.50	180468	-	-	-	-	0.08	-	-	-	-	0
TENCEN41C2504A	0.25	180468	-	-	-	-	0.03	-	-	-	-	0
TENCEN41C2504B	0.01	180468	-	-	-	-	-	0.10	-	-	-	0
TENCEN41C2505A	0.04	180468	-	-	-	-	0.02	-	-	-	-	0
TENCEN41C2506A	0.56	180468	-	-	-	-	0.13	-	-	-	-	0
TENCEN41P2506A	0.48	180468	-	-	-	-	0.08	-	-	-	-	0
TRIPDC41C2506A	0.40	180468	-	-	-	-	0.08	-	-	-	-	0
XIAOMI28C2504A	1.73	180468	-	-	-	-	0.08	2.90	-	-	-	0
XIAOMI28C2508A	0.68	180468	-	-	-	-	0.44	-	-	-	-	0
XIAOMI28C2509A	0.26	180468	0.27	0.27	0.27	0.27	0.18	0.25	0.01	67	2	0.27
XIAOMI28P2505A	0.03	180468	-	0.03	0.03	0.03	0.03	0.05	-	400	1	0.03
XIAOMI28P2509A	0.18	180468	-	-	-	-	-	-	-	-	-	0
XIAOMI28P2510A	0.84	180468	-	-	-	-	0.08	-	-	-	-	0
XIAOMI41C2504A	0.56	180468	-	-	-	-	0.30	0.56	-	-	-	0
XIAOMI41C2506A	0.46	180468	-	-	-	-	0.16	0.60	-	-	-	0
XIAOMI41C2506B	0.08	180468	-	0.10	0.10	0.10	0.09	0.10	0.02	100	1	0.1
XIAOMI41C2507A	0.04	180468	-	0.06	0.06	0.06	0.03	0.08	0.02	5	-	0.06
XIAOMI41P2506A	0.72	180468	-	-	-	-	0.32	-	-	-	-	0



Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

Main Board Quotation

Issue Date

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

**Main Board Quotation**

**Issue Date**

*Monday April 21, 2025*

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										

**Asia Plus Securities Company Limited**  
**Main Board Quotation (MAI)**

**Daily Quotation**

Issue Date : **Monday April 21, 2025**

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
Agro & Food Indt												
APO	1.48	21/04/2025	1.49	1.49	1.47	1.48	1.48	1.49	-	1,330.00	197.00	00 1.4
AU	9.85	180468	9.85	10.20	9.85	9.90	9.90	9.95	0.05	11,249.00	11,229.00	00 9.9
CFARM	0.79	180468	0.80	0.94	0.80	0.85	0.85	0.86	0.06	247,137.00	21,890.00	00 0.8
JCHK	0.12	180468	0.12	0.12	0.10	0.11	0.10	0.11	(0.01)	37,339.00	380.00	00 0.1
KASET	0.60	180468	0.58	0.61	0.58	0.58	0.58	0.60	(0.02)	353.00	21.00	00 0.5
MAGURO	18.00	180468	18.00	18.00	17.20	17.40	17.40	17.60	(0.60)	4,717.00	8,284.00	00 17.5
MUD	1.19	180468	-	1.20	1.19	1.20	1.20	1.21	0.01	24.00	3.00	00 1.1
NTSC	5.60	180468	-	5.75	5.60	5.65	5.60	5.70	0.05	225.00	128.00	00 5.6
TACC	4.52	180468	4.54	4.60	4.48	4.48	4.48	4.52	(0.04)	11,333.00	5,153.00	00 4.5
TMILL	1.75	180468	-	1.76	1.73	1.76	1.74	1.76	0.01	255.00	45.00	00 1.7
WINNER	1.98	180468	1.99	1.99	1.96	1.96	1.95	1.96	(0.02)	1,759.00	347.00	00 1.9
XO	15.50	180468	15.70	15.80	15.40	15.50	15.50	15.60	-	3,108.00	4,847.00	00 15.5
Consumer Produ												
ALPHAX	0.40	180468	0.41	0.49	0.40	0.40	0.40	0.41	-	223,234.00	9,855.00	00 0.4
BGT	0.40	180468	-	0.42	0.40	0.41	0.40	0.41	0.01	44.00	2.00	00 0.4
DOD	1.20	180468	1.21	1.21	1.18	1.20	1.19	1.20	-	938.00	112.00	00 1.1
ECF	0.10	180468	0.10	0.13	0.09	0.13	0.13	-	0.03	201,854.00	2,502.00	00 0.1
ECF-W5	0.01	180468	-	0.01	0.01	0.01	-	0.01	-	4,080.00	4.00	00 0.0
EFORL	0.15	180468	0.15	0.15	0.13	0.14	0.13	0.14	(0.01)	265,912.00	3,624.00	00 0.1
EFORL-W6	0.01	180468	-	-	-	-	-	0.01	-	-	-	00 0.0
EURO	4.38	180468	-	4.38	4.34	4.38	4.36	4.38	-	1,586.00	694.00	00 4.3
HPT	0.42	180468	0.43	0.44	0.42	0.43	0.43	0.44	0.01	52,116.00	2,242.00	00 0.4
ITTHI	1.49	180468	-	1.49	1.47	1.47	1.46	1.48	(0.02)	109.00	16.00	00 1.4
JSP	1.77	180468	1.81	1.96	1.78	1.93	1.88	1.94	0.16	3,863.00	724.00	00 1.8
JSP-W2	0.03	180468	0.03	0.03	0.02	0.03	0.02	0.03	-	8,730.00	26.00	00 0.0
JUBILE	7.45	180468	-	7.55	7.25	7.25	7.25	7.35	(0.20)	1,060.00	778.00	00 7.3
LTS	6.30	180468	6.30	6.35	5.85	5.95	5.95	6.00	(0.35)	9,401.00	5,754.00	00 6.1
MGI	10.60	180468	10.60	10.90	10.30	10.30	10.30	10.40	(0.30)	8,829.00	9,351.00	00 10.5
MGI-W1	2.54	180468	2.58	2.64	2.38	2.38	2.36	2.38	(0.16)	13,875.00	3,510.00	00 2.5
MOONG	1.91	180468	1.89	1.90	1.89	1.89	1.89	1.92	(0.02)	240.00	45.00	00 1.8
NPK	9.90	180468	-	9.95	9.95	9.95	9.90	10.10	0.05	1.00	1.00	00 9.9
SEI	3.16	180468	3.20	3.24	3.14	3.18	3.16	3.18	0.02	1,155.00	369.00	00 3.1
SMD100	3.84	180468	3.92	3.92	3.80	3.82	3.80	3.82	(0.02)	731.00	280.00	00 3.8
TM	0.71	180468	0.75	0.75	0.68	0.69	0.68	0.69	(0.02)	5,338.00	379.00	00 0.7
TM-W1	0.01	180468	-	-	-	-	-	0.01	-	-	-	00 0.0
WARRIX	3.00	180468	3.00	3.00	2.88	2.88	2.88	2.90	(0.12)	5,765.00	1,680.00	00 2.9
WINMED	1.17	180468	-	1.17	1.15	1.15	1.15	1.17	(0.02)	171.00	20.00	00 1.1
Financials												
ACAP	0.33	180468	-	-	-	-	-	-	-	-	-	00 0.0
AF	0.32	180468	-	0.33	0.31	0.32	0.31	0.32	-	33.00	1.00	00 0.3
AIRA	1.25	180468	-	1.26	1.25	1.25	1.25	1.29	-	140.00	18.00	00 1.2
ASN	1.05	180468	1.04	1.04	0.99	1.04	1.03	1.05	(0.01)	6.00	1.00	00 1.0
BTC	0.33	180468	0.33	0.35	0.32	0.34	0.34	0.35	0.01	172,227.00	5,814.00	00 0.3
BTC-W7	0.09	180468	0.10	0.11	0.10	0.10	0.10	0.11	0.01	7,543.00	76.00	00 0.1
GCAP	0.21	180468	0.22	0.23	0.20	0.21	0.21	0.22	-	10,104.00	222.00	00 0.2
KCC	1.74	180468	-	1.71	1.67	1.68	1.68	1.69	(0.06)	592.00	100.00	00 1.6
LIT	0.43	180468	0.43	0.45	0.43	0.43	0.43	0.44	-	653.00	28.00	00 0.4
MITSIB	0.53	180468	0.53	0.53	0.52	0.52	0.52	0.53	(0.01)	503.00	27.00	00 0.5
SGF	0.13	180468	0.14	0.15	0.14	0.14	0.14	0.15	0.01	10,576.00	149.00	00 0.1
SGF-P1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
SGF-Q1	-	101743	-	-	-	-	-	-	-	-	-	00 0.0
TOR	4.82	180468	-	4.84	4.82	4.82	4.80	4.82	-	67.00	32.00	00 4.8
Industrials												
ADB	0.55	180468	0.55	0.55	0.52	0.52	0.53	0.54	(0.03)	1,669.00	89.00	00 0.5
BM	2.64	180468	-	2.62	2.56	2.56	2.56	2.60	(0.08)	1,093.00	284.00	00 2.5
BM-W3	0.74	180468	0.74	0.98	0.70	0.74	0.70	0.74	-	207.00	15.00	00 0.7
BPS	0.51	180468	0.51	0.53	0.51	0.51	0.51	0.52	-	5,174.00	267.00	00 0.5
CHO	0.02	180468	0.03	0.03	0.02	0.03	0.02	0.03	0.01	5,008.00	15.00	00 0.0
CHO-W4	0.01	180468	-	-	-	-	-	0.01	-	-	-	00 0.0
CHOW	1.30	180468	-	1.33	1.25	1.25	1.24	1.26	(0.05)	947.00	122.00	00 1.2
CIG	0.04	180468	0.03	0.04	0.03	0.04	0.03	0.04	-	34,119.00	103.00	00 0.0
CIG-W10	0.06	180468	-	-	-	-	-	0.05	-	-	-	00 0.0
CIG-W9	0.02	180468	-	0.02	0.01	0.02	0.01	0.02	-	36.00	-	00 0.0
COLOR	1.09	180468	1.09	1.09	1.08	1.09	1.07	1.09	-	26.00	3.00	00 1.0
CPR	2.78	180468	2.80	2.88	2.70	2.74	2.74	2.78	(0.04)	508.00	139.00	00 2.7
FPI	1.52	180468	1.53	1.53	1.52	1.52	1.51	1.52	-	109.00	17.00	00 1.5
GTB	0.74	180468	0.74	0.74	0.73	0.73	0.72	0.74	(0.01)	318.00	23.00	00 0.7
HARN	2.14	180468	-	2.14	2.12	2.14	2.12	2.14	-	1,157.00	246.00	00 2.1
KCM	0.19	180468	0.18	0.20	0.18	0.20	0.19	0.20	0.01	437.00	8.00	00 0.1
KJL	6.80	180468	6.80	6.80	6.60	6.65	6.60	6.65	(0.15)	281.00	188.00	00 6.6
KUMWEL	1.05	180468	1.08	1.08	1.04	1.05	1.05	1.06	-	301.00	32.00	00 1.0
KWM	1.06	180468	1.07	1.07	1.03	1.04	1.03	1.04	(0.02)	2,875.00	300.00	00 1.0
MBAX	1.38	180468	-	1.37	1.37	1.37	1.32	1.37	(0.01)	2.00	-	00 1.3
MGT	1.74	180468	1.78	1.78	1.73	1.75	1.73	1.75	0.01	313.00	55.00	00 1.7
MTW	1.20	180468	1.20	1.21	1.17	1.21	1.20	1.21	0.01	35,940.00	4,295.00	00 1.1
MTW-W1	0.01	180468	-	-	-	-	-	-	-	-	-	00 0.0
NDR	1.17	180468	1.12	1.18	1.12	1.12	1.11	1.12	(0.05)	510.00	58.00	00 1.1
PACO	1.42	180468	1.42	1.44	1.40	1.40	1.40	1.42	(0.02)	2,352.00	335.00	00 1.4
PACO-W1	0.03	180468	-	0.03	0.02	0.03	0.02	0.03	-	18.00	-	00 0.0
PDG	2.60	180468	2.60	2.64	2.60	2.64	2.60	2.66	0.04	916.00	238.00	00 2.6
PHOL	2.82	180468	2.84	2.84	2.78	2.82	2.80	2.82	-	1,797.00	501.00	00 2.7
PIMO	1.19	180468	1.20	1.20	1.17	1.19	1.18	1.19	-	3,082.00	365.00	00 1.1
PMC	0.75	180468	0.76	0.76	0.74	0.74	0.74	0.75	(0.01)	1,109.00	84.00	00 0.7
PPM	1.79	180468	1.75	1.88	1.75	1.79	1.75	1.79	-	228.00	40.00	00 1.7
PRAPAT	1.09	180468	1.10	1.11	1.08	1.08	1.08	1.10	(0.01)	4,172.00	454.00	00 1.0
RWI	0.24	180468	0.25	0.25	0.24	0.25	0.24	0.25	0.01	1,835.00	44.00	00 0.2
SAF	0.45	180468	-	0.45	0.42	0.42	0.41	0.43	(0.03)	1,273.00	55.00	00 0.4
SALEE	0.35	180468	0.34	0.36	0.34	0.36	0.35	0.36	0.01	1,046.00	37.00	00 0.3
SANKO	0.92	180468	0.93	0.98	0.91	0.91	0.91	0.92	(0.01)	5,451.00	513.00	00 0.9
SCL	1.08	180468	1.07	1.12	1.07	1.07	1.06	1.07	(0.01)	6,841.00	745.00	00 1.0
SFT	2.46	180468	-	2.46	2.46	2.46	2.40	2.48	-	3.00	1.00	00 2.4
STP	9.95	180468	10.10	10.30	9.90	10.10	9.95	10.10	0.15	27.00	27.00	00 10.0
SWC	2.62	180468	-	2.78	2.76	2.76	2.64	2.76	0.14	5.00	1.00	00 2.7
TATG	0.98	180468	0.97	0.98	0.96	0.98	0.97	0.98	-	1,157.00	113.00	00 0.9
TMC	0.75	180468	-	0.76	0.73	0.76	0.74	0.76	0.01	763.00	57.00	00 0.7
TMC-W2	0.02	180468	-	-	-	-	-	0.01	-	-	-	00 0.0
TMI	0.52	180468	-	0.51	0.49	0.50	0.49	0.50	(0.02)	959.00	48.00	00 0.4
TMW	50.50	180468	51.25	51.25	50.50	51.00	50.50	51.00	0.50	39.00	199.00	00 50.9
TPLAS	0.96	180468	0.97	0.98	0.95	0.97	0.96	0.97	0.01	203.00	20.00	00 0.9
TRT	3.42	180468	3.46	3.46	3.38	3.38	3.38	3.42	(0.04)	155.00	53.00	00 3.4

## Main Board Quotation (MAI)

Issue Date :

Monday April 21, 2025

Sector/ Securities	Previous		Open	High	Low	Close	Bid	Offer	Change	Volume (Lot)	Value ('000)	Average Price
	Price	Date										
24CS-W2	0.10	180468	0.11	0.11	0.09	0.10	0.09	0.10	-	17,691.00	185.00	00 0.1
ARIN	0.43	180468	0.44	0.51	0.43	0.47	0.47	0.48	0.04	44,886.00	2,141.00	00 0.4
ARROW	5.05	180468	5.05	5.05	5.00	5.00	4.98	5.00	(0.05)	125.00	63.00	00 5.0
BC	0.94	180468	0.89	0.93	0.89	0.93	0.92	0.93	(0.01)	1,048.00	96.00	00 0.9
BC-W2	0.01	180468	-	-	-	-	-	0.01	-	-	-	00 0.0
BLESS	0.20	180468	-	0.21	0.19	0.19	0.19	0.20	(0.01)	3,709.00	76.00	00 0.2
BSM	0.71	180468	-	0.73	0.70	0.72	0.70	0.72	0.01	122.00	9.00	00 0.7
BTW	0.18	180468	0.20	0.20	0.18	0.18	0.18	0.19	-	404.00	8.00	00 0.1
CAZ	1.73	180468	1.69	1.79	1.69	1.75	1.75	1.76	0.02	227.00	40.00	00 1.7
CHEWA	0.24	180468	0.25	0.26	0.24	0.26	0.25	0.26	0.02	335.00	8.00	00 0.2
CPANEL	2.76	180468	2.74	2.96	2.72	2.74	2.72	2.74	(0.02)	385.00	109.00	00 2.8
CPANEL-W1	0.05	180468	0.04	0.06	0.03	0.05	0.04	0.05	-	7,276.00	32.00	00 0.0
CRD	0.33	180468	0.31	0.33	0.31	0.31	0.31	0.32	(0.02)	843.00	27.00	00 0.3
DHOUSE	0.62	180468	0.62	0.63	0.62	0.62	0.61	0.63	-	929.00	58.00	00 0.6
DIMET	0.11	180468	0.10	0.11	0.10	0.11	0.09	0.11	-	9,475.00	95.00	00 0.1
DPAINTE	0.69	180468	0.69	0.71	0.65	0.65	0.64	0.65	(0.04)	11,846.00	798.00	00 0.6
FLOYD	0.90	180468	0.91	0.91	0.88	0.88	0.88	0.90	(0.02)	1,088.00	96.00	00 0.8
HYDRO	1.35	180468	1.30	1.45	1.30	1.38	1.30	1.37	0.03	217.00	29.00	00 1.3
HYDRO-W2	0.11	180468	-	-	-	-	0.04	0.11	-	-	-	00 0.0
IND	0.85	180468	0.86	0.86	0.84	0.85	0.84	0.85	-	1,363.00	116.00	00 0.8
JAK	1.12	180468	1.05	1.05	0.86	0.90	0.90	0.91	(0.22)	2,486.00	236.00	00 0.9
K	1.30	180468	1.29	1.47	1.27	1.27	1.27	1.30	(0.03)	368.00	47.00	00 1.2
K-W3	0.20	180468	-	0.20	0.20	0.20	0.18	0.20	-	5.00	-	00 0.2
META	0.08	180468	0.07	0.08	0.07	0.08	0.07	0.08	-	438.00	3.00	00 0.0
PANEL	1.16	180468	-	1.18	1.14	1.16	1.15	1.16	-	938.00	109.00	00 1.1
PPS	0.17	180468	0.17	0.18	0.17	0.17	0.17	0.18	-	6,167.00	106.00	00 0.1
PRI	5.60	180468	5.45	5.45	5.35	5.35	5.35	5.45	(0.25)	328.00	177.00	00 5.4
PROS	0.89	180468	0.90	0.91	0.86	0.87	0.86	0.87	(0.02)	14,324.00	1,265.00	00 0.8
PROS-W1	0.07	180468	0.07	0.07	0.05	0.06	0.05	0.06	(0.01)	5,706.00	34.00	00 0.0
PSG	0.36	180468	0.40	0.47	0.36	0.47	0.46	-	0.11	2,650,120.00	111,424.00	00 0.4
QTCG	0.15	180468	0.14	0.15	0.14	0.14	0.14	0.15	(0.01)	1,670.00	23.00	00 0.1
SENX	0.22	180468	0.22	0.22	0.21	0.22	0.21	0.22	-	3,059.00	66.00	00 0.2
SK	0.61	180468	0.61	0.61	0.60	0.60	0.59	0.60	(0.01)	3,056.00	183.00	00 0.6
SMART	0.65	180468	0.66	0.66	0.63	0.64	0.64	0.65	(0.01)	10,597.00	683.00	00 0.6
STC	0.49	180468	-	0.49	0.46	0.48	0.46	0.48	(0.01)	134.00	6.00	00 0.4
STX	1.20	180468	1.20	1.23	1.20	1.20	1.20	1.21	-	2,308.00	279.00	00 1.2
SVR	0.61	180468	0.59	0.61	0.59	0.60	0.60	0.61	(0.01)	375.00	23.00	00 0.6
TAPAC	0.52	180468	-	-	-	-	-	-	-	-	-	00 0.0
THANA	1.02	180468	0.99	1.01	0.99	1.01	0.99	1.01	(0.01)	302.00	30.00	00 0.9
TIGER	0.44	180468	-	0.50	0.45	0.45	0.44	0.47	0.01	43.00	2.00	00 0.4
TITLE	4.00	180468	4.00	4.00	3.92	3.94	3.92	3.94	(0.06)	716.00	282.00	00 3.9
WELL	0.71	180468	-	-	-	-	-	-	-	-	-	00 0.0
YONG	0.91	180468	0.92	0.97	0.91	0.91	0.91	0.92	-	16,139.00	1,514.00	00 0.9
Resources												
ABM	0.70	180468	0.71	0.72	0.70	0.71	0.70	0.71	0.01	116.00	8.00	00 0.7
GTV	0.07	180468	0.07	0.07	0.06	0.06	0.06	0.07	(0.01)	39,014.00	249.00	00 0.0
PSTC	0.41	180468	0.42	0.43	0.41	0.43	0.41	0.43	0.02	9,653.00	406.00	00 0.4
PSTC-W2	0.01	180468	-	-	-	-	-	0.01	-	-	-	00 0.0
PSTC-W3	0.10	180468	-	0.10	0.09	0.10	0.09	0.10	-	347.00	3.00	00 0.0
PTC	0.89	180468	-	0.90	0.87	0.89	0.88	0.89	-	746.00	66.00	00 0.8
SAAM	5.95	180468	5.90	5.95	5.90	5.95	5.85	5.95	-	177.00	105.00	00 5.9
SR	0.51	180468	-	0.50	0.50	0.50	0.49	0.50	(0.01)	3.00	-	00 0.5
STOWER	0.04	180468	0.04	0.04	0.03	0.04	0.03	0.04	-	728.00	2.00	00 0.0
TAKUNI	0.34	180468	0.34	0.37	0.33	0.34	0.34	0.36	-	54,757.00	1,952.00	00 0.3
TPCH	2.78	180468	2.82	2.82	2.76	2.80	2.78	2.80	0.02	734.00	204.00	00 2.7
UMS	0.33	180468	-	0.33	0.31	0.31	0.28	0.31	(0.02)	4.00	-	00 0.3
Services												
ADD	3.26	180468	-	3.44	3.26	3.32	3.28	3.34	0.06	204.00	67.00	00 3.3
AKP	0.67	180468	0.67	0.68	0.66	0.66	0.66	0.67	(0.01)	1,424.00	95.00	00 0.6
AMA	3.98	180468	4.02	4.04	4.00	4.02	4.00	4.02	0.04	2,238.00	900.00	00 4.0
AMARC	1.30	180468	1.32	1.38	1.30	1.37	1.32	1.37	0.07	4,881.00	657.00	00 1.3
ARIP	0.39	180468	-	0.42	0.38	0.38	0.38	0.40	(0.01)	2,802.00	111.00	00 0.3
ATP30	0.85	180468	0.86	0.89	0.83	0.84	0.84	0.85	(0.01)	12,013.00	1,026.00	00 0.8
AUCT	7.35	180468	7.25	7.35	7.20	7.20	7.20	7.25	(0.15)	7,581.00	5,490.00	00 7.2
BIS	2.84	180468	2.88	2.88	2.74	2.76	2.74	2.82	(0.08)	555.00	155.00	00 2.7
BOL	5.00	180468	-	5.05	4.94	5.00	5.00	5.05	-	2,769.00	1,381.00	00 4.9
CEYE	1.96	180468	-	1.97	1.95	1.97	1.95	1.97	0.01	20.00	4.00	00 1.9
CHIC	0.31	180468	0.30	0.33	0.30	0.31	0.30	0.31	-	780.00	24.00	00 0.3
CMO	0.65	180468	0.60	0.63	0.60	0.61	0.61	0.62	(0.04)	301.00	19.00	00 0.6
D	2.38	180468	2.38	2.38	2.34	2.34	2.34	2.36	(0.04)	1,019.00	240.00	00 2.3
DEXON	1.31	180468	1.35	1.36	1.33	1.35	1.35	1.36	0.04	3,405.00	459.00	00 1.3
DV8	0.53	180468	-	0.58	0.51	0.52	0.52	0.53	(0.01)	8,665.00	462.00	00 0.5
DV8-W2	0.11	180468	-	0.12	0.09	0.11	0.09	0.11	-	935.00	9.00	00 0.1
ETE	0.75	180468	0.72	0.75	0.72	0.75	0.74	0.75	-	690.00	51.00	00 0.7
FSMART	6.25	180468	6.35	6.35	5.95	6.05	6.00	6.05	(0.20)	6,928.00	4,280.00	00 6.1
FVC	0.39	180468	0.39	0.39	0.38	0.39	0.38	0.39	-	2,474.00	94.00	00 0.3
GFC	4.94	180468	-	5.00	4.88	4.98	4.92	4.96	0.04	496.00	242.00	00 4.8
GLORY	0.83	180468	-	0.84	0.81	0.81	0.81	0.82	(0.02)	127.00	10.00	00 0.8
GLORY-W1	0.18	180468	0.17	0.18	0.17	0.17	0.15	0.17	(0.01)	21.00	-	00 0.1
HEALTH	0.26	180468	0.25	0.26	0.24	0.25	0.25	0.26	(0.01)	2,456.00	61.00	00 0.2
HL	6.45	180468	6.45	6.45	6.15	6.20	6.20	6.25	(0.25)	673.00	421.00	00 6.2
IMH	3.90	180468	-	3.90	3.90	3.90	3.90	3.92	-	2.00	1.00	00 3.9
IROYAL	3.44	180468	-	3.48	3.36	3.46	3.42	3.46	0.02	459.00	155.00	00 3.3
IVF	1.01	180468	1.03	1.08	0.98	1.01	1.01	1.02	-	30,985.00	3,221.00	00 1.0
JPARK	5.00	180468	5.00	5.00	4.84	4.84	4.84	4.88	(0.16)	5,102.00	2,507.00	00 4.9
KGEN	0.73	180468	0.73	0.74	0.71	0.73	0.72	0.73	-	3,213.00	234.00	00 0.7
KGEN-W2	0.16	180468	-	0.16	0.14	0.15	0.14	0.15	(0.01)	2,078.00	31.00	00 0.1
KK	0.74	180468	-	0.80	0.69	0.71	0.70	0.71	(0.03)	1,187.00	83.00	00 0.7
KLINIQU	31.00	180468	31.25	31.75	30.00	30.50	30.50	30.75	(0.50)	11,826.00	36,325.00	00 30.7
KOOL	0.23	180468	0.23	0.24	0.22	0.23	0.23	0.24	-	20,877.00	480.00	00 0.2
KTMS	1.56	180468	1.59	1.66	1.46	1.48	1.48	1.49	(0.08)	1,690.00	261.00	00 1.5
LDC	0.35	180468	-	0.43	0.35	0.41	0.40	0.41	0.06	12,506.00	497.00	00 0.3
LEO	1.87	180468	-	1.88	1.86	1.86	1.86	1.87	(0.01)	678.00	126.00	00 1.8
LTMH	4.82	180468	4.82	4.98	4.76	4.78	4.78	4.84	(0.04)	11,503.00	5,586.00	00 4.8
MCA	1.11	180468	1.12	1.17	1.11	1.14	1.14	1.15	0.03	28,233.00	3,215.00	00 1.1
MEB	22.00	180468	22.10	22.80	21.90	21.90	21.90	22.00	(0.10)	1,856.00	4,149.00	00 22.3
MORE	0.03	180468	0.03	0.03	0.02	0.02	0.02	0.03	(0.01)	6,035.00	14.00	00 0.0
MOTHER	0.76	180468	0.75									



