

## Main Board Quotation

Issue Date :

Wednesday April 23, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	GEL	0.04	(0.01)	7,424	0.04	COM713C2505A	-	-	-	-
Agribusiness	-	-	-	-	GEL-W5	-	-	-	-	COM713C2506A	-	-	-	-
EE	0.29	0.01	142,157	0.29	PPP	1.03	(0.01)	30	1.03	COM713C2507A	-	-	-	-
GFPT	9.75	0.10	35,148	9.79	Q-CON	7.70	(0.05)	485	7.66	COM713C2508A	0.36	0.02	21,750	0.35
LEE	2.24	0.02	1,031	2.22	SCC	150.00	(0.50)	24,245	151.61	COM719C2505A	-	-	-	-
NER	4.40	0.04	117,650	4.38	SCC01C2505A	0.41	(0.01)	502	0.01	COM719C2507A	0.13	-	16,804	0.13
NER-W2	0.18	(0.02)	17,569	0.19	SCC01C2505B	-	-	-	-	COM719C2508A	0.31	0.01	12,988	0.30
PCE	2.92	0.04	60,552	2.92	SCC01C2507A	0.12	(0.05)	134	0.12	COM719P2508A	0.36	(0.02)	7,015	0.38
PPPM	0.39	(0.01)	1,489	0.39	SCC01C2508A	0.38	(0.02)	81	0.41	COM741C2505A	-	-	-	-
PPPM-W6	0.18	(0.03)	79	0.18	SCC01C2508B	0.45	(0.01)	71,592	0.48	COM741C2606T	0.19	0.01	2,362	0.19
STA	13.50	0.10	26,248	13.49	SCC01C2606T	0.41	(0.05)	21,453	0.43	COM741C2609T	0.32	-	37,700	0.32
STA01C2506A	0.03	-	1,350	0.03	SCC01P2507A	0.30	0.01	232	0.28	CPALL	50.25	(0.50)	232,599	50.57
STA13C2505A	-	-	-	-	SCC13C2505A	0.02	-	2	0.02	CPALL01C2505A	0.01	(0.01)	4,948	0.01
STA13C2506A	-	-	-	-	SCC13C2505B	0.01	-	151	0.01	CPALL01C2507A	0.21	(0.02)	46,206	0.22
STA13C2508A	0.28	0.01	22,199	0.28	SCC13C2507A	0.23	(0.02)	111,352	0.27	CPALL01C2606T	0.29	-	1,359	0.29
STA19C2505A	-	-	-	-	SCC13P2505A	0.03	(0.01)	39	0.03	CPALL01P2505A	0.07	(0.07)	350	0.07
STA19C2506A	-	-	-	-	SCC13P2508A	0.54	-	92,828	0.51	CPALL01P2507A	0.30	0.02	99	0.30
STA41C2505A	-	-	-	-	SCC19C2505A	-	-	-	-	CPALL06C2504A	-	-	-	-
STA41C2612T	0.31	-	20,300	0.31	SCC19C2505B	-	-	-	-	CPALL13C2505A	-	-	-	-
TEGH	2.92	-	1,817	2.93	SCC19C2506A	0.03	(0.02)	200	0.03	CPALL13C2505B	0.02	0.01	151	0.01
TFM	9.05	0.15	1,288	9.98	SCC19C2507A	0.37	0.08	1,100	0.36	CPALL13C2506A	0.03	-	131	0.03
TRUBB	0.61	-	2,547	0.61	SCC19C2509A	0.56	0.01	53,876	0.61	CPALL13C2506B	0.08	(0.02)	15,958	0.10
UPOIC	-	-	-	-	SCC19P2505A	-	-	-	-	CPALL13C2508A	0.24	(0.02)	65,411	0.26
UVAN	9.15	0.05	895	9.15	SCC19P2508A	0.69	(0.05)	49,563	0.66	CPALL13P2505A	-	-	-	-
VPO	0.45	-	2,558	0.45	SCC19P2509A	0.59	-	30,040	0.57	CPALL13P2506A	0.07	(0.02)	8,504	0.07
Banking	-	-	-	-	SCC41C2505A	-	-	-	-	CPALL19C2505A	-	-	-	-
BAY	22.10	-	657	22.09	SCC41C2608T	0.41	(0.01)	116,400	0.43	CPALL19C2505B	-	-	-	-
BBL	136.00	(6.00)	86,547	136.30	SCC41P2508A	-	-	-	-	CPALL19C2506A	-	-	-	-
BBL11C2507A	0.10	-	3,700	0.10	SCCC	149.00	-	75	149.71	CPALL19C2506B	-	-	-	-
BBL13C2507A	0.04	-	2,371	0.04	SCGD	4.02	-	2,520	4.03	CPALL19C2508A	0.20	(0.02)	35,903	0.21
BBL13C2508A	0.16	0.01	40,510	0.15	SCP	6.15	(0.05)	363	6.16	CPALL19P2505A	-	-	-	-
BBL19C2506A	-	-	-	-	SKN	5.55	-	236	5.54	CPALL19P2505B	-	-	-	-
BBL19C2508A	0.14	0.03	1,457	0.14	STECH	0.91	-	1,271	0.91	CPALL41C2505A	-	-	-	-
BBL41C2506A	-	-	-	-	TASCO	14.50	(0.20)	10,097	14.57	CPALL41C2506A	-	-	-	-
BBL41C2609T	0.31	0.01	9,896	0.31	TASCO19C2507A	0.07	(0.01)	2,553	0.07	CPALL41C2605T	0.15	(0.01)	7,002	0.15
CBMT	0.62	(0.01)	18,190	0.63	TOA	10.20	-	15,998	10.23	CPALL41P2504A	-	-	-	-
CREDIT	19.00	-	81	19.00	TPJPL	0.94	-	14,021	0.95	CPALL41P2508A	0.21	-	6	0.21
KBANK	151.50	2.50	126,931	150.96	UMI	0.67	(0.01)	455	0.68	CPAXT	25.00	(0.25)	52,415	25.06
KBANK01C2506A	0.12	0.02	24,943	0.12	VNG	2.16	-	331	2.15	CPW	1.87	0.03	224	1.85
KBANK01C2508A	0.67	0.08	25	0.64	WIJK	0.90	-	404	0.90	CRC	23.60	0.10	57,233	23.62
KBANK01P2507A	0.32	(0.04)	9,567	0.34	WIJK-W3	0.03	-	302	0.02	CRC01C2506A	-	-	-	-
KBANK13C2505A	-	-	-	-	WINDOW	0.71	0.01	2,868	0.71	CRC13C2506A	-	-	-	-
KBANK13C2507A	0.25	0.03	162	0.25	Petrochemicals & Plastics	-	-	-	-	CRC13C2508A	-	-	-	-
KBANK13C2508A	0.59	0.04	157,625	0.58	BCT	48.00	-	42	47.93	CRC19C2506A	-	-	-	-
KBANK13P2507A	0.17	(0.05)	3,716	0.18	CMAN	2.18	0.02	464	2.17	CRC19C2508A	0.07	0.01	3,464	0.07
KBANK19C2505A	-	-	-	-	GC	4.68	(0.02)	272	4.68	CRC41C2608T	-	-	-	-
KBANK19C2507A	-	-	-	-	GGC	4.28	0.08	122	4.19	CSS	0.83	(0.01)	5,056	0.84
KBANK19C2507B	0.18	0.03	2	0.18	IVL	18.90	(0.30)	215,706	19.01	DOHOME	5.10	0.10	68,861	5.08
KBANK41C2505A	-	-	-	-	IVL01C2506A	-	-	-	-	DOHOME01C2507A	0.05	0.01	6,761	0.04
KBANK41C2604T	0.71	0.03	28,200	0.70	IVL01C2507A	0.15	(0.03)	66,344	0.16	DOHOME01C2508A	0.14	-	43,956	0.15
KBANK41C2609T	0.39	0.02	3,200	0.38	IVL01C2509A	0.30	(0.02)	33,996	0.30	DOHOME13C2505A	-	-	-	-
KBANK41P2606T	0.38	(0.01)	30,013	0.38	IVL01P2506A	-	-	-	-	DOHOME13C2506A	-	-	-	-
KKP	47.50	(2.00)	98,532	48.08	IVL13C2505A	-	-	-	-	DOHOME13C2508A	0.14	0.01	7,363	0.14
KKP-W6	0.84	(0.04)	660	0.84	IVL13C2507A	0.07	(0.02)	3,883	0.07	DOHOME19C2506A	-	-	-	-
KKP13C2508A	0.24	(0.08)	62,147	0.26	IVL13C2508A	0.19	(0.02)	804,845	0.20	DOHOME19C2506B	0.01	-	250	0.01
KKP19C2507A	0.06	(0.02)	7,996	0.07	IVL13P2508A	0.50	0.02	103,730	0.49	DOHOME19C2508A	0.15	-	26,006	0.16
KTB	20.80	0.70	719,505	20.61	IVL19C2505A	-	-	-	-	DOHOME41C2609T	0.23	-	35,000	0.24
KTB-P	-	-	-	-	IVL19C2506A	-	-	-	-	FN	0.49	(0.01)	549	0.49
KTB-Q	-	-	-	-	IVL19C2507A	0.10	(0.01)	58,030	0.11	GLOBAL	6.90	(0.15)	112,975	6.89
KTB01C2506A	0.11	0.04	47,826	0.10	IVL19C2508A	0.21	(0.02)	199,505	0.23	GLOBAL01C2507A	-	-	-	-
KTB13C2505A	0.02	-	2,132	0.02	IVL19P2508A	0.54	0.03	35,680	0.52	GLOBAL13C2506A	-	-	-	-
KTB13C2507A	0.07	0.01	78	0.07	IVL41C2505A	-	-	-	-	GLOBAL13C2507A	0.07	(0.01)	1	0.07
KTB13C2508A	0.32	0.05	94,569	0.30	IVL41C2605T	0.14	(0.01)	63,400	0.14	GLOBAL13C2508A	0.25	(0.03)	38,926	0.26
KTB13P2507A	0.23	(0.05)	5,248	0.24	IVL41P2605T	-	-	-	-	GLOBAL19C2507A	0.09	(0.02)	17,627	0.10
KTB19C2505A	-	-	-	-	NFC	1.50	-	3	1.48	GLOBAL19C2509A	0.35	(0.02)	77,710	0.35
KTB19C2506A	-	-	-	-	PATO	7.00	(0.05)	93	7.01	GLOBAL41C2606T	0.11	(0.01)	8,000	0.12
KTB19C2508A	0.32	0.04	59,763	0.32	PMTA	-	-	-	-	HMPRO	8.45	(0.10)	613,602	8.46
KTB41C2506A	-	-	-	-	PTTGC	18.00	(0.10)	218,344	18.18	HMPRO01C2507A	0.07	-	1,000	0.07
LHFG	0.78	-	27,590	0.78	PTTGC01C2505A	-	-	-	-	HMPRO01C2508A	0.31	(0.02)	22,882	0.31
SCB	113.50	1.50	100,755	113.29	PTTGC01C2506A	-	-	-	-	HMPRO13C2506A	0.04	(0.02)	77	0.04
SCB01C2505A	0.02	-	300	0.02	PTTGC01C2507A	0.16	(0.01)	25,666	0.16	HMPRO13C2508A	0.36	(0.03)	74,294	0.37
SCB01C2507A	0.17	0.02	46,613	0.16	PTTGC01C2508A	0.38	(0.02)	21,230	0.40	HMPRO19C2506A	0.06	(0.01)	123	0.06
SCB01P2507A	0.37	(0.04)	211	0.38	PTTGC01P2506A	-	-	-	-	HMPRO19C2508A	-	-	-	-
SCB13C2505A	-	-	-	-	PTTGC13C2505A	-	-	-	-	HMPRO41C2606T	0.16	(0.01)	2,400	0.17
SCB13C2508A	0.17	0.02	87,723	0.16	PTTGC13C2506A	-	-	-	-	ICC	32.75	(0.25)	2	32.75
SCB13P2507A	0.16	(0.02)	48,125	0.17	PTTGC13C2507A	0.14	-	30	0.14	ILM	14.40	0.20	2,167	14.42
SCB19C2507A	-	-	-	-	PTTGC13C2507E	0.32	(0.02)	112,072	0.34	IT	3.48	(0.08)	259	3.51
SCB19C2509A	0.24	(0.01)	5	0.24	PTTGC13P2506A	0.20	-	10,655	0.20	KAMART	9.25	0.35	28,263	9.20
SCB41C2505A	-	-	-	-	PTTGC19C2505A	-	-	-	-	LOXLEY	1.03	(0.03)	1,760	1.05
SCB41C2609T	0.30	0.02	34,000	0.30	PTTGC19C2506A	-	-	-	-	MC	9.85	(0.10)	3,388	9.90
SCB41P2509A	-	-	-	-	PTTGC19C2508A	0.25	(0.01)	102,416	0.27	MEGA	27.75	0.50	13,532	27.63
TCAP	47.00	-	13,617	47.14	PTTGC41C2505A	-	-	-	-	MIDA	0.26	(0.06)	12,955	0.27
TCAP-P	-	-	-	-	PTTGC41C2506A	-	-	-	-	MOSHI	45.00	2.50	26,417	44.21
TCAP-Q	-	-	-	-	PTTGC41C2608T	0.38	-	16,000	0.39	RS	0.54	-	62,674	0.54
TCAP13C2508A	0.20	-	4,184	0.20	PTTGC41P2506A	0.28	0.01	19,152	0.27	RS-W5	0.17	0.01	4,232	0.17
TISCO	99.50	(0.25)	53,779	99.68	SUTHA	-	-	-	-	RSP	1.76	0.05	18,901	1.76
TISCO-P	-	-	-	-	TPA	-	-	-	-	SABUY	0.41	(0.03)	104,404	0.40
TISCO-Q	-	-	-	-	UAC	2.56	0.10	703	2.49	SCM	0.48	(0.01)	78,433	0.49
TISCO41C2606T	0.31	(0.01)	4,600	0.31	UP	17.00	0.20	101	17.05	SCM-W2	0.01	(0.01)	1,732	0.01
TTB	1.8													

## Main Board Quotation

Issue Date :

Wednesday April 23, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC13P2507A	0.25	(0.04)	659	0.25	DELTA11C2507A	0.41	0.14	84,794	0.37	BCP13C2508A	0.10	(0.02)	23,086	0.11
ADVANC19C2505A	-	-	-	-	DELTA13C2505A	-	-	-	-	BCP13P2505A	0.01	-	2,652	0.01
ADVANC19C2506A	-	-	-	-	DELTA13C2506A	0.01	-	285	0.01	BCP19C2506A	0.10	(0.03)	8,796	0.13
ADVANC19C2507A	-	-	-	-	DELTA13C2506E	0.01	-	1	0.01	BCP19C2507A	0.08	(0.01)	3,576	0.10
ADVANC19P2508A	0.24	(0.02)	21,436	0.24	DELTA13C2507A	0.18	0.07	335,985	0.17	BCP41C2505A	-	-	-	-
ADVANC41C2505A	-	-	-	-	DELTA13C2507E	0.08	0.02	72,574	0.08	BCP41C2609T	0.28	(0.02)	32,200	0.29
ADVANC41C2606T	0.30	0.01	14,870	0.30	DELTA13C2507C	0.45	0.17	684,393	0.40	BCPG	7.05	(0.05)	121,517	7.08
ADVANC41P2508A	-	-	-	-	DELTA13C2508A	0.87	0.26	1,032,681	0.80	BCPG01C2506A	0.22	0.01	41,573	0.22
AIT	4.14	0.04	13,450	4.13	DELTA13P2505A	-	-	-	-	BCPG01C2508A	0.44	0.06	150	0.44
ALT	0.75	-	1,088	0.73	DELTA13P2505E	-	-	-	-	BCPG01P2506A	-	-	-	-
AMR	0.62	(0.03)	18,606	0.64	DELTA13P2506A	0.71	(0.26)	805	0.76	BCPG13C2507A	0.16	(0.01)	195,586	0.17
BLISS	-	-	-	-	DELTA13P2507A	0.45	(0.19)	256,865	0.49	BCPG13C2507B	0.49	0.05	6	0.47
DIF	8.10	-	167,946	8.14	DELTA13P2507E	0.16	(0.07)	288,197	0.18	BCPG19C2505A	-	-	-	-
DITTO	11.90	0.40	52,212	11.81	DELTA19C2506A	0.01	-	200	0.01	BCPG19C2508A	0.22	-	24,896	0.21
DITTO-W1	0.01	-	1,870	0.01	DELTA19C2506E	0.01	(0.01)	2,000	0.01	BCPG41C2606T	0.34	-	41,400	0.34
DTCENT	0.93	0.07	32,929	0.94	DELTA19C2506C	-	-	-	-	BGRIM	11.00	(0.20)	223,642	11.16
FORTH	9.35	0.10	2,794	9.38	DELTA19C2507A	0.07	0.02	10,756	0.06	BGRIM01C2505A	0.02	-	1	0.02
GABLE	3.52	0.10	14,079	3.51	DELTA19C2507E	0.16	0.06	130,493	0.14	BGRIM01C2506A	-	-	-	-
HUMAN	7.50	(0.10)	3,608	7.48	DELTA19C2507C	0.55	0.19	307,071	0.49	BGRIM01C2507A	-	-	-	-
ICN	1.75	(0.02)	1,997	1.75	DELTA19C2508A	0.95	0.27	302,281	0.85	BGRIM01C2508A	0.13	(0.03)	134,647	0.15
ILINK	5.60	0.05	2,028	5.56	DELTA19P2505A	-	-	-	-	BGRIM01C2509A	0.21	(0.02)	74,728	0.23
INET	4.42	0.02	23,470	4.45	DELTA19P2506A	0.89	(0.57)	16,238	0.89	BGRIM01C2606T	0.15	(0.01)	41,375	0.17
INSET	1.85	0.03	31,410	1.85	DELTA19P2507A	0.38	(0.17)	324,857	0.41	BGRIM01P2505A	-	-	-	-
ITEL	1.37	0.04	26,295	1.36	DELTA19P2509A	0.56	(0.14)	200,733	0.59	BGRIM01P2507A	0.31	0.03	3,344	0.30
JAS	1.52	(0.02)	682,221	1.52	DELTA41C2505A	-	-	-	-	BGRIM11C2507A	0.23	(0.02)	42,701	0.24
JAS-W4	0.34	0.01	196,854	0.34	DELTA41C2506A	0.02	(0.01)	1,551	0.01	BGRIM13C2505A	-	-	-	-
JAS13C2505A	0.02	-	1	0.02	DELTA41C2507A	0.10	0.04	18,816	0.11	BGRIM13C2505B	-	-	-	-
JAS13C2507A	0.17	-	792	0.17	DELTA41C2508A	0.33	0.08	97,818	0.31	BGRIM13C2506A	-	-	-	-
JAS13C2509A	0.37	(0.63)	51,056	0.37	DELTA41C2608T	0.31	0.04	119,278	0.31	BGRIM13C2507A	0.02	-	5,000	0.02
JAS19C2505A	-	-	-	-	DELTA41C2612T	0.08	0.02	514	0.07	BGRIM13C2507B	0.08	(0.02)	196,840	0.09
JAS19C2507A	0.12	(0.01)	31,465	0.12	DELTA41P2505A	1.37	(0.27)	3,000	1.38	BGRIM13C2508A	0.20	(0.02)	766,049	0.22
JAS19C2509A	0.54	(0.01)	27,988	0.52	DELTA41P2507A	0.19	(0.04)	101,965	0.19	BGRIM13P2505A	-	-	-	-
JAS41C2605T	0.11	(0.01)	84,830	0.11	HANA	18.30	0.30	119,499	18.33	BGRIM13P2506A	0.35	(0.08)	4	0.35
JMART	8.30	0.05	77,618	8.31	HANA01C2505A	-	-	-	-	BGRIM19C2505A	-	-	-	-
JMART-W5	0.17	(0.02)	2,223	0.17	HANA01C2505B	-	-	-	-	BGRIM19C2506A	-	-	-	-
JMART13C2506A	-	-	-	-	HANA01P2505A	-	-	-	-	BGRIM19C2507A	-	-	-	-
JMART13C2507A	0.06	0.01	12	0.05	HANA06C2504A	-	-	-	-	BGRIM19C2507B	0.09	(0.02)	82,610	0.11
JMART13C2508A	0.39	-	43,422	0.39	HANA13C2505A	-	-	-	-	BGRIM19C2508A	0.50	0.01	50	0.53
JMART19C2506A	-	-	-	-	HANA13C2505B	-	-	-	-	BGRIM19P2506A	0.56	(0.09)	323	0.56
JMART19C2508A	0.09	-	500	0.09	HANA13C2506A	0.02	(0.03)	12	0.02	BGRIM41C2505A	-	-	-	-
JMART19C2508B	0.25	-	40,534	0.25	HANA13C2507A	0.09	0.02	17,359	0.09	BGRIM41C2506A	-	-	-	-
JMART41C2606T	0.12	0.01	12,000	0.12	HANA13C2508A	0.39	0.02	165,377	0.39	BGRIM41C2608T	0.20	(0.01)	56,000	0.21
JMART41C2609T	0.37	0.01	52,400	0.37	HANA13P2505A	-	-	-	-	BIOTEC	0.19	(0.01)	740	0.19
JTS	38.00	3.75	6,287	36.45	HANA13P2507A	0.20	(0.02)	177	0.21	BIOTEC-P	-	-	-	-
MFC	5.90	(0.05)	3,466	5.93	HANA19C2505A	0.01	(0.01)	1,770	0.01	BIOTEC-Q	-	-	-	-
MSC	7.70	0.15	65	7.73	HANA19C2505B	-	-	-	-	BIOTEC-W2	0.03	-	3,155	0.03
PT	11.80	0.20	3,404	11.72	HANA19C2507A	-	-	-	-	BPP	6.95	0.05	16,517	7.01
ROCTEC	0.59	(0.03)	204,226	0.61	HANA19C2508A	0.37	0.02	244,082	0.37	BRRGIF	3.84	-	340	3.84
ROCTEC-W3	0.01	-	154	0.01	HANA41C2505A	-	-	-	-	BSRC	5.30	(0.10)	5,381	5.36
ROCTEC-W5	0.02	-	10,223	0.03	HANA41C2606T	0.15	0.02	20,401	0.14	BSRC13C2506A	0.07	-	2,300	0.08
SAMART	6.60	0.25	48,622	6.45	HANA41C2608T	0.52	0.02	41,403	0.53	CKP	2.80	-	67,453	2.83
SAMTEL	6.20	0.20	1,265	6.05	KCE	16.90	-	67,749	17.11	CV	-	-	-	-
SAMTEL-W2	1.14	0.01	1,199	1.15	KCE01C2505A	-	-	-	-	CV-W1	-	-	-	-
SDC	0.03	-	38,950	0.03	KCE01C2507A	0.10	(0.02)	54	0.10	EA	2.12	(0.06)	461,912	2.16
SIS	21.80	0.20	1,164	21.77	KCE13C2505A	-	-	-	-	EA-W1	0.29	0.01	180,068	0.30
SKY	15.20	-	18,712	15.29	KCE13C2505B	-	-	-	-	EA13C2505A	-	-	-	-
SPREME	1.46	0.02	4,498	1.46	KCE13C2506A	-	-	-	-	EA13C2505B	-	-	-	-
SVOA	1.07	-	1,852	1.09	KCE13C2507A	0.10	0.01	18,058	0.10	EA13C2506A	0.01	-	728	0.01
SYMC	4.52	0.18	4,218	4.50	KCE13C2508A	0.18	-	101,804	0.19	EA13C2506B	0.02	0.01	6	0.01
SYNEX	11.20	(0.40)	4,382	11.47	KCE13C2508B	0.29	-	148,071	0.31	EA13C2507A	0.04	-	5,379	0.05
THCOM	8.50	(0.30)	132,372	8.74	KCE13P2505A	-	-	-	-	EA13C2508A	0.12	(0.01)	28,810	0.13
TKC	7.70	-	965	7.68	KCE13P2508A	0.31	(0.02)	37,320	0.31	EA13C2508B	0.22	(0.03)	99,064	0.24
TRUE	12.00	-	315,354	11.98	KCE19C2505A	-	-	-	-	EA19C2505A	-	-	-	-
TRUE01C2505A	-	-	-	-	KCE19C2506A	-	-	-	-	EA19C2506A	-	-	-	-
TRUE01C2507A	-	-	-	-	KCE19C2507A	0.08	-	2,670	0.09	EA19C2506B	-	-	-	-
TRUE01C2508A	0.24	-	3,804	0.25	KCE19C2508A	0.20	-	87,252	0.21	EA19C2508A	0.15	(0.01)	23,368	0.17
TRUE01P2505A	-	-	-	-	KCE19P2505A	0.16	(0.03)	14,117	0.13	EA19C2508B	0.22	(0.02)	22,726	0.25
TRUE01P2507A	-	-	-	-	KCE41C2505A	-	-	-	-	EA19P2505A	-	-	-	-
TRUE13C2505A	-	-	-	-	KCE41C2606T	0.11	0.01	4,001	0.11	EA41C2606T	0.08	(0.01)	5,001	0.09
TRUE13C2507A	0.16	-	21,140	0.16	METCO	171.00	-	6	169.50	EASTW	1.91	0.01	5,099	1.90
TRUE13P2506A	0.04	(0.01)	1,002	0.05	SMT	1.03	0.03	4,724	1.04	EGATIF	5.90	0.10	1,430	5.84
TRUE19C2507A	-	-	-	-	SVI	7.75	-	7,397	7.81	EGCO	100.50	(0.50)	7,804	100.76
TRUE19C2507B	0.21	-	2,000	0.21	TEAM	2.66	0.12	820	2.63	EP	1.41	(0.04)	362	1.41
TRUE19P2506A	-	-	-	-	Energy & Utilitie	-	-	-	-	EP-W4	-	-	-	-
TRUE19P2507A	0.22	-	3,407	0.22	ACC	0.34	(0.07)	535,906	0.35	ETC	1.65	(0.05)	16,045	1.66
TRUE41C2505A	-	-	-	-	ACC-W2	0.22	(0.14)	2,569	0.24	GPSC	30.50	(0.25)	135,337	30.89
TRUE41C2604T	-	-	-	-	ACE	1.34	(0.01)	11,776	1.34	GPSC01C2505A	0.01	-	1,500	0.01
TRUE41C2612T	-	-	-	-	AE	0.09	(0.01)	46,097	0.10	GPSC01C2507A	0.22	(0.01)	9,639	0.25
TWZ	0.03	-	81,634	0.03	AGE	0.79	-	1,161	0.79	GPSC01C2508A	0.40	-	3,353	0.41
TWZ-W8	-	-	-	-	AI	3.30	-	536	3.31	GPSC01P2506A	0.09	-	3	0.09
TWZ-W9	-	-	-	-	AIE	1.32	0.01	44,076	1.32	GPSC13C2505A	-	-	-	-
Electronic Componer	-	-	-	-	BAFS	7.80	-	2,959	7.81	GPSC13C2505B	-	-	-	-
CCET	5.55	0.20	1,062,047	5.58	BANPU	4.24	-	201,460	4.25	GPSC13C2506A	0.06	(0.01)	23,340	0.07
CCET13C2505A	0.02	-	5,211	0.01	BANPU01C2506A	-	-	-	-	GPSC13C2507A	0.25	(0.01)	60,933	0.27
CCET13C2505B	-	-	-	-	BANPU01C2507A	0.12	-	38,955	0.13	GPSC13P2505A	-	-	-	-
CCET13C2506A	0.01	(0.01)	100	0.01	BANPU01C2508A	0.33	-	28,179	0.34	GPSC13P2506A	0.04	(0.01)	9,466	0.04
CCET13C2507A	0.04	0.02	7,196	0.04	BANPU01C2606T	0.28	-	6,982	0.28	GPSC19C2505A	-	-	-	-
CCET13C2507B	0.15	0.02	80,156	0.15	BANPU13C2505A	-	-	-	-	GPSC19C2506A	-	-	-	-
CCET13C2508A	0.30	0.04	132,661	0.30	BANPU13C2506A	-	-	-</						

## Main Board Quotation

Issue Date :

Wednesday April 23, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GUNKUL19C2505A	-	-	-	-	WP	3.46	0.02	346	3.40	MTC41C2606T	0.29	0.02	59,200	0.28
IRPC	0.84	-	171,684	0.85	Media & Publishi	-	-	-	-	NCAP	2.48	0.02	88,530	2.50
IRPC19C2508A	0.11	(0.01)	32,077	0.12	AMARIN	2.12	(0.08)	3	2.14	PL	1.05	0.02	1,474	1.05
KBSPIF	7.30	-	126	7.28	AQUA	0.20	-	7,650	0.20	S11	2.90	-	421	2.83
LANNA	14.90	(0.10)	2,667	14.95	AS	2.32	0.02	18,418	2.36	SAK	4.10	0.02	12,175	4.12
MDX	2.82	(0.02)	690	2.84	BEC	3.98	0.02	1,261	3.96	SAWAD	32.50	1.25	70,507	32.17
NOVA	6.85	-	24	6.75	FE	-	-	-	-	SAWAD-W2	0.20	(0.01)	4,577	0.22
OR	13.20	0.10	233,873	13.18	GPI	1.56	-	8,645	1.56	SAWAD01C2506A	-	-	-	-
OR01C2505A	-	-	-	-	GRAMMY	5.00	-	1,171	5.00	SAWAD01C2508A	0.13	0.03	64,017	0.13
OR01C2507A	0.23	0.01	25,780	0.23	JKN	-	-	-	-	SAWAD01C2508B	0.36	0.05	3,179	0.35
OR01C2508A	0.40	0.01	6,399	0.40	MAJOR	10.30	(0.10)	7,882	10.35	SAWAD01P2505A	-	-	-	-
OR13C2506A	0.06	0.01	1	0.06	MATCH	1.17	0.04	1	1.17	SAWAD13C2505A	-	-	-	-
OR13C2507A	0.22	0.01	73,938	0.22	MATI	-	-	-	-	SAWAD13C2506A	-	-	-	-
OR13C2508A	-	-	-	-	MCOT	4.80	(0.08)	52,205	4.89	SAWAD13C2507A	0.08	0.01	2,596	0.08
OR19C2505A	-	-	-	-	MONO	1.52	0.05	1,012,068	1.51	SAWAD13C2508A	0.22	0.04	223,188	0.21
OR19C2506A	0.16	-	19,668	0.16	NATION	0.02	(0.01)	2,354	0.02	SAWAD13C2508B	0.37	0.06	75,054	0.35
OR19C2508A	-	-	-	-	NATION-W4	-	-	-	-	SAWAD19C2505A	-	-	-	-
OR41C2505A	-	-	-	-	ONEE	2.46	0.02	10,527	2.48	SAWAD19C2506A	-	-	-	-
OR41C2605T	-	-	-	-	PLANB	5.20	(0.15)	66,238	5.30	SAWAD19C2507A	0.14	0.03	7,439	0.13
OR41C2608T	0.41	0.01	39,874	0.41	PLANB13C2508A	0.10	(0.02)	24,001	0.12	SAWAD19C2508A	0.28	0.03	112,617	0.28
PRIME	0.05	-	23,581	0.05	PLANB19C2508A	0.09	(0.02)	9,918	0.11	SAWAD41C2505A	-	-	-	-
PTG	6.65	(0.05)	21,297	6.73	PLANB41C2606T	-	-	-	-	SAWAD41C2609T	0.32	0.02	96,686	0.32
PTT	30.50	-	362,115	30.61	PRAKIT	11.60	0.10	3	11.53	SCAP	1.62	0.07	189,191	1.66
PTT01C2505A	-	-	-	-	PTECH	-	-	-	-	SGC	0.87	-	216,085	0.88
PTT01C2508A	0.13	-	11,590	0.14	SE-ED	1.93	(0.02)	300	1.94	SGC-W1	0.08	(0.01)	11,561	0.08
PTT13C2508A	0.12	-	23,334	0.12	TKS	5.50	-	1,354	5.47	SGC-W2	0.28	(0.03)	2,709	0.30
PTT19C2505A	-	-	-	-	VGI	2.24	(0.06)	925,347	2.28	SM	0.80	-	631	0.79
PTT19C2509A	-	-	-	-	VGI-W3	0.03	-	4,571	0.03	TH	0.62	0.02	12,291	0.62
PTT41C2606T	0.23	(0.01)	14,000	0.24	VGI-W4	0.85	-	158,926	0.82	TH-W3	0.01	-	91	0.01
PTTPE	102.50	2.00	114,230	102.49	VGI01C2505A	0.02	0.01	29	0.02	THANI	1.45	(0.04)	187,333	1.48
PTTPE01C2505A	-	-	-	-	VGI01C2507A	0.07	(0.01)	11,354	0.07	TIDLOR	14.60	(0.10)	50,220	14.76
PTTPE01C2507A	0.08	0.01	2,358	0.08	VGI01C2509A	0.38	(0.01)	36,551	0.39	TIDLOR01C2506A	0.03	0.01	5	0.03
PTTPE01C2509A	0.46	0.03	28,374	0.46	VGI13C2505A	-	-	-	-	TIDLOR13C2505A	0.01	-	570	0.01
PTTPE01P2506A	-	-	-	-	VGI13C2507A	0.04	0.01	3,080	0.03	TIDLOR19C2505A	0.01	-	6,000	0.01
PTTPE13C2505A	-	-	-	-	VGI13C2508A	0.09	-	33,428	0.09	TIDLOR19C2505B	-	-	-	-
PTTPE13C2507A	0.04	-	4,057	0.04	VGI13C2508B	0.26	(0.02)	68,780	0.28	TIDLOR41C2605T	-	-	-	-
PTTPE13C2507B	0.09	0.01	15,406	0.09	VGI19C2505A	-	-	-	-	TK	3.58	0.02	310	3.58
PTTPE13C2508A	0.39	0.02	25,620	0.39	VGI19C2507A	0.03	-	284	0.03	TNITY	2.72	(0.22)	1,978	2.80
PTTPE13P2506A	0.41	(0.05)	3,199	0.41	VGI19C2508A	0.08	(0.01)	12,089	0.09	TNL	-	-	-	-
PTTPE19C2505A	-	-	-	-	VGI19C2509A	0.40	(0.02)	122,767	0.42	UOBKH	-	-	-	-
PTTPE19C2507A	-	-	-	-	VGI41C2505A	-	-	-	-	XPG	0.83	0.01	156,737	0.83
PTTPE19C2508A	0.07	-	204	0.07	VGI41C2606T	0.14	-	14,000	0.14	Food & Beverage	-	-	-	-
PTTPE19C2509A	0.48	0.03	46,862	0.48	WORK	4.70	0.02	187	4.68	AAI	4.26	-	41,396	4.28
PTTPE41C2505A	-	-	-	-	ZAA	0.68	0.01	303	0.69	APURE	3.32	(0.02)	84	3.31
PTTPE41C2507A	-	-	-	-	Finance & Secur	-	-	-	-	ASIAN	7.45	-	2,854	7.48
PTTPE41C2604T	0.06	-	80,271	0.06	AEONTS	111.00	1.50	2,292	110.66	BR	1.60	0.01	285	1.59
PTTPE41C2609T	0.40	0.02	39,346	0.40	AMANAHA	0.89	0.09	56,742	0.85	BR-W1	0.04	-	260	0.03
PTTPE41P2506A	0.31	(0.04)	8,005	0.31	ASAP	1.35	0.02	737	1.34	BRR	4.74	0.04	2,818	4.70
RATCH	26.00	-	19,921	26.03	ASK	7.10	-	1,157	7.07	BRR-W2	0.18	0.01	3,439	0.17
RATCH19C2506A	-	-	-	-	ASP	1.92	-	2,147	1.91	BTG	21.40	1.00	41,601	21.49
RPC	0.26	(0.01)	14,333	0.27	BAM	6.50	-	121,155	6.47	CBG	61.00	(2.00)	25,018	62.03
SCG	2.44	0.08	53	2.48	BAM01C2506A	0.11	(0.01)	83,104	0.12	CBG01C2506A	-	-	-	-
SCN	0.44	-	4,274	0.43	BAM13C2505A	-	-	-	-	CBG01C2507A	0.09	(0.02)	13,371	0.11
SCN-W2	0.04	-	109	0.04	BAM13C2506A	0.12	-	110,091	0.11	CBG01C2508A	0.29	(0.07)	26,760	0.33
SEOIL	2.42	-	479	2.42	BAM19C2505A	-	-	-	-	CBG01P2506A	0.86	(0.25)	2,294	0.81
SGP	6.90	0.05	278	6.87	BAM19C2506A	0.15	(0.02)	70,735	0.16	CBG01P2507A	0.46	0.06	31	0.46
SKE	0.21	0.01	6,846	0.20	BAM41C2505A	-	-	-	-	CBG13C2505A	-	-	-	-
SKE-W1	0.03	-	500	0.03	BAM41C2612T	0.34	-	96,904	0.34	CBG13C2506A	0.01	-	3	0.01
SOLAR	0.24	0.02	22,049	0.23	BYD	0.32	(0.01)	54,278	0.33	CBG13C2507A	0.11	(0.03)	25,524	0.13
SPCG	7.70	0.05	532	7.63	CGH	0.46	0.01	9,213	0.46	CBG13C2508A	0.40	(0.08)	51,455	0.45
SPRC	5.30	0.15	116,301	5.26	CGH-W5	-	-	-	-	CBG19C2506A	-	-	-	-
SPRC13C2506A	0.03	-	5	0.03	CHASE	0.74	0.02	61,218	0.74	CBG19C2506B	-	-	-	-
SPRC13C2508A	0.23	0.02	138,912	0.23	CHASE-W1	0.34	(0.03)	5,892	0.35	CBG19C2508A	0.24	(0.06)	33,815	0.29
SPRC19C2505A	-	-	-	-	CHAYO	2.12	0.04	42,342	2.14	CBG19P2507A	0.47	0.05	25,357	0.44
SPRC41C2606T	0.18	0.01	48,466	0.17	CHAYO-W3	0.08	-	3,217	0.08	CBG41C2505A	-	-	-	-
SSP	4.80	-	2,682	4.80	EAST	0.83	(0.01)	4,398	0.84	CBG41C2608T	0.24	(0.01)	56,000	0.25
SSP-W2	-	-	-	-	FNS	1.03	0.01	374	1.03	CFRESH	1.01	-	1,112	1.02
SUPER	0.13	-	404,767	0.13	FSX	1.29	(0.01)	420	1.29	CH	2.00	-	199	2.00
SUPEREIF	5.25	-	3,091	5.24	GBX	0.48	0.02	273	0.48	CHAO	5.85	0.20	133,718	5.86
SUSCO	2.64	0.02	4,951	2.66	HENG	1.02	-	9,520	1.03	CHOTTI	-	-	-	-
TAE	0.63	-	542	0.62	IFS	2.22	0.02	65	2.22	CM	1.68	0.02	230	1.68
TCC	0.22	(0.01)	20,387	0.22	JMT	13.40	0.30	178,337	13.44	COCOCO	6.35	(0.10)	49,849	6.45
TCC-W5	0.14	-	3,373	0.13	JMT13C2506A	-	-	-	-	COCOCO13C2505A	-	-	-	-
TGE	1.42	(0.02)	5,215	1.44	JMT13C2507A	0.12	0.01	10,702	0.13	COCOCO19C2506A	0.02	0.01	1	0.02
TGE-W2	0.10	-	1,753	0.10	JMT19C2506A	0.04	0.01	5	0.04	CPF	25.50	0.60	249,062	25.17
TOP	24.80	0.10	170,235	24.91	JMT19C2507A	0.16	0.02	103,265	0.17	CPF01C2508A	-	-	-	-
TOP01C2505A	-	-	-	-	JMT41C2505A	-	-	-	-	CPF01C2509A	0.20	0.03	7,624	0.18
TOP01C2506A	0.03	(0.02)	2	0.04	JMT41C2608T	0.26	0.02	36,380	0.26	CPF13C2505A	-	-	-	-
TOP01C2507A	0.41	0.02	13,391	0.41	KCAR	3.90	0.04	289	3.89	CPF13C2506A	-	-	-	-
TOP01C2508A	0.15	-	34,413	0.16	KGI	3.96	0.02	14,125	3.96	CPF13C2508A	0.16	0.01	504	0.16
TOP01P2506A	-	-	-	-	KTC	46.00	(0.50)	25,755	46.50	CPF19C2505A	-	-	-	-
TOP01P2508A	-	-	-	-	KTC01C2507A	0.12	-	56,096	0.13	CPF19C2509A	0.21	0.02	18,728	0.21
TOP13C2505A	-	-	-	-	KTC01C2508A	0.28	(0.01)	71,848	0.30	CPF41C2505A	-	-	-	-
TOP13C2505B	-	-	-	-	KTC13C2506A	-	-	-	-	CPF41C2505B	-	-	-	-
TOP13C2505C	0.01	-	4,000	0.01	KTC19C2507A	-	-	-	-	CPF41C2612T	-	-	-	-
TOP13C2506A	0.27	-	34,699	0.28	KTC41C2606T	0.24	-	12,000	0.25	CPI	2.66	-	559	2.65
TOP13C2507A	0.09	0.01	930	0.09	MFC	26.00	0.50	249	25.81	F&D	40.50	0.25	59	41.14
TOP13P2505A	-	-	-	-	MICRO	0.91	0.05	42,415	0.90	FM	4.12	0.26	278,859	4.09
TOP13P2505B	-	-	-	-	ML	0.38	0.04	17,148	0.37	GLOCON	0.11	(0.01)	368,125	0.11
TOP13P2508A	0.25	(0.02)	5,557	0.25	MST	7.30	(0.05)	90	7.34	HTC	16.30	-	3,703	16.34
TOP19C2505A	-	-	-	-	MTC	44.75	1.25							

## Main Board Quotation

Issue Date :

Wednesday April 23, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
KSL	1.50	0.01	4,231	1.50	BH41C2505A	-	-	-	-	TGH	-	-	-	-
KTIS	2.42	0.02	10	2.42	BH41C2605T	-	-	-	-	THRE	0.39	(0.01)	13,035	0.39
LST	4.64	(0.04)	316	4.65	BH41C2609T	0.28	-	17,000	0.29	THREL	1.47	-	3,758	1.46
M	18.30	-	15,280	18.36	BH41P2508A	-	-	-	-	TIPH	18.60	(0.40)	5,511	18.69
MALEE	6.70	-	6,143	6.78	BKGI	1.88	0.01	2,695	1.87	TLI	12.10	-	67,653	12.08
NRF	0.30	(0.06)	53,124	0.31	CHG	1.70	(0.06)	390,435	1.72	TLI01C2507A	0.19	(0.01)	2,528	0.19
NSL	31.50	2.00	28,032	30.52	CHG19C2505A	-	-	-	-	TLI13C2505A	0.03	(0.01)	822	0.03
OKJ	9.10	(0.20)	96,781	9.37	CMR	1.24	0.03	497	1.22	TLI19C2506A	0.14	(0.01)	11,362	0.14
OSP	14.70	(0.10)	55,448	14.74	EKH	6.25	-	1,823	6.25	TLI41C2606T	0.30	-	10,400	0.30
OSP01C2507A	-	-	-	-	KDH	-	-	-	-	TQM	15.30	(0.50)	5,422	15.45
OSP01C2507B	0.09	(0.01)	18,770	0.10	LPH	3.64	0.02	390	3.62	TSI	0.04	(0.01)	2,332	0.05
OSP01C2508A	0.29	0.01	10,280	0.29	M-CHAI	18.50	(0.20)	180	18.55	TVH	8.15	-	208	8.05
OSP01P2507A	-	-	-	-	MASTER	21.10	(0.50)	20,274	21.31	Packaging	-	-	-	-
OSP13C2505A	-	-	-	-	MEZEZE	7.50	0.15	27,519	7.47	AJ	1.99	(0.01)	1,908	2.00
OSP13C2506A	0.02	0.01	220	0.02	NEW	-	-	-	-	ALUCON	180.00	-	8	180.00
OSP13C2506B	-	-	-	-	NKT	4.76	0.02	3,321	4.76	BGC	5.30	-	1,107	5.32
OSP13C2507A	0.10	-	5,332	0.10	NTV	26.50	-	51	26.52	CSC	-	-	-	-
OSP13C2508A	0.27	(0.01)	5,878	0.28	PHG	14.10	0.10	214	14.00	CSC-P	-	-	-	-
OSP19C2506A	-	-	-	-	PR9	23.60	(0.10)	7,390	23.69	CSC-Q	-	-	-	-
OSP19C2506B	-	-	-	-	PR901C2507A	0.22	(0.02)	14,228	0.24	NEP	0.22	(0.01)	1,647	0.22
OSP19C2506C	-	-	-	-	PR913C2505A	0.02	(0.01)	2	0.02	PJW	2.20	(0.02)	298	2.21
OSP41C2505A	-	-	-	-	PR913C2506A	-	-	-	-	PTL	10.40	(0.20)	1,292	10.45
OSP41C2606T	0.13	(0.01)	15,530	0.14	PR919C2506A	-	-	-	-	SCGP	13.20	-	180,668	13.23
PB	53.50	0.25	2	53.75	PR941C2609T	0.44	(0.01)	40,000	0.45	SCGP01C2506A	0.01	(0.01)	61	0.01
PLUS	3.32	0.04	419	3.31	PRINC	2.18	-	2,862	2.21	SCGP01C2507A	0.03	-	4,000	0.03
PM	10.60	0.30	7,489	10.46	RAM	18.30	0.10	163	18.14	SCGP01C2508A	0.14	-	41,768	0.15
PQS	2.50	0.10	4,797	2.48	RJH	13.30	0.10	7,369	13.42	SCGP01P2507A	-	-	-	-
PRG	8.05	-	9	8.05	RPH	5.50	0.15	2,833	5.39	SCGP13C2506A	-	-	-	-
PRG-W2	-	-	-	-	SAFE	8.70	-	217	8.69	SCGP13C2506B	0.02	0.01	2	0.02
PRG-W3	-	-	-	-	SKR	6.80	(0.30)	9,320	7.04	SCGP13C2507A	0.08	0.01	9,808	0.08
PRG-W4	3.00	0.02	5	3.00	THG	9.75	0.15	10,489	9.62	SCGP13C2508A	0.22	(0.01)	38,231	0.23
PRG-W5	-	-	-	-	VIBHA	1.54	(0.01)	6,172	1.54	SCGP13P2506A	-	-	-	-
RBF	4.18	(0.12)	34,354	4.23	VIBHA-W4	0.01	-	94	0.01	SCGP19C2505A	-	-	-	-
RBF13C2507A	-	-	-	-	VIH	7.10	-	1,009	7.04	SCGP19C2506A	-	-	-	-
RBF19C2505A	-	-	-	-	VIH-W1	-	-	-	-	SCGP19C2506B	-	-	-	-
RBF19C2508A	-	-	-	-	WPH	8.80	0.10	11,448	8.86	SCGP19C2507A	0.16	-	62,662	0.16
SAPPE	36.00	(0.50)	5,471	36.15	Tourism & Leisu	-	-	-	-	SCGP19P2505A	-	-	-	-
SAPPE13C2507A	-	-	-	-	ASIA	5.00	(0.10)	26	5.05	SCGP41C2505A	0.01	(0.01)	18	0.01
SAPPE19C2508A	0.33	(0.02)	16,642	0.34	Beyond	6.40	(0.05)	182	6.30	SCGP41C2606T	0.13	-	55,651	0.14
SALUCE	39.00	0.25	24	38.85	CENTEL	26.50	(0.25)	35,741	26.68	SFLEX	3.14	(0.02)	31,517	3.15
SNPN	11.50	-	7,973	11.55	CENTEL01C250E	0.06	0.01	3	0.06	SFLEX-W2	0.04	-	4,756	0.04
SNP	10.90	-	1,200	11.00	CENTEL13C250E	-	-	-	-	SITHAI	1.25	0.04	5,988	1.26
SORKON	4.44	-	113	4.45	CENTEL13C250E	0.08	(0.01)	1,281	0.08	SLP	0.38	0.02	1,009	0.37
SSF	5.80	0.10	4	5.81	CENTEL19C250E	-	-	-	-	SMPC	8.40	0.10	760	8.37
SST	1.81	(0.08)	15	1.82	CENTEL19C250E	0.13	(0.01)	35,839	0.14	SPACK	1.38	(0.02)	49	1.39
SUN	3.16	0.14	6,210	3.10	CENTEL41C260E	0.18	-	30,196	0.18	TCOAT	-	-	-	-
TC	5.95	0.05	505	5.95	CSR	-	-	-	-	TFI	0.05	-	1,804	0.05
TFG	4.98	0.06	157,221	4.96	DUSIT	8.35	(0.05)	86	8.45	TFI-W1	-	-	-	-
TFG-W4	0.95	0.05	25,691	0.96	ERW	2.38	-	153,787	2.39	THIP	25.25	-	155	25.15
TFMAMA	197.50	(0.50)	28	197.82	ERW01C2507A	0.02	-	20	0.02	TMD	24.00	(0.10)	4	24.05
TIPCO	9.30	0.05	590	9.30	ERW13C2505A	-	-	-	-	TOPP	-	-	-	-
TKN	7.60	(0.05)	6,094	7.64	ERW13C2507A	-	-	-	-	TPAC	8.00	0.20	791	8.02
TU	10.70	(0.20)	144,734	10.78	ERW13C2508A	0.09	-	1,570	0.09	TPBI	3.84	0.04	194	3.83
TU01C2505A	-	-	-	-	ERW19C2506A	-	-	-	-	TPP	-	-	-	-
TU01C2506A	-	-	-	-	ERW19C2508A	0.11	-	15,826	0.11	Personal Products	-	-	-	-
TU01C2508A	-	-	-	-	ERW41C2606T	-	-	-	-	APCO	3.20	(0.06)	929	3.27
TU13C2505A	-	-	-	-	GRAND	0.03	(0.01)	1,890	0.04	BIZ	3.22	0.02	441	3.22
TU13C2508A	0.13	(0.01)	18,363	0.14	LRH	37.25	(0.25)	5	37.25	BLC	3.64	0.06	12,922	3.61
TU19C2505A	-	-	-	-	MANRIN	-	-	-	-	DDD	6.20	-	11	6.20
TU19C2506A	-	-	-	-	MINT	26.25	-	71,633	26.47	IP	3.38	(0.08)	7,772	3.40
TU41C2506A	-	-	-	-	MINT01C2506A	-	-	-	-	IP-W2	0.03	(0.01)	12,317	0.04
TU41C2609T	0.20	(0.01)	16,200	0.20	MINT01C2507A	0.08	-	14,860	0.08	JCT	-	-	-	-
TVO	22.40	0.30	6,856	22.38	MINT13C2505A	-	-	-	-	KISS	3.50	(0.04)	6,022	3.51
TWPC	2.22	-	891	2.22	MINT13C2506A	-	-	-	-	NAM	4.30	-	381	4.28
XBIO	0.10	(0.01)	41,583	0.10	MINT13C2506B	0.06	-	15,368	0.07	NEO	32.00	-	3,438	32.10
XBIO-W6	0.03	-	1	0.03	MINT19C2506A	0.19	0.01	1	0.19	NV	0.69	0.02	2,425	0.71
XBIO-W7	0.01	-	835	0.01	MINT19C2508A	0.11	-	68,999	0.12	OCC	-	-	-	-
ZEN	6.50	0.20	96	6.50	MINT41C2604T	-	-	-	-	S&J	-	-	-	-
Health Care Services	-	-	-	-	MINT41C2612T	0.22	0.01	25,000	0.23	SNPS	4.94	0.04	1,205	4.96
AHC	14.90	0.20	24	14.83	OHTL	-	-	-	-	STGT	6.85	(0.05)	25,493	6.90
BCH	14.80	-	36,868	14.94	ROH	1.79	0.01	1	1.79	STGT13C2506A	0.03	0.01	2,349	0.03
BCH01C2508A	0.11	-	15,982	0.12	SHANG	-	-	-	-	STGT13C2508A	0.24	(0.01)	38,996	0.25
BCH13C2507A	-	-	-	-	SHR	1.82	0.01	10,791	1.82	STGT19C2509A	0.33	(0.01)	11,993	0.34
BCH13C2508A	0.25	0.01	14,962	0.26	SPA	3.94	(0.04)	9,212	3.98	STGT41C2606T	0.16	0.01	12,000	0.16
BCH19C2505A	-	-	-	-	VRANDA	4.42	(0.10)	47	4.43	TMAN	11.00	0.30	1,685	10.79
BCH19C2505B	-	-	-	-	Home & Office P	-	-	-	-	TNR	7.60	0.20	159	7.54
BCH19C2508A	0.12	-	23,464	0.13	AJA	0.11	0.02	377,218	0.10	TOG	7.80	(0.05)	441	7.86
BCH41C2506A	-	-	-	-	DTCI	-	-	-	-	Professional Service	-	-	-	-
BCH41C2609T	0.34	-	27,000	0.35	FANCY	0.42	0.01	66	0.42	BWG	0.28	-	194,639	0.28
BDMS	23.40	(0.40)	259,379	23.53	FTI	1.88	0.01	25	1.88	BWG-W6	0.01	-	113	0.01
BDMS01C2506A	0.08	-	95	0.08	KYE	294.00	5.00	21	292.57	GENCO	0.28	-	891	0.27
BDMS01C2508A	0.07	-	47	0.08	L&E	1.19	(0.01)	87	1.22	PRTR	3.70	-	890	3.70
BDMS01C2509A	0.41	(0.05)	8,964	0.45	MODERN	2.18	0.02	499	2.17	SISB	18.00	(0.40)	34,312	18.15
BDMS13C2505A	-	-	-	-	OGC	-	-	-	-	SISB13C2506A	-	-	-	-
BDMS13C2508A	0.28	(0.03)	26,664	0.29	ROCK	11.80	0.10	1	11.80	SISB13C2506B	-	-	-	-
BDMS19C2505A	-	-	-	-	SIAM	0.73	0.02	208	0.71	SISB13C2508A	0.32	(0.04)	15,220	0.34
BDMS19C2508A	0.33	(0.04)	8,534	0.34	TCMC	0.45	(0.01)	3,174	0.46	SISB19C2507A	-	-	-	-
BDMS41C2505A	-	-	-	-	TSR	0.18	-	9,489	0.17	SO	4.04	0.02	476	4.02
BDMS41C2609T	0.20	(0.01)	10,551	0.20	TSR-W2	0.01	-	2	0.01	WAVE	0.03	(0.01)	565,744	0.04
BH	169.00	(2.00)	33,612	169.88	Insurance	-	-	-	-	WAVE-W3	-	-	-	-
BH-P	-	-	-	-	AYUD	32.25	(0.25)	59	32.45	WAVE-W4	-	-	-	-
BH-Q	-	-	-	-	BKIH	282.00	2.00	86	281.52	Property Developmei	-	-	-	-
BH01C2505A	-	-	-	-	BLA	16.20	(0.20)	12,089	16.30	A	4.90	0.02	2	4.90
BH01C2506A	-	-	-	-	BLA01C2508A	0.09	(0.01)	9,176	0.10	A5	2.34	0.10	2,850	2.24
BH01C2507A	0.27	(0.03)	49,378	0.28	BLA13C2507A	-	-	-	-	A5-W4	0.02	(0.01)	1,245	0.02

## Main Board Quotation

Issue Date :

Wednesday April 23, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AMATA13C2508A	0.03	(0.01)	12,579	0.03	WHA13C2505A	-	-	-	-	III	4.88	(0.10)	2,730	4.89
AMATA13C2508B	0.15	-	62,134	0.16	WHA13C2506A	-	-	-	-	KEX	1.13	(0.03)	164,581	1.14
AMATA13C2508C	0.42	0.01	53,421	0.42	WHA13C2506B	-	-	-	-	KIAT	0.29	(0.01)	11,511	0.29
AMATA19C2505A	-	-	-	-	WHA13C2507A	0.03	0.01	2,507	0.02	KWC	-	-	-	-
AMATA19C2508A	-	-	-	-	WHA13C2507B	0.05	-	1,045	0.05	MENA	1.00	0.02	12,343	1.00
AMATA19C2509A	0.49	-	24,025	0.50	WHA13C2508A	0.18	(0.01)	19,189	0.20	NYT	3.40	(0.04)	20,264	3.42
AMATA41C2505A	-	-	-	-	WHA13C2508B	0.40	-	38,796	0.41	PORT	0.79	-	287	0.79
AMATA41C2508A	0.26	0.01	30,438	0.26	WHA19C2506A	-	-	-	-	PRM	6.00	0.05	64,125	5.95
AMATA41C2608T	-	-	-	-	WHA19C2507A	0.03	(0.01)	1,500	0.03	PSL	6.15	0.30	54,901	6.14
AMATAV	3.08	-	182	3.09	WHA19C2509A	0.26	-	1,345	0.27	RCL	22.70	(0.20)	21,917	22.84
ANAN	0.50	-	33,038	0.51	WHA41C2605T	-	-	-	-	RCL01C2505A	-	-	-	-
AP	8.10	-	98,524	8.14	WHA41C2608T	0.10	(0.01)	10,083	0.11	RCL01C2507A	0.10	-	11,168	0.10
AP01C2507A	0.16	(0.01)	53,809	0.17	WIN	0.34	0.01	441	0.33	RCL13C2506A	0.02	(0.01)	1	0.02
ASW	6.30	-	347	6.27	Paper & Printing	-	-	-	-	RCL13C2507A	0.30	(0.03)	1,371	0.33
AWC	2.20	(0.02)	637,445	2.21	UTP	7.65	(0.05)	828	7.70	RCL19C2507A	0.11	-	3,256	0.11
AWC01C2506A	-	-	-	-	Fashion	-	-	-	-	RCL41C2505A	-	-	-	-
AWC01C2508A	0.03	-	570	0.03	AFC	3.78	0.04	4	3.77	RCL41C2608T	0.38	(0.01)	4,800	0.38
AWC13C2506A	-	-	-	-	AURA	16.70	(0.30)	20,906	16.78	SAV	16.30	0.10	2,982	16.35
AWC13C2508A	0.03	(0.01)	1,118	0.03	BTNC	12.50	0.20	4	12.25	SINO	0.90	-	915	0.91
AWC19C2506A	-	-	-	-	CPH	7.25	0.10	1,154	7.32	SJWD	7.10	(0.05)	18,204	7.20
AWC41C2606T	0.05	-	10,000	0.05	CPL	0.80	0.03	2,073	0.80	TFIF	6.00	0.05	22,951	5.99
AWC41C2609T	0.26	(0.74)	1	0.26	NC	2.44	-	261	2.46	THAI	-	-	-	-
BLAND	0.41	(0.01)	95,980	0.41	PAF	0.71	-	3,226	0.71	TSTE	-	-	-	-
BRI	1.99	0.04	1,546	1.96	PDJ	1.58	0.01	855	1.58	TTA	4.12	0.08	24,572	4.11
BROCK	1.47	(0.02)	56	1.44	PG	7.50	(0.20)	51	7.62	WICE	2.42	-	2,417	2.45
CGD	0.19	(0.01)	4,058	0.19	SABINA	18.70	(0.10)	3,873	18.70	Automotive	-	-	-	-
CI	0.31	-	15,389	0.32	SAWANG	9.45	0.05	1	9.45	ACG	0.77	0.09	302	0.73
CMC	0.81	(0.01)	112	0.81	SUC	28.75	-	338	28.76	AH	11.60	(0.10)	218	11.62
CPN	48.75	0.25	60,632	49.03	TR	29.50	(0.50)	25	29.50	CWT	0.82	0.04	44,468	0.81
CPN01C2505A	-	-	-	-	TTI	-	-	-	-	EASON	1.00	-	116	1.00
CPN01C2506A	-	-	-	-	TTT	-	-	-	-	GYT	-	-	-	-
CPN01C2606T	0.25	0.01	10,688	0.25	UPF	26.25	(0.25)	7	26.43	HFT	3.62	0.02	15,183	3.62
CPN13C2505A	-	-	-	-	WACOAL	21.50	2.50	3	21.10	IHL	1.53	0.01	228	1.52
CPN13C2507A	0.09	-	34,585	0.10	WFX	0.81	(0.02)	706	0.81	INGRS	0.23	-	534	0.22
CPN19C2505A	-	-	-	-	Transportation 8	-	-	-	-	IRC	11.40	0.20	117	11.40
CPN19C2508A	0.16	-	57,202	0.17	AAV	1.41	0.04	578,389	1.41	MGC	3.16	-	10	3.16
CPN41C2505A	-	-	-	-	AAV13C2506A	-	-	-	-	NEX	0.57	(0.02)	27,882	0.58
CPN41C2608T	0.30	0.01	33,800	0.30	AAV13C2508A	0.14	0.02	118,009	0.14	PCSGH	3.22	0.10	716	3.19
ESTAR	0.19	-	18,859	0.19	AAV19C2505A	-	-	-	-	POLY	6.85	0.05	41	6.79
EVER	0.06	(0.01)	32,824	0.07	AAV19C2507A	0.02	0.01	7,016	0.02	SAT	11.10	(0.30)	6,893	11.21
FPT	6.70	(0.10)	56	6.73	AAV41C2505A	-	-	-	-	SPG	12.20	-	1	12.20
GLAND	0.83	(0.01)	54	0.84	AAV41C2608T	-	-	-	-	STANLY	223.00	-	13	222.23
J	0.91	0.01	6,595	0.92	ANI	2.68	(0.02)	133	2.68	TKT	1.08	0.01	550	1.04
J-W3	0.09	-	2,921	0.09	AOT	38.25	0.75	552,607	38.32	TNPC	-	-	-	-
J-W4	-	-	-	-	AOT01C2506A	-	-	-	-	TRU	3.30	0.02	329	3.26
JCK	0.17	-	42,080	0.17	AOT01C2507A	0.05	0.01	4,065	0.05	TSC	12.60	0.10	50	12.50
KC	0.04	-	630	0.04	AOT01C2507B	0.13	0.01	31,756	0.14	Industrial Materials	-	-	-	-
KUN	1.23	(0.01)	11	1.20	AOT01C2509A	0.26	0.02	87,001	0.27	AKR	1.01	-	17,647	1.01
KUN-W2	-	-	-	-	AOT01C2606T	0.20	0.01	14,473	0.21	ALLA	1.32	0.01	3,920	1.31
KUN-W3	0.04	-	110	0.03	AOT01P2507A	-	-	-	-	ASEFA	3.18	0.06	2,116	3.16
LALIN	5.05	0.05	971	5.05	AOT01P2507B	-	-	-	-	CPT	0.94	(0.01)	3,054	0.95
LH	4.32	(0.02)	343,508	4.31	AOT11C2507A	0.11	0.01	20,676	0.11	CRANE	0.49	0.01	4,581	0.48
LH19C2510A	0.43	(0.01)	12,128	0.44	AOT13C2506A	-	-	-	-	CTW	2.80	0.10	76	2.78
LPN	2.04	-	2,118	2.04	AOT13C2507A	-	-	-	-	FMT	26.50	0.25	4	26.38
MBK	15.90	(0.10)	4,637	15.83	AOT13C2507B	0.04	-	4,721	0.04	FTE	1.61	0.01	663	1.60
MBK-W4	-	-	-	-	AOT13C2507C	0.02	0.01	211	0.02	HTECH	3.16	0.04	3,866	3.16
MBK19C2508A	-	-	-	-	AOT13C2508A	0.14	0.02	68,770	0.15	KKC	-	-	-	-
MJD	0.56	-	169	0.56	AOT13C2509A	0.28	(0.72)	107,579	0.28	PCC	2.58	0.02	431	2.56
MK	1.35	-	670	1.35	AOT13P2507A	-	-	-	-	PK	0.36	0.01	2,254	0.36
NCH	0.64	-	88	0.64	AOT13P2507B	0.25	(0.03)	36,044	0.25	PSP	4.18	0.10	6,216	4.08
NNCL	1.55	0.01	1,019	1.54	AOT19C2506A	0.01	-	10	0.01	QTC	3.66	0.10	71	3.65
NOBLE	2.10	-	3,715	2.08	AOT19C2507A	-	-	-	-	SCI	0.97	0.02	14	0.96
NVD	1.14	-	35	1.14	AOT19C2507B	-	-	-	-	SE	0.40	-	1,070	0.41
ORI	2.02	-	39,959	2.01	AOT19C2508A	0.14	0.01	73,286	0.15	SELIC	2.88	(0.02)	158	2.88
ORN	0.65	(0.01)	1,420	0.65	AOT19P2507A	0.28	(0.06)	5,590	0.26	SNC	5.40	(0.05)	742	5.40
PEACE	2.22	(0.12)	21	2.28	AOT41C2505A	-	-	-	-	TCJ	2.78	0.06	22	2.69
PF	0.12	0.03	387,427	0.11	AOT41C2507A	0.05	-	441	0.05	TPCS	-	-	-	-
PIN	6.45	(0.05)	18,680	6.49	AOT41C2605T	-	-	-	-	VARO	4.46	0.04	71	4.52
PLAT	1.38	(0.02)	980	1.39	AOT41C2609T	0.26	0.02	17,274	0.26	Property Fund & REI	-	-	-	-
PRECHA	0.34	-	595	0.33	AOT41P2606T	-	-	-	-	AIMCG	2.12	0.02	1,322	2.11
PRIN	1.50	0.01	1,137	1.50	ASIMAR	1.34	0.01	580	1.34	AIMIRT	9.60	0.05	1,724	9.58
PROUD	1.29	0.04	618	1.30	B	0.04	-	249,743	0.04	ALLY	4.66	0.04	159	4.67
PSH	5.00	(0.10)	3,471	5.02	B-W8	0.01	-	8	0.01	AMATAR	6.00	(0.10)	334	6.02
QH	1.60	-	68,761	1.60	BA	16.00	0.20	34,577	16.09	AXTRART	12.20	0.20	8,881	12.17
RABBIT	0.31	-	52,007	0.31	BA01C2508A	0.09	-	24,796	0.10	B-WORK	4.60	0.06	2,363	4.58
RABBIT-P	0.51	-	2,003	0.51	BA13C2506A	-	-	-	-	BAREIT	9.25	-	3,444	9.35
RABBIT-Q	-	-	-	-	BA19C2507A	-	-	-	-	BOFFICE	4.76	-	1,765	4.77
RICHY	0.31	(0.01)	811	0.30	BA41C2606T	0.10	0.01	500	0.10	CPNCG	6.05	0.05	1,761	6.00
RML	0.15	-	52,033	0.16	BEM	5.85	(0.10)	482,099	5.91	CPNREIT	11.80	0.10	10,978	11.85
ROJNA	5.55	0.05	24,862	5.55	BEM13C2505A	-	-	-	-	CPTREIT	4.44	0.02	295	4.42
S	0.66	0.01	4,308	0.65	BEM13C2506A	-	-	-	-	CTARAF	4.58	0.02	402	4.58
SA	7.40	-	704	7.36	BEM13C2508A	0.17	(0.01)	5,360	0.18	DREIT	4.92	(0.02)	245	4.93
SA-W1	0.01	-	1	0.01	BEM19C2505A	-	-	-	-	FTREIT	9.25	0.20	1,556	9.18
SAMCO	0.71	-	540	0.70	BEM41C2606T	0.13	-	16,000	0.13	FUTURERT	9.45	-	410	9.41
SC	2.24	-	11,068	2.25	BTS	5.05	-	520,803	5.12	GAHREIT	6.40	(0.05)	168	6.43
SENA	1.94	0.02	4,896	1.93	BTS-W8	0.02	(0.01)	56,135	0.02	GROREIT	8.40	-	233	8.40
SIRI	1.45	(0.01)	422,324	1.46	BTS01C2507A	-	-	-	-	GVREIT	6.70	0.05	864	6.65
SIRI13C2508A	0.08	(0.01)	2,253	0.10	BTS01C2508A	0.10	-	17,423	0.11	HPF	4.58	0.02	297	4.56
SIRI19C2508A	0.11	-	1,722	0.11	BTS01C2509A	0.74	0.02	15,110	0.76	HYDROGEN	8.85	0.05	10	8.85
SIRI41C2606T	0.20	-	12,400	0.20	BTS01P2505A	0.14	(0.23)	7	0.14	IMPACT	9.50	0.10	7,036	9.54
SPALI	17.00	0.10	51,338	16.88	BTS13C2505A	-	-	-	-	INETREIT	8.90	0.10	17,156	8.80
SPALI13C2507A	0.15	-	33,441	0.14	BTS13C2507A	0.05	0.01	1	0.05	ISSARA	8.00	(0.05)	84	8.03
SPALI19C2509A	0.30	-	17,624	0.29	BTS13C2508A	0.10	-	24,154	0.12	KPNREIT	2.20	(0.08		

## Main Board Quotation

Issue Date :

Wednesday April 23, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
MJLF	3.88	(0.02)	1,342	3.89	BABA28C2506B	0.11	0.04	1,600	0.11	HSI28P2505B	0.09	(0.03)	17,368	0.10
MNIT	1.90	(0.02)	668	1.91	BABA28C2506C	-	-	-	-	HSI28P2505C	0.38	(0.14)	85,326	0.41
MNIT2	4.66	(0.32)	10	4.68	BABA28C2509A	0.22	0.09	24,444	0.18	HSI28P2505D	0.24	(0.10)	7,620	0.26
MNRF	2.02	-	100	2.02	BABA28P2507A	-	-	-	-	HSI28P2505E	0.64	(0.57)	17,160	0.66
POPF	5.65	(0.05)	1,768	5.65	BABA28P2509A	0.20	(0.03)	43	0.19	HSI28P2505F	-	-	-	-
PROSPECT	8.00	-	2,221	8.01	BABA41C2504A	-	-	-	-	HSI28P2505G	-	-	-	-
QHBBREIT	3.66	-	332	3.65	BABA41C2504B	-	-	-	-	HSI28P2506A	0.10	(0.04)	1,029	0.10
QHHRREIT	6.55	0.05	46	6.56	BABA41C2505A	0.05	0.01	427	0.05	HSI28P2506B	0.15	(0.06)	6,503	0.16
QHOP	-	-	-	-	BABA41C2506A	0.22	0.05	8,154	0.23	HSI28P2506C	0.25	(0.07)	8,323	0.26
SIRIPRT	-	-	-	-	BABA41C2507A	0.48	0.10	30,741	0.48	HSI28P2506D	0.58	(0.21)	16,610	0.61
SPRIME	3.94	0.04	1,203	3.90	BABA41P2504A	-	-	-	-	HSI28P2506E	-	-	-	-
SRIPANWA	5.15	(0.05)	615	5.04	BABA41P2506A	0.33	(0.10)	29	0.33	HSI28P2506F	0.84	(0.34)	13	0.84
SSPF	-	-	-	-	BABA41P2507A	0.93	(0.17)	3	0.94	HSI28P2507A	-	-	-	-
SSTRT	-	-	-	-	BIDU41C2504A	0.05	-	356	0.03	HSI28P2507B	0.19	(0.05)	1,292	0.21
TIF1	6.95	-	62	6.95	BIDU41C2506A	0.36	0.05	4,180	0.36	HSI28P2508A	0.84	(0.21)	150	0.85
TLHPF	2.86	0.08	3,487	2.84	BIDU41P2507A	0.59	(0.07)	8	0.58	HSI28P2508B	0.26	(0.06)	56,055	0.27
TNPF	-	-	-	-	BYDCOM28C250	1.50	0.30	3,081	1.53	HSTECH28C2506A	0.74	0.15	99	0.72
TPRIME	6.90	0.15	1	6.90	BYDCOM28C251	0.50	0.09	106,435	0.52	HSTECH28C2506B	0.16	0.03	102	0.16
TTLPF	12.10	(0.10)	603	12.15	BYDCOM28P251	0.23	(0.04)	6,008	0.23	HSTECH28C2506C	0.32	0.08	6,000	0.32
TU-PF	-	-	-	-	BYDCOM41C250	1.44	0.24	134	1.46	HSTECH28P2506A	-	-	-	-
WHABT	6.70	0.10	69	6.61	BYDCOM41C250	0.29	0.08	22	0.30	HSTECH28P2506B	0.53	(0.10)	3	0.54
WHAIR	4.66	0.02	3,091	4.65	BYDCOM41P250	0.25	(0.06)	14	0.25	HSTECH28P2506C	0.93	(0.13)	2	0.94
WHART	9.10	0.10	7,911	9.06	DJI28C2506A	0.04	(0.02)	1	0.04	JD41C2506A	0.10	0.01	7,724	0.10
Steel and Metal Prod	-	-	-	-	DJI28C2509A	0.60	0.16	15,899	0.56	KUAI5H41C2506A	0.74	0.10	316	0.74
ZS	2.10	-	432	2.10	DJI28P2506A	1.23	(0.40)	100	1.26	KUAI5H41C2506B	0.08	0.01	25	0.08
AMC	2.22	-	20	2.22	DJI41C2506A	0.05	0.01	10,391	0.04	MCA5041C2506A	0.24	(0.01)	649	0.24
BSBM	0.70	(0.01)	1,224	0.71	DJI41C2506B	0.27	0.11	53,081	0.25	MCA5041P2506A	-	-	-	-
CEN	1.71	0.02	208	1.70	DJI41P2506A	0.97	(0.37)	12,940	0.99	MEITUA28C2504A	-	-	-	-
CEN-W5	0.06	-	3,290	0.05	GEELY41C2506A	0.12	0.02	6	0.12	MEITUA28C2507A	0.06	0.01	2,046	0.06
CITY	1.59	(0.01)	62	1.55	HSIO6C2504A	0.14	0.04	115,564	0.12	MEITUA28P2504B	0.40	(0.09)	6,003	0.39
CSP	0.48	0.03	780	0.48	HSIO6C2504B	0.64	0.19	135,261	0.61	MEITUA41C2504A	-	-	-	-
GJS	0.14	(0.02)	9,302	0.15	HSIO6C2504C	-	-	-	-	MEITUA41C2506A	-	-	-	-
GSTEEL	-	-	-	-	HSIO6C2504D	-	-	-	-	MEITUA41C2507A	0.26	0.05	27	0.25
INOX	0.44	-	1,784	0.43	HSIO6C2504E	0.01	(0.01)	878	0.01	NDX28C2506A	-	-	-	-
LHK	3.26	0.02	134	3.26	HSIO6C2505A	0.29	0.08	206,068	0.27	NDX28C2506B	0.25	0.10	66	0.24
MCS	7.50	-	3,975	7.53	HSIO6C2505B	0.15	0.04	15,243	0.15	NDX28C2506C	0.15	0.06	40	0.12
MILL	0.10	0.01	13,529	0.09	HSIO6C2505C	-	-	-	-	NDX28C2509A	0.63	0.16	109	0.58
PAP	1.45	(0.02)	101	1.47	HSIO6C2505D	0.08	0.01	287	0.07	NDX28C2509B	0.43	0.12	6,199	0.41
PERM	0.40	-	882	0.40	HSIO6C2505E	0.69	0.14	54,126	0.66	NDX28P2506A	0.63	(0.24)	202	0.63
SAM	0.14	-	1,563	0.15	HSIO6C2505F	0.97	0.17	904	0.96	NDX28P2509A	0.61	(0.11)	83	0.60
SMIT	3.68	(0.08)	170	3.69	HSIO6C2506A	0.62	0.09	32,571	0.59	NDX28P2509B	-	-	-	-
SSSC	2.20	0.02	470	2.19	HSIO6C2506B	1.14	0.20	564	1.11	NDX41C2506A	0.05	0.03	502	0.05
TGPRO	0.07	-	73,595	0.06	HSIO6C2506C	0.28	0.05	138,151	0.26	NDX41C2506B	0.08	0.04	12,950	0.08
THE	0.62	(0.01)	30	0.63	HSIO6C2506D	0.12	0.03	66,640	0.12	NDX41C2506C	0.20	0.09	15,018	0.19
TMT	3.24	0.10	817	3.36	HSIO6C2506E	0.10	(0.01)	206	0.08	NDX41C2506D	0.60	0.21	40,598	0.56
TSTH	0.67	0.02	40,810	0.67	HSIO6C2507A	0.17	0.03	21,952	0.17	NDX41C2509T	1.31	0.31	1,042	1.25
TWP	1.04	0.02	1	1.04	HSIO6C2508A	0.45	0.08	37,469	0.44	NDX41P2506A	0.87	(0.30)	20,247	0.87
TYCN	1.72	0.05	5	1.69	HSIO6P2504A	0.01	(0.05)	876	0.01	NDX41P2506B	0.38	(0.16)	4,162	0.38
Construction Service	-	-	-	-	HSIO6P2504B	0.01	-	375	0.01	NDX41P2509T	4.00	(0.48)	1,028	4.02
APCS	1.49	0.03	1	1.49	HSIO6P2504C	0.01	(0.03)	1,169	0.01	NIKKEI28C2506A	0.23	0.05	1,254	0.22
BJCHI	0.72	0.02	1,851	0.72	HSIO6P2504D	0.02	(0.06)	16	0.04	NIKKEI28C2506B	-	-	-	-
BKD	1.16	0.03	751	1.14	HSIO6P2504E	0.07	(0.11)	13,423	0.07	NIKKEI28C2506C	-	-	-	-
CIVIL	1.51	-	439	1.51	HSIO6P2504F	0.16	(0.20)	256,252	0.19	NIKKEI28P2506A	0.22	(0.06)	395	0.22
CK	15.90	0.40	17,622	15.91	HSIO6P2504G	0.27	(0.30)	101,052	0.30	NIKKEI28P2506B	-	-	-	-
CNT	0.98	0.03	493	0.96	HSIO6P2504H	-	-	-	-	NIKKEI28P2506C	-	-	-	-
DEMCO	1.65	(0.03)	834	1.66	HSIO6P2505A	0.19	(0.08)	85,994	0.20	NIKKEI41C2506A	-	-	-	-
EMC	0.06	-	61,545	0.05	HSIO6P2505B	0.35	(0.17)	297,885	0.38	NIKKEI41C2506B	-	-	-	-
EMC-W7	0.04	-	50	0.04	HSIO6P2505C	0.47	(0.23)	29,674	0.50	NIKKEI41C2509A	0.26	0.04	16,932	0.25
ITD	0.22	0.03	656,383	0.23	HSIO6P2505D	-	-	-	-	NIKKEI41C2509B	0.15	0.02	8	0.15
JR	1.82	(0.02)	5,688	1.82	HSIO6P2505E	-	-	-	-	NIKKEI41C2509C	0.39	0.07	21,485	0.36
NL	0.94	-	1,729	0.93	HSIO6P2505F	-	-	-	-	NIKKEI41P2506A	0.40	(0.12)	7	0.41
NWR	0.04	-	73,670	0.03	HSIO6P2506A	0.16	(0.05)	7,130	0.16	NIKKEI41P2506B	0.20	(0.06)	13,506	0.21
PLE	0.21	-	1,040	0.21	HSIO6P2506B	0.30	(0.10)	93,031	0.30	NIKKEI41P2509A	0.64	(0.08)	20	0.65
PREB	3.66	(0.02)	168	3.67	HSIO6P2506C	0.53	(0.47)	22,439	0.56	NIKKEI41P2509B	0.48	(0.07)	2,764	0.48
PYLON	1.82	-	1,451	1.82	HSIO6P2506D	0.63	(0.82)	536	0.63	NIKKEI41P2509C	0.78	(0.10)	3	0.79
RT	0.30	-	62,343	0.30	HSIO6P2506E	-	-	-	-	NTE541C2506A	0.26	0.02	292	0.27
SEAFCO	1.99	-	748	1.99	HSIO6P2506F	-	-	-	-	PINGAN41C2504A	-	-	-	-
SQ	0.74	0.01	5,844	0.73	HSIO6P2507A	0.72	(0.15)	556	0.74	PINGAN41C2507A	0.19	0.02	189	0.19
SRICHA	3.92	(0.08)	1,215	3.95	HSIO6P2508A	1.04	(0.19)	9	1.05	POPMAR41C2506A	1.19	0.06	232	1.21
STECOM	7.35	(0.35)	75,306	7.52	HSI28C2504A	0.02	0.01	1,348	0.01	POPMAR41C2507A	0.55	0.04	27,437	0.54
STI	2.54	0.04	263	2.54	HSI28C2504B	0.06	(0.03)	140	0.06	SET01C2505A	0.02	-	1,566	0.01
STPI	2.46	0.02	7,824	2.45	HSI28C2504C	0.47	0.17	125,854	0.43	SET01C2506A	0.02	0.01	12	0.01
SYNTEC	1.53	0.04	871	1.52	HSI28C2504D	0.01	-	1	0.01	SET01C2506B	0.01	-	1	0.01
TEAMG	3.18	0.04	37,269	3.19	HSI28C2504E	0.01	(0.01)	201	0.02	SET01C2507A	0.15	-	1,308	0.16
TEAMG-W1	0.18	0.02	4,117	0.17	HSI28C2504F	0.04	0.03	55	0.01	SET01C2509A	0.77	0.04	10,875	0.77
TEKA	1.94	-	1,049	1.93	HSI28C2505A	0.12	0.03	25,208	0.11	SET01P2505A	-	-	-	-
TPOLY	0.40	-	5,294	0.42	HSI28C2505B	0.08	0.02	8,077	0.08	SET01P2506A	1.20	(0.31)	3	1.01
TRC	0.61	0.03	13,464	0.61	HSI28C2505C	0.05	0.02	840	0.05	SET01P2507A	0.87	(0.03)	334	0.83
TRITN	0.07	(0.01)	46,313	0.07	HSI28C2505D	0.10	0.02	4,111	0.10	SET5001C2505A	0.02	-	25	0.01
TRITN-W7	0.01	-	34,978	0.01	HSI28C2505E	0.18	0.05	36,807	0.17	SET5001C2506A	0.02	-	1	0.02
TTCL	1.01	0.01	551	1.00	HSI28C2505F	0.39	0.11	4,617	0.37	SET5001C2506F	0.02	-	1,042	0.01
UNIQ	1.91	0.03	3,149	1.90	HSI28C2505G	0.27	0.08	41,665	0.25	SET5001C2506G	0.03	-	349	0.02
WGE	0.78	(0.02)	31	0.78	HSI28C2505H	0.62	0.17	392,486	0.60	SET5001C2507A	0.10	-	24,198	0.11
Unit Trust	-	-	-	-	HSI28C2506A	0.23	0.06	47,713	0.22	SET5001C2509A	0.66	0.05	33,344	0.64
SCBSET	-	-	-	-	HSI28C2506B	0.11	0.03	13,151	0.11	SET5001C2509F	0.28	0.03	14,694	0.29
VAYU1	10.10	-	9,259	10.10	HSI28C2506C	0.17	0.05	3,024	0.16	SET5001P2505A	-			

## Main Board Quotation

Issue Date :

Wednesday April 23, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5006P2506F	0.52	(0.08)	246,500	0.52	SPX28C2506B	-	-	-	-	0	-	-	-	-
SET5006P2509A	0.51	(0.01)	82,706	0.50	SPX28C2506C	0.28	0.10	38	0.24	0	-	-	-	-
SET5013C2506A	0.01	-	2	0.01	SPX28C2509A	0.88	0.31	2	0.86	0	-	-	-	-
SET5013C2506B	0.01	-	71	0.01	SPX28P2506A	0.58	(0.21)	546	0.58	0	-	-	-	-
SET5013C2506C	0.01	-	24	0.01	SPX28P2506B	0.31	(0.14)	25	0.31	0	-	-	-	-
SET5013C2506D	0.01	-	80	0.01	SPX41C2506A	-	-	-	-	0	-	-	-	-
SET5013C2506E	0.01	-	4,295	0.01	SPX41C2506B	-	-	-	-	0	-	-	-	-
SET5013C2506F	0.01	-	710	0.01	SPX41C2506C	0.21	0.09	707	0.21	0	-	-	-	-
SET5013C2506G	0.03	-	322	0.04	SPX41C2506D	0.56	0.20	29,364	0.53	0	-	-	-	-
SET5013C2506H	0.03	0.01	1,254	0.03	SPX41C2509T	1.51	0.32	185	1.48	0	-	-	-	-
SET5013C2506I	0.04	0.01	6,913	0.03	SPX41P2506A	-	-	-	-	0	-	-	-	-
SET5013C2506J	0.06	0.01	22,929	0.06	SPX41P2506B	0.34	(0.16)	321	0.36	0	-	-	-	-
SET5013C2506K	0.08	0.01	65,878	0.09	SPX41P2509T	3.78	(0.58)	693	3.83	0	-	-	-	-
SET5013C2506L	0.15	0.02	799,835	0.16	TENCEN28C2506A	0.74	0.10	4,297	0.73	0	-	-	-	-
SET5013C2506M	0.24	0.03	522,285	0.26	TENCEN28C2506B	0.25	0.05	33,292	0.25	0	-	-	-	-
SET5013C2506N	0.11	0.02	107,193	0.12	TENCEN28P2506A	-	-	-	-	0	-	-	-	-
SET5013C2506O	0.47	0.04	2,409,264	0.48	TENCEN41C2506A	0.23	(0.02)	1	0.23	0	-	-	-	-
SET5013C2506P	0.58	0.04	1,417,059	0.59	TENCEN41C2506B	0.07	0.06	1	0.07	0	-	-	-	-
SET5013C2506Q	0.31	0.03	608,234	0.31	TENCEN41C2506C	0.05	0.01	340	0.05	0	-	-	-	-
SET5013C2506T	0.01	-	1	0.01	TENCEN41C2506D	0.68	0.12	15,105	0.70	0	-	-	-	-
SET5013C2509A	0.66	0.04	478,657	0.67	TENCEN41P2506A	0.37	(0.09)	22	0.37	0	-	-	-	-
SET5013C2509T	0.29	0.02	135,956	0.29	TRIPDC41C2506	0.38	0.06	8	0.38	0	-	-	-	-
SET5013P2506A	1.60	(0.32)	276	1.71	XIAOMI28C2504	2.82	0.62	198	2.82	0	-	-	-	-
SET5013P2506B	1.67	0.01	2	1.67	XIAOMI28C2508	1.07	0.23	41	1.02	0	-	-	-	-
SET5013P2506C	-	-	-	-	XIAOMI28C2509	0.42	0.14	32,977	0.38	0	-	-	-	-
SET5013P2506D	-	-	-	-	XIAOMI28P2505	0.02	(0.01)	96	0.01	0	-	-	-	-
SET5013P2506E	-	-	-	-	XIAOMI28P2509	0.10	(0.05)	1,000	0.10	0	-	-	-	-
SET5013P2506F	0.42	(0.28)	1,449	0.45	XIAOMI28P2510	0.64	(0.10)	28	0.65	0	-	-	-	-
SET5013P2506G	0.35	(0.09)	29,235	0.37	XIAOMI41C2504	1.29	0.61	1	1.29	0	-	-	-	-
SET5013P2506H	1.80	(0.40)	2	1.25	XIAOMI41C2506	0.77	0.19	222	0.77	0	-	-	-	-
SET5013P2506I	0.18	(0.04)	8,615	0.20	XIAOMI41C2506	0.17	0.05	4,448	0.17	0	-	-	-	-
SET5013P2506J	0.21	(0.08)	7,991	0.24	XIAOMI41C2507	0.12	0.06	3,059	0.13	0	-	-	-	-
SET5013P2506K	0.29	(0.04)	262	0.29	XIAOMI41P2506	0.47	(0.13)	842	0.46	0	-	-	-	-
SET5013P2506L	0.55	(0.06)	30	0.55	0	-	-	-	-	0	-	-	-	-
SET5013P2506M	0.45	(0.26)	1	0.45	0	-	-	-	-	0	-	-	-	-
SET5013P2506N	0.06	(0.02)	247,594	0.07	0	-	-	-	-	0	-	-	-	-
SET5013P2506O	0.14	(0.01)	48,444	0.13	0	-	-	-	-	0	-	-	-	-
SET5013P2506P	0.30	(0.04)	706,648	0.30	0	-	-	-	-	0	-	-	-	-
SET5013P2506Q	0.42	(0.06)	674,653	0.43	0	-	-	-	-	0	-	-	-	-
SET5013P2506R	0.52	(0.07)	1,471,606	0.52	0	-	-	-	-	0	-	-	-	-
SET5013P2506T	2.84	(0.30)	4	2.65	0	-	-	-	-	0	-	-	-	-
SET5013P2509A	0.23	(0.01)	874,223	0.23	0	-	-	-	-	0	-	-	-	-
SET5013P2509B	0.63	(0.05)	755,003	0.64	0	-	-	-	-	0	-	-	-	-
SET5013P2509T	0.38	(0.02)	18,099	0.37	0	-	-	-	-	0	-	-	-	-
SET5019C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506I	0.18	0.08	2,504	0.02	0	-	-	-	-	0	-	-	-	-
SET5019C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506K	0.10	0.02	644	0.10	0	-	-	-	-	0	-	-	-	-
SET5019C2506L	0.16	0.02	1,460	0.16	0	-	-	-	-	0	-	-	-	-
SET5019C2506M	0.23	0.01	224	0.25	0	-	-	-	-	0	-	-	-	-
SET5019C2506N	0.28	0.07	15	0.28	0	-	-	-	-	0	-	-	-	-
SET5019C2506O	0.65	0.06	8,035	0.69	0	-	-	-	-	0	-	-	-	-
SET5019C2506P	1.35	0.08	12,148	1.39	0	-	-	-	-	0	-	-	-	-
SET5019C2506Q	0.55	0.04	349,594	0.56	0	-	-	-	-	0	-	-	-	-
SET5019C2509A	1.01	0.05	363,158	1.02	0	-	-	-	-	0	-	-	-	-
SET5019P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506G	1.50	0.60	14	1.50	0	-	-	-	-	0	-	-	-	-
SET5019P2506H	0.58	(0.04)	58	0.48	0	-	-	-	-	0	-	-	-	-
SET5019P2506I	0.75	0.03	2	0.75	0	-	-	-	-	0	-	-	-	-
SET5019P2506J	0.27	(0.09)	5	0.33	0	-	-	-	-	0	-	-	-	-
SET5019P2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506L	0.34	(0.04)	295,866	0.34	0	-	-	-	-	0	-	-	-	-
SET5019P2506M	0.72	(0.06)	282,841	0.72	0	-	-	-	-	0	-	-	-	-
SET5019P2506N	0.68	(0.08)	389,437	0.68	0	-	-	-	-	0	-	-	-	-
SET5019P2509A	0.67	(0.04)	231,352	0.67	0	-	-	-	-	0	-	-	-	-
SET5041C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506B	0.02	-	1	0.02	0	-	-	-	-	0	-	-	-	-
SET5041C2506C	0.14	0.02	51,093	0.14	0	-	-	-	-	0	-	-	-	-
SET5041C2506D	0.49	-	217,795	0.52	0	-	-	-	-	0	-	-	-	-
SET5041C2506E	0.56	0.02	663,119	0.57	0	-	-	-	-	0	-	-	-	-
SET5041C2506F	0.34	0.01	311,068	0.36	0	-	-	-	-	0	-	-	-	-
SET5041C2506G	0.54	0.04	896,026	0.55	0	-	-	-	-	0	-	-	-	-
SET5041C2506H	0.57	0.04	175,969	0.58	0	-	-	-	-	0	-	-	-	-
SET5041C2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506K	0.32	0.08	309,709	0.32	0	-	-	-	-	0	-	-	-	-
SET5041C2506T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2509T	0.08	0.01	56,818	0.07	0	-	-	-	-	0	-	-	-	-
SET5041C2509U	0.30	0.02	13,088	0.32	0	-	-	-	-	0	-	-	-	-
SET5041C2509V	0.72	0.03	144,624	0.72	0	-	-	-	-	0	-	-	-	-
SET5041P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506B	1.59	(0.14)	95	1.56	0	-	-	-	-	0	-	-	-	-
SET5041P2506C	0.35	(0.19)	5,020	0.36	0	-	-	-	-	0	-	-	-	-
SET5041P2506D	0.23	(0.11)	592	0.23	0	-	-	-	-	0	-	-	-	-
SET5041P2506E	0.38	(0.07)	400	0.39	0	-	-	-	-	0	-	-	-	-
SET5041P2506F	0.27	(0.02)	343,020	0.27	0	-	-	-	-	0	-	-	-	-
SET5041P2506T	1.78	(0.08)	100,321	1.79	0	-	-	-	-	0	-	-	-	-
SET5041P2509A	0.52	(0.05)	181,859	0.52	0	-	-	-	-	0	-	-	-	-
SET5041P2509B	0.74	(0.26)	792,335	0.72	0	-	-	-	-	0	-	-	-	-
SET5041P2509T	0.44	(0.04)	261,588	0.45	0	-	-	-	-	0	-	-	-	-
SPX28C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-





## Main Board Quotation

Issue Date :

Wednesday April 23, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		UBIS	1.14	(0.11)	3,775	00 1.0	LDC	0.40	(0.02)	2,220	00 0.4
APO	1.47	(0.01)	2,303	00 1.4	UEC	0.68	(0.01)	912	00 0.6	LEO	1.87	-	1,133	00 1.8
AU	9.60	(0.20)	12,357	00 9.6	UKEM	0.49	(0.01)	12,163	00 0.4	LTMH	4.76	-	7,509	00 4.8
CFARM	0.93	0.07	172,052	00 0.9	UREKA	0.77	0.01	47,463	00 0.7	MCA	1.18	0.02	14,373	00 1.1
JCHK	0.18	0.03	29,091	00 0.1	YUASA	10.00	(0.20)	27	00 10.0	MEB	22.20	-	1,550	00 22.3
KASET	0.60	0.01	1,233	00 0.6	ZIGA	1.16	0.11	251,542	00 1.1	MORE	0.02	(0.01)	3,183	00 0.0
MAGURO	18.00	0.20	9,005	00 17.9	ZIGA-W2	0.10	-	153,699	00 0.1	MOTHER	0.73	(0.02)	18,084	00 0.7
MUD	1.19	-	87	00 1.1	Property					MPJ	3.48	0.02	4,211	00 3.4
NTSC	5.75	0.05	59	00 5.7	24CS	1.10	0.05	23,384	00 1.0	MVP	0.55	-	13,595	00 0.5
TACC	4.48	-	7,689	00 4.4	24CS-W1	0.09	(0.01)	7,974	00 0.0	NCL	0.22	-	2,659	00 0.2
TMILL	1.76	0.01	305	00 1.7	24CS-W2	0.11	0.01	15,667	00 0.1	NCP	1.14	0.03	270	00 1.1
WINNER	1.96	-	561	00 1.9	ARIN	0.44	(0.02)	9,124	00 0.4	NEWS	0.01	-	18,689	00 0.0
XO	15.60	-	2,206	00 15.5	ARROW	5.00	-	244	00 4.9	PEER	0.12	0.02	54,558	00 0.1
Consumer Products			-		BC	0.93	-	836	00 0.9	PEER-W2	0.02	-	24,543	00 0.0
ALPHAX	0.40	(0.01)	18,441	00 0.4	BC-W2	-	-	-	00 0.0	PICO	-	-	-	00 0.0
BGT	0.39	(0.01)	70	00 0.4	BKA	2.50	0.04	1,058,095	00 2.5	PLT	0.58	-	2,088	00 0.5
DOD	1.18	-	1,134	00 1.1	BLESS	0.21	0.01	514	00 0.2	QLT	3.02	(0.14)	41	00 3.0
ECF	0.18	0.01	547,074	00 0.1	BSM	0.80	0.02	106	00 0.7	RP	0.80	(0.05)	520	00 0.7
ECF-W5	0.01	(0.01)	49,079	00 0.0	BTW	0.20	0.02	2,704	00 0.1	SONIC	1.61	0.01	3,486	00 1.5
EFORL	0.15	0.01	74,053	00 0.1	CAZ	1.75	(0.01)	2,736	00 1.7	THMUI	0.37	0.01	225	00 0.3
EFORL-W6	0.01	-	20	00 0.0	CHEWA	0.26	-	265	54 0.2	TNDT	0.19	-	207	00 0.1
EURO	4.38	-	2	00 4.3	CPANEL	2.76	0.08	15	00 2.7	TNDT-W1	0.01	-	149	00 0.0
HPT	0.45	0.02	200,670	00 0.4	CPANEL-W1	0.04	-	14,780	00 0.0	TNH	-	-	-	00 0.0
ITTHI	1.45	0.04	274	00 1.4	CRD	0.32	-	1,089	66 0.3	TNP	2.68	-	316	00 2.6
JSP	1.85	(0.09)	2,423	00 1.8	DHOUSE	0.62	-	352	00 0.6	TPL	0.48	-	24,342	00 0.5
JSP-W2	0.03	-	4,219	00 0.0	DIMET	0.09	(0.01)	65,409	00 0.0	TRP	6.25	-	13,102	00 6.2
JUBILE	7.45	0.10	481	00 7.4	DPAINT	0.65	-	13,959	00 0.6	TURTLE	-	-	-	00 0.0
LTS	6.05	0.05	4,232	00 6.1	FLOYD	0.91	-	4,155	00 0.9	TVDH	0.14	-	18,190	00 0.1
MGI	10.60	0.10	7,587	00 10.7	HYDRO	1.25	0.13	520	00 1.2	TVDH-W3	-	-	-	00 0.0
MGI-W1	2.44	-	16,733	00 2.5	HYDRO-W2	0.10	-	1	00 0.1	TVT	0.29	(0.01)	4,324	00 0.2
MOONG	1.92	0.03	191	00 1.9	IND	0.85	0.01	257	00 0.8	UBA	0.97	0.01	14,401	00 0.9
NPK	10.10	0.15	2	00 10.0	JAK	1.14	0.23	255	00 1.0	VL	0.86	(0.02)	4,436	00 0.8
SEI	3.22	0.04	1,343	00 3.2	K	1.33	(0.03)	571	00 1.2	VS	0.29	(0.04)	303	00 0.2
SMD100	3.82	-	336	00 3.8	K-W3	0.20	0.01	223	00 0.1	YGG	0.43	0.01	13,992	00 0.4
TM	0.73	0.03	6,553	00 0.7	META	0.08	-	1,988	00 0.0	Technology				
TM-W1	-	-	-	00 0.0	PANEL	1.18	0.01	327	00 1.1	APP	1.76	0.01	448	00 1.7
WARRIX	2.98	(0.02)	7,969	00 3.0	PPS	0.18	0.02	25,323	00 0.1	BBIK	28.25	-	1,858	00 28.3
WINMED	1.16	0.01	88	00 1.1	PRI	5.50	0.05	409	00 5.4	BE8	10.50	-	5,739	00 10.5
Financials			-		PROS	0.90	-	37,737	00 0.9	BE8-W1	0.66	0.01	30	00 0.6
ACAP	-	-	-	00 0.0	PROS-W1	0.07	-	9,235	00 0.0	BVG	1.81	(0.03)	1,203	00 1.8
AF	0.33	-	244	00 0.3	PSG	0.53	0.07	1,165,047	00 0.4	COMAN	0.61	(0.01)	522	00 0.6
AIRA	1.30	0.05	10	00 1.2	QTCG	0.16	0.01	4,221	00 0.1	I2	0.93	(0.01)	2,258	00 0.9
ASN	1.03	0.07	3	00 1.0	SENX	0.23	-	2,282	00 0.2	IIG	2.62	0.08	143	00 2.5
BTC	0.37	0.03	384,800	00 0.3	SK	0.61	0.01	2,080	00 0.6	IRCP	0.39	0.02	27,287	00 0.3
BTC-W7	0.13	0.02	13,877	00 0.1	SMART	0.67	0.01	13,910	00 0.6	ITNS	1.41	0.03	152	00 1.3
GCAP	0.30	0.07	128,320	00 0.2	STC	0.48	0.01	839	00 0.4	NAT	3.80	(0.06)	434	00 3.8
KCC	1.72	0.04	187	00 1.6	STX	1.21	-	461	00 1.2	NETBAY	19.80	(0.40)	17,095	00 20.1
LIT	0.49	0.05	11,330	00 0.4	SVR	0.60	-	424	00 0.6	PIS	4.78	(0.04)	4,459	00 4.8
MITTSIB	0.54	0.01	1,289	00 0.5	TAPAC	-	-	-	00 0.0	PLANET	1.60	(0.05)	9,393	00 1.6
SGF	0.16	(0.01)	25,445	00 0.1	THANA	1.04	0.04	4,968	00 1.0	PLANET-W2	0.73	(0.02)	394	00 0.7
SGF-P1	-	-	-	00 0.0	TIGER	0.47	0.02	50	00 0.4	PROEN	1.28	-	84,458	00 1.2
SGF-Q1	-	-	-	00 0.0	TITLE	3.94	(0.04)	1,665	00 3.9	PROEN-W2	0.39	(0.01)	13,823	00 0.3
TQR	4.60	(0.18)	721	00 4.7	WELL	-	-	-	00 0.0	READY	4.82	-	257	00 4.9
Industrials			-		YONG	0.91	-	5,540	00 0.9	SECURE	11.50	-	257	00 11.5
ADB	0.56	(0.03)	5,247	00 0.5	Resources					SICT	3.08	0.02	153	00 3.0
BM	2.54	(0.02)	601	00 2.5	ABM	0.70	(0.01)	14	00 0.7	SIMAT	1.00	-	2,445	00 1.0
BM-W3	0.69	0.03	312	00 0.6	GTV	0.10	0.03	531,778	00 0.0	SIMAT-W3	-	-	-	00 0.0
BPS	0.54	0.03	21,813	00 0.5	PSTC	0.41	(0.01)	8,161	00 0.4	SPVI	1.33	-	1,012	00 1.3
CHO	0.03	-	15,099	00 0.0	PSTC-W2	0.01	-	1,530	00 0.0	SRS	3.54	0.02	204	00 3.5
CHO-W4	-	-	-	00 0.0	PSTC-W3	0.10	-	3,407	00 0.0	TBN	5.95	(0.20)	378	00 6.0
CHOW	1.26	0.03	45	00 1.2	PTC	0.89	-	4	00 0.8	TERA	1.19	(0.02)	1,450	00 1.2
CIG	0.04	0.01	991	00 0.0	SAAM	6.00	-	391	00 5.9	TPS	3.96	0.04	1,916	00 3.9
CIG-W10	-	-	-	00 0.0	SR	0.49	0.02	72	00 0.4	VCOM	2.48	0.02	2,905	00 2.4
CIG-W9	0.02	-	5	00 0.0	STOWER	0.04	-	3,474	00 0.0	-	-	-	-	-
COLOR	1.07	(0.01)	410	00 1.0	TAKUNI	0.37	-	25,868	00 0.3	-	-	-	-	-
CPR	2.86	0.02	584	00 2.8	TPCH	2.78	(0.04)	4,630	00 2.7	-	-	-	-	-
FPI	1.51	-	301	00 1.5	UMS	0.32	-	16	00 0.3	-	-	-	-	-
GTB	0.73	-	1,584	00 0.7	Services					-	-	-	-	-
HARN	2.14	-	3,515	82 2.1	ADD	3.50	0.12	443	00 3.4	-	-	-	-	-
KCM	0.19	-	887	00 0.1	AKP	0.68	0.01	9,706	00 0.6	-	-	-	-	-
KJL	6.75	0.05	671	00 6.7	AMA	4.02	-	570	00 4.0	-	-	-	-	-
KUMWEL	1.06	(0.01)	277	00 1.0	AMARC	1.35	-	2,862	00 1.3	-	-	-	-	-
KWM	1.05	0.01	7,504	00 1.0	ARIP	0.39	(0.01)	911	00 0.3	-	-	-	-	-
MBAX	1.32	-	253	00 1.3	ATP30	0.83	(0.01)	2,820	00 0.8	-	-	-	-	-
MGT	1.75	(0.01)	324	00 1.7	AUCT	7.10	0.10	7,211	00 7.1	-	-	-	-	-
MTW	1.22	0.01	28,781	00 1.2	BIS	2.76	(0.04)	1,080	00 2.7	-	-	-	-	-
MTW-W1	-	-	-	00 0.0	BOL	5.10	0.10	1,146	00 5.0	-	-	-	-	-
NDR	1.09	(0.02)	1,130	00 1.0	CEYE	2.12	0.14	455	00 2.0	-	-	-	-	-
PACO	1.41	(0.02)	197	00 1.4	CHIC	0.30	(0.01)	2,410	00 0.3	-	-	-	-	-
PACO-W1	0.03	0.01	99	00 0.0	CMO	0.60	(0.03)	54	00 0.6	-	-	-	-	-
PDG	2.62	(0.02)	1,115	00 2.5	D	2.36	-	1,924	00 2.3	-	-	-	-	-
PHOL	2.82	0.02	597	00 2.8	DEXON	1.30	(0.05)	61	00 1.3	-	-	-	-</	