

## Main Board Quotation

Issue Date :

Thursday April 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SAFARI	-	-	-	-	EPG	2.72	0.06	26,246	2.70	COM701C2508A	0.32	0.01	57,377	0.34
Agribusiness	-	-	-	-	GEL	0.04	-	23,384	0.04	COM713C2505A	-	-	-	-
EE	0.27	(0.02)	97,611	0.27	GEL-W5	-	-	-	-	COM713C2506A	-	-	-	-
GFPT	9.75	-	34,046	9.79	PPP	1.05	0.02	1,162	1.03	COM713C2507A	0.14	(0.02)	1,090	0.14
LEE	2.20	(0.04)	1,015	2.21	Q-CON	7.65	(0.05)	568	7.75	COM713C2508A	0.35	(0.01)	69,494	0.38
NER	4.16	(0.24)	86,951	4.14	SCC	152.00	2.00	21,187	149.38	COM719C2505A	-	-	-	-
NER-W2	0.18	-	33,606	0.18	SCC01C2505A	0.01	-	1	0.01	COM719C2507A	0.13	-	22,750	0.14
PCE	2.94	0.02	37,651	2.93	SCC01C2505B	-	-	-	-	COM719C2508A	0.31	-	91,724	0.33
PPPM	0.39	-	422	0.38	SCC01C2507A	-	-	-	-	COM719P2508A	0.36	-	44,830	0.35
PPPM-W6	0.20	0.02	215	0.18	SCC01C2508A	0.33	(0.05)	4	0.36	COM741C2505A	-	-	-	-
STA	13.50	-	33,654	13.50	SCC01C2508B	0.46	0.01	44,770	0.43	COM741C2606T	0.18	(0.01)	18,200	0.19
STA01C2506A	-	-	-	-	SCC01C2606T	0.42	0.01	21,386	0.42	COM741C2609T	0.33	0.01	117,200	0.34
STA13C2505A	-	-	-	-	SCC01P2507A	0.26	(0.04)	35,445	0.29	CPALL	49.75	(0.50)	314,464	49.76
STA13C2506A	0.05	(0.03)	100	0.05	SCC13C2505A	-	-	-	-	CPALL01C2505A	-	-	-	-
STA13C2508A	0.28	-	25,029	0.28	SCC13C2505B	-	-	-	-	CPALL01C2507A	0.19	(0.02)	47,483	0.19
STA19C2505A	-	-	-	-	SCC13C2507A	0.25	0.02	252,998	0.22	CPALL01C2606T	0.28	(0.01)	123	0.28
STA19C2506A	0.05	-	10,001	0.04	SCC13P2505A	0.02	(0.01)	181	0.02	CPALL01P2505A	-	-	-	-
STA41C2505A	-	-	-	-	SCC13P2508A	0.50	(0.04)	64,909	0.55	CPALL01P2507A	0.31	0.01	21,155	0.31
STA41C2612T	0.31	-	31,050	0.31	SCC19C2505A	-	-	-	-	CPALL06C2504A	0.01	(0.01)	36	0.01
TEGH	2.92	-	969	2.92	SCC19C2505B	-	-	-	-	CPALL13C2505A	-	-	-	-
TFM	4.50	(0.03)	1,860	4.46	SCC19C2506A	0.03	-	75	0.03	CPALL13C2505B	-	-	-	-
TRUBB	0.60	(0.01)	3,459	0.60	SCC19C2507A	0.33	(0.04)	39,815	0.29	CPALL13C2506A	0.02	(0.01)	1,571	0.02
UPOIC	6.50	0.15	1	6.50	SCC19C2509A	0.58	0.02	76,263	0.55	CPALL13C2506B	0.08	-	731	0.08
UVAN	9.20	0.05	642	9.16	SCC19P2505A	-	-	-	-	CPALL13C2508A	0.22	(0.02)	70,886	0.22
VPO	0.45	-	3,279	0.45	SCC19P2508A	0.69	-	30,842	0.71	CPALL13P2505A	0.01	(0.07)	1	0.01
Banking	-	-	-	-	SCC19P2509A	0.57	(0.02)	52,304	0.60	CPALL13P2506A	0.07	-	1,003	0.07
BAY	22.10	-	1,193	22.04	SCC41C2505A	-	-	-	-	CPALL19C2505A	-	-	-	-
BBL	136.00	-	154,890	135.99	SCC41C2608T	0.43	0.02	93,000	0.41	CPALL19C2505B	0.04	0.03	1	0.04
BBL11C2507A	0.10	-	11,252	0.10	SCC41P2508A	-	-	-	-	CPALL19C2506A	-	-	-	-
BBL13C2507A	0.04	-	601	0.04	SCCC	148.50	(0.50)	176	149.00	CPALL19C2506B	-	-	-	-
BBL13C2508A	0.14	(0.02)	81,245	0.15	SCGD	4.02	-	2,317	4.02	CPALL19C2508A	0.18	(0.02)	1,426	0.19
BBL19C2506A	-	-	-	-	SCP	6.25	0.10	76	6.20	CPALL19P2505A	-	-	-	-
BBL19C2508A	0.13	(0.01)	100	0.13	SKN	5.55	-	19	5.55	CPALL19P2505B	-	-	-	-
BBL41C2506A	-	-	-	-	STECH	0.93	0.02	98	0.92	CPALL41C2505A	-	-	-	-
BBL41C2609T	0.30	(0.01)	25,406	0.30	TASCO	14.70	0.20	12,783	14.51	CPALL41C2506A	-	-	-	-
CI MBT	0.63	0.01	18,765	0.62	TASCO19C2507A	0.08	0.01	2,503	0.06	CPALL41C2605T	0.14	(0.01)	11	0.14
CREDIT	18.90	(0.10)	116	18.78	TOA	10.20	-	45,522	10.14	CPALL41P2504A	-	-	-	-
KBANK	154.00	2.50	216,528	153.32	TPIPL	0.93	(0.01)	9,929	0.93	CPALL41P2508A	-	-	-	-
KBANK01C2506A	0.15	0.03	88,136	0.14	UMI	0.68	0.01	522	0.66	CPAXT	24.40	(0.60)	84,582	24.57
KBANK01C2508A	0.61	(0.06)	24	0.61	VNG	2.16	-	1,921	2.15	CPW	1.89	0.02	184	1.86
KBANK01P2507A	0.27	(0.05)	11,340	0.29	WIJK	0.90	-	167	0.90	CRC	23.50	(0.10)	83,255	23.34
KBANK13C2505A	-	-	-	-	WIJK-W3	0.03	-	1,573	0.02	CRC01C2506A	-	-	-	-
KBANK13C2507A	0.28	0.03	11,562	0.27	WINDOW	0.71	-	56,571	0.72	CRC13C2506A	-	-	-	-
KBANK13C2508A	0.64	0.05	275,528	0.63	Petrochemicals &	-	-	-	-	CRC13C2508A	0.05	-	10	0.05
KBANK13P2507A	0.16	(0.01)	21,473	0.15	BCT	48.00	-	29	47.53	CRC19C2506A	-	-	-	-
KBANK19C2505A	-	-	-	-	CMAN	2.18	-	1,014	2.17	CRC19C2508A	0.07	-	2,501	0.06
KBANK19C2507A	-	-	-	-	GC	4.68	-	311	4.68	CRC41C2608T	-	-	-	-
KBANK19C2507B	-	-	-	-	GGC	4.44	0.16	64	4.31	CSS	0.84	0.01	1,150	0.83
KBANK41C2505A	-	-	-	-	IVL	18.70	(0.20)	130,467	18.79	DOHOME	5.20	0.10	41,329	5.10
KBANK41C2604T	0.75	0.04	115,320	0.74	IVL01C2506A	-	-	-	-	DOHOME01C2507A	0.04	(0.01)	1,000	0.04
KBANK41C2609T	0.41	0.02	35,400	0.40	IVL01C2507A	0.13	(0.02)	71,027	0.14	DOHOME01C2508A	0.16	0.02	34,005	0.14
KBANK41P2606T	0.36	(0.02)	52	0.37	IVL01C2509A	0.28	(0.02)	17,778	0.29	DOHOME13C2505A	-	-	-	-
KKP	48.00	0.50	74,652	47.76	IVL01P2506A	0.70	0.01	2	0.70	DOHOME13C2506A	0.02	-	100	0.02
KKP-W6	0.84	-	122	0.84	IVL13C2505A	-	-	-	-	DOHOME13C2508A	0.15	0.01	634	0.15
KKP13C2508A	0.25	0.01	72,933	0.25	IVL13C2507A	0.06	(0.01)	8,376	0.07	DOHOME19C2506A	-	-	-	-
KKP19C2507A	0.06	-	5,600	0.06	IVL13C2508A	0.17	(0.02)	245,767	0.18	DOHOME19C2506B	0.01	-	100	0.01
KTB	21.00	0.20	626,224	20.87	IVL13P2508A	0.52	0.02	75,003	0.51	DOHOME19C2508A	0.17	0.02	11,128	0.15
KTB-P	-	-	-	-	IVL19C2505A	-	-	-	-	DOHOME41C2609T	0.24	0.01	24,000	0.24
KTB-Q	-	-	-	-	IVL19C2506A	-	-	-	-	FN	0.50	0.01	1,909	0.49
KTB01C2506A	0.11	-	43,543	0.11	IVL19C2507A	0.08	(0.02)	18,354	0.09	GLOBAL	7.00	0.10	87,487	6.90
KTB13C2505A	0.02	-	1,666	0.02	IVL19C2508A	0.19	(0.02)	54,388	0.19	GLOBAL01C2507A	-	-	-	-
KTB13C2507A	0.07	-	448	0.07	IVL19P2508A	0.54	-	2,312	0.54	GLOBAL13C2506A	-	-	-	-
KTB13C2508A	0.33	0.01	60,617	0.32	IVL41C2505A	-	-	-	-	GLOBAL13C2507A	0.07	-	2,004	0.07
KTB13P2507A	0.21	(0.02)	11,825	0.23	IVL41C2605T	0.13	(0.01)	14,070	0.14	GLOBAL13C2508A	0.27	0.02	17,608	0.25
KTB19C2505A	-	-	-	-	IVL41P2605T	0.57	0.02	16,000	0.57	GLOBAL19C2507A	0.10	0.01	5,032	0.10
KTB19C2506A	-	-	-	-	NFC	1.54	0.04	237	1.51	GLOBAL19C2509A	0.37	0.02	27,399	0.35
KTB19C2508A	0.35	0.03	53,466	0.34	PATO	7.00	-	52	7.00	GLOBAL41C2606T	0.11	-	2,000	0.11
KTB41C2506A	-	-	-	-	PMTA	8.00	0.15	2	8.00	HMPRO	8.45	-	216,123	8.42
KTB41C2609T	0.44	(0.56)	22,006	0.43	PTTGC	17.60	(0.40)	298,985	17.63	HMPRO01C2507A	-	-	-	-
LHFG	0.78	-	33,642	0.78	PTTGC01C2505A	-	-	-	-	HMPRO01C2508A	0.30	(0.01)	28,876	0.29
SCB	116.50	3.00	209,677	116.06	PTTGC01C2506A	-	-	-	-	HMPRO13C2506A	0.05	0.01	101	0.04
SCB01C2505A	-	-	-	-	PTTGC01C2507A	0.13	(0.03)	22,785	0.13	HMPRO13C2508A	0.36	-	55,646	0.35
SCB01C2507A	0.21	0.04	43,249	0.19	PTTGC01C2508A	0.35	(0.03)	27,030	0.35	HMPRO19C2506A	0.06	-	11	0.05
SCB01P2507A	0.30	(0.07)	22,568	0.33	PTTGC01P2506A	0.39	(0.04)	500	0.39	HMPRO19C2508A	-	-	-	-
SCB13C2505A	-	-	-	-	PTTGC13C2505A	0.01	(0.02)	220	0.01	HMPRO41C2606T	0.17	0.01	2	0.17
SCB13C2508A	0.21	0.04	151,733	0.21	PTTGC13C2506A	-	-	-	-	ICC	33.75	1.00	3	33.75
SCB13P2507A	0.12	(0.04)	21,606	0.14	PTTGC13C2507A	0.10	(0.04)	2	0.11	ILM	14.30	(0.10)	726	14.32
SCB19C2507A	-	-	-	-	PTTGC13C2507E	0.28	(0.04)	152,027	0.29	IT	3.50	0.02	29	3.45
SCB19C2509A	0.30	0.06	153	0.28	PTTGC13P2506A	0.23	0.03	21,857	0.23	KAMART	9.25	-	23,666	9.28
SCB41C2505A	-	-	-	-	PTTGC19C2505A	-	-	-	-	LOXLEY	1.07	0.04	66	1.08
SCB41C2609T	0.34	0.04	46,087	0.32	PTTGC19C2506A	-	-	-	-	MC	9.85	-	8,099	9.85
SCB41P2509A	0.24	(0.76)	8,151	0.25	PTTGC19C2508A	0.22	(0.03)	139,770	0.23	MEGA	27.50	(0.25)	10,690	27.47
TCAP	47.25	0.25	13,762	47.28	PTTGC41C2505A	-	-	-	-	MIDA	0.26	-	998	0.27
TCAP-P	-	-	-	-	PTTGC41C2506A	-	-	-	-	MOSHI	43.50	(1.50)	7,711	43.37
TCAP-Q	-	-	-	-	PTTGC41C2608T	0.35	(0.03)	22,400	0.35	RS	0.57	0.03	104,775	0.56
TCAP13C2508A	0.20	-	15,149	0.20	PTTGC41P2506A	0.30	0.02	800	0.30	RS-W5	0.17	-	8,350	0.18
TISCO	100.00	0.50	85,676	99.79	SUTHA	2.46	-	2	2.46	RSP	1.82	0.06	15,893	1.82
TISCO-P	-	-	-	-	TPA	-	-	-	-	SABUY	0.39	(0.02)	128,354	0.39
TISCO-Q	-	-	-	-	UAC	2.54	(0.02)	374	2.52	SCM	0.48	-	52,707	0

## Main Board Quotation

Issue Date :

Thursday April 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ADVANC13C2507A	0.17	(0.03)	32,298	0.18	DELTA06C2504A	-	-	-	-	BCP01P2505A	-	-	-	-
ADVANC13P2507A	0.26	0.01	4,884	0.26	DELTA11C2507A	0.38	(0.03)	82,081	0.45	BCP13C2505A	-	-	-	-
ADVANC19C2505A	-	-	-	-	DELTA13C2505A	-	-	-	-	BCP13C2507A	0.09	(0.01)	18,362	0.09
ADVANC19C2506A	-	-	-	-	DELTA13C2506A	0.01	-	11,016	0.01	BCP13C2508A	0.09	(0.01)	11,282	0.09
ADVANC19C2507A	-	-	-	-	DELTA13C2506E	0.01	-	1	0.01	BCP13P2505A	-	-	-	-
ADVANC19P2508A	0.25	0.01	18,915	0.25	DELTA13C2507A	0.17	(0.01)	411,169	0.20	BCP19C2506A	0.08	(0.02)	4,935	0.09
ADVANC41C2505A	-	-	-	-	DELTA13C2507E	0.08	-	124,240	0.10	BCP19C2507A	0.07	(0.01)	572	0.07
ADVANC41C2606T	0.29	(0.01)	34,701	0.29	DELTA13C2507C	0.41	(0.04)	491,772	0.49	BCP41C2505A	-	-	-	-
ADVANC41P2508A	0.18	(0.01)	2,000	0.18	DELTA13C2508A	0.82	(0.05)	399,152	0.94	BCP41C2609T	0.25	(0.03)	28,600	0.26
AIT	4.14	-	8,907	4.12	DELTA13P2505A	1.65	(1.35)	960	1.44	BCPG	6.85	(0.20)	92,593	6.91
ALT	0.77	0.02	1,174	0.76	DELTA13P2505E	-	-	-	-	BCPG01C2506A	0.16	(0.06)	74,207	0.17
AMR	0.64	0.02	10,133	0.63	DELTA13P2506A	0.71	-	516	0.60	BCPG01C2508A	-	-	-	-
BLISS	-	-	-	-	DELTA13P2507A	0.46	0.01	171,009	0.41	BCPG01P2506A	-	-	-	-
DIF	8.05	(0.05)	108,633	8.08	DELTA13P2507E	0.16	-	242,434	0.15	BCPG13C2507A	0.13	(0.03)	91,861	0.14
DITTO	12.40	0.50	53,334	12.44	DELTA19C2506A	0.02	0.01	115	0.01	BCPG13C2507B	-	-	-	-
DITTO-W1	-	-	-	-	DELTA19C2506E	-	-	-	-	BCPG19C2505A	-	-	-	-
DTCENT	0.92	(0.01)	6,152	0.92	DELTA19C2506C	-	-	-	-	BCPG19C2508A	0.17	(0.05)	86,543	0.18
FORTH	9.60	0.25	5,120	9.51	DELTA19C2507A	0.06	(0.01)	13,233	0.08	BCPG41C2606T	0.32	(0.02)	48,000	0.33
GABLE	3.54	0.02	8,015	3.50	DELTA19C2507E	0.15	(0.01)	91,380	0.18	BGRIM	11.10	0.10	113,470	11.04
HUMAN	7.75	0.25	7,322	7.55	DELTA19C2507C	0.51	(0.04)	257,902	0.60	BGRIM01C2505A	-	-	-	-
ICN	1.76	0.01	3,307	1.76	DELTA19C2508A	0.90	(0.05)	196,876	1.00	BGRIM01C2506A	-	-	-	-
ILINK	5.65	0.05	2,930	5.60	DELTA19P2505A	-	-	-	-	BGRIM01C2507A	-	-	-	-
INET	4.76	0.34	81,472	4.63	DELTA19P2506A	-	-	-	-	BGRIM01C2508A	0.14	0.01	100,595	0.14
INSET	1.86	0.01	20,992	1.86	DELTA19P2507A	0.39	0.01	52,691	0.34	BGRIM01C2509A	0.22	0.01	78,392	0.21
ITEL	1.35	(0.02)	8,277	1.34	DELTA19P2509A	0.56	-	141,065	0.52	BGRIM01C2606T	0.16	0.01	19,281	0.16
JAS	1.64	0.12	1,660,042	1.61	DELTA19P2509E	0.62	(0.08)	147,665	0.86	BGRIM01P2505A	-	-	-	-
JAS-W4	0.42	0.08	727,477	0.40	DELTA41C2505A	-	-	-	-	BGRIM01P2507A	-	-	-	-
JAS13C2505A	0.02	-	50	0.02	DELTA41C2506A	0.01	(0.01)	300	0.02	BGRIM11C2507A	0.24	0.01	7,344	0.23
JAS13C2507A	0.23	0.06	5,589	0.23	DELTA41C2507A	0.11	0.01	39,011	0.13	BGRIM13C2505A	-	-	-	-
JAS13C2509A	0.47	0.10	105,345	0.43	DELTA41C2508A	0.32	(0.01)	78,543	0.36	BGRIM13C2505B	-	-	-	-
JAS19C2505A	0.01	(0.01)	518	0.01	DELTA41C2608T	0.32	0.01	92,912	0.33	BGRIM13C2506A	-	-	-	-
JAS19C2507A	0.17	0.05	49,386	0.16	DELTA41C2612T	0.08	-	475	0.08	BGRIM13C2507A	-	-	-	-
JAS19C2509A	0.65	0.11	44,347	0.60	DELTA41P2505A	1.28	(0.09)	2,602	1.28	BGRIM13C2507B	0.08	-	28,938	0.08
JAS41C2605T	0.14	0.03	39,844	0.14	DELTA41P2507A	0.18	(0.01)	47,385	0.17	BGRIM13C2508A	0.21	0.01	636,073	0.20
JMART	8.35	0.05	63,780	8.34	HANA	18.90	0.60	218,630	18.90	BGRIM13P2505A	-	-	-	-
JMART-W5	0.17	-	839	0.16	HANA01C2505A	-	-	-	-	BGRIM13P2506A	-	-	-	-
JMART13C2506A	-	-	-	-	HANA01C2505B	-	-	-	-	BGRIM19C2505A	-	-	-	-
JMART13C2507A	-	-	-	-	HANA01P2505A	0.13	(0.15)	20	0.13	BGRIM19C2506A	-	-	-	-
JMART13C2508A	0.40	0.01	40,634	0.40	HANA06C2504A	-	-	-	-	BGRIM19C2507A	-	-	-	-
JMART19C2506A	-	-	-	-	HANA13C2505A	-	-	-	-	BGRIM19C2507B	0.09	-	2,137	0.10
JMART19C2508A	0.10	0.01	2,302	0.10	HANA13C2505B	-	-	-	-	BGRIM19C2508A	-	-	-	-
JMART19C2508B	0.25	-	15,854	0.25	HANA13C2506A	-	-	-	-	BGRIM19P2506A	0.53	(0.03)	651	0.55
JMART41C2606T	0.12	-	40,000	0.12	HANA13C2507A	0.10	0.01	121,800	0.10	BGRIM41C2505A	-	-	-	-
JMART41C2609T	0.37	-	98,500	0.37	HANA13C2508A	0.45	0.06	275,220	0.45	BGRIM41C2506A	-	-	-	-
JTS	41.25	3.25	3,897	39.74	HANA13P2505A	-	-	-	-	BGRIM41C2608T	0.20	-	107,000	0.20
MFEC	5.90	-	1,365	5.92	HANA13P2507A	0.18	(0.02)	14,357	0.18	BIOTEC	0.19	-	3,493	0.19
MSC	7.65	(0.05)	2	7.65	HANA19C2505A	-	-	-	-	BIOTEC-P	-	-	-	-
PT	12.00	0.20	4,458	11.86	HANA19C2505B	-	-	-	-	BIOTEC-Q	-	-	-	-
ROCTEC	0.68	0.09	522,091	0.67	HANA19C2507A	-	-	-	-	BIOTEC-W2	0.03	-	117	0.03
ROCTEC-W3	0.01	-	43,107	0.01	HANA19C2508A	0.42	0.05	157,226	0.43	BPP	6.90	(0.05)	12,492	6.90
ROCTEC-W5	0.04	0.02	454,081	0.03	HANA41C2505A	-	-	-	-	BRRGIF	3.84	-	2,485	3.84
SAMART	6.80	0.20	45,625	6.73	HANA41C2606T	0.16	0.01	47,501	0.16	BSRC	5.10	(0.20)	7,223	5.20
SAMTEL	6.45	0.25	2,952	6.44	HANA41C2608T	0.56	0.04	230,001	0.55	BSRC13C2506A	0.05	(0.02)	27	0.06
SAMTEL-W2	1.15	0.01	3,116	1.14	KCE	17.00	0.10	146,811	17.08	CKP	2.74	(0.06)	20,544	2.77
SDC	0.03	-	12,775	0.03	KCE01C2505A	0.01	(0.08)	100	0.01	CV	-	-	-	-
SIS	21.90	0.10	1,353	21.86	KCE01C2507A	0.09	(0.01)	1,025	0.09	CV-W1	-	-	-	-
SKY	15.30	0.10	7,274	15.27	KCE13C2505A	-	-	-	-	EA	2.16	0.04	736,865	2.18
SPREME	1.47	0.01	1,915	1.45	KCE13C2505B	-	-	-	-	EA-W1	0.30	0.01	214,252	0.31
SVOA	1.06	(0.01)	1,153	1.05	KCE13C2506A	0.03	0.01	60	0.03	EA13C2505A	-	-	-	-
SYMC	4.56	0.04	2,477	4.52	KCE13C2507A	0.10	-	17,988	0.10	EA13C2505B	-	-	-	-
SYNEX	11.50	0.30	3,431	11.42	KCE13C2508A	0.18	-	250,924	0.19	EA13C2506A	-	-	-	-
THCOM	9.00	0.50	185,627	8.79	KCE13C2508B	0.30	0.01	759,006	0.30	EA13C2506B	-	-	-	-
TKC	7.30	(0.40)	1,602	7.43	KCE13P2505A	-	-	-	-	EA13C2507A	-	-	-	-
TRUE	11.80	(0.20)	369,047	11.84	KCE13P2508A	0.31	-	117,494	0.31	EA13C2508A	0.12	-	59,497	0.13
TRUE01C2505A	-	-	-	-	KCE19C2505A	0.01	-	1,000	0.01	EA13C2508B	0.23	0.01	74,206	0.24
TRUE01C2507A	0.06	(0.01)	18	0.06	KCE19C2506A	-	-	-	-	EA19C2505A	0.01	-	2	0.01
TRUE01C2508A	0.22	(0.02)	300	0.23	KCE19C2507A	0.08	-	670	0.08	EA19C2506A	-	-	-	-
TRUE01P2505A	-	-	-	-	KCE19C2508A	0.19	(0.01)	230,976	0.21	EA19C2506B	-	-	-	-
TRUE01P2507A	0.22	(0.03)	1,693	0.21	KCE19P2505A	-	-	-	-	EA19C2508A	0.16	0.01	16,897	0.16
TRUE13C2505A	-	-	-	-	KCE41C2505A	-	-	-	-	EA19C2508B	0.24	0.02	41,152	0.25
TRUE13C2507A	0.14	(0.02)	4,441	0.15	KCE41C2606T	0.11	-	48,000	0.11	EA19P2505A	-	-	-	-
TRUE13P2506A	0.04	-	1,002	0.05	KCE41C2609T	0.39	(0.61)	74,006	0.40	EA41C2606T	0.09	0.01	5,002	0.09
TRUE19C2507A	0.08	(0.02)	20	0.08	METCO	170.50	(0.50)	14	170.21	EASTW	1.85	(0.06)	18,056	1.87
TRUE19C2507B	0.19	(0.02)	1,466	0.19	SMT	1.15	0.12	33,915	1.12	EGATIF	5.90	-	1,823	5.83
TRUE19P2506A	0.06	(0.02)	2,348	0.06	SVI	7.60	(0.15)	11,578	7.60	EGCO	102.50	2.00	10,380	101.47
TRUE19P2507A	0.23	0.01	5,598	0.22	TEAM	2.68	0.02	307	2.67	EP	1.42	0.01	96	1.42
TRUE41C2505A	-	-	-	-	Energy & Utilitie	-	-	-	-	EP-W4	-	-	-	-
TRUE41C2604T	-	-	-	-	ACC	0.35	0.01	123,682	0.35	ETC	1.66	0.01	1,904	1.67
TRUE41C2612T	0.31	(0.01)	5,200	0.32	ACC-W2	0.34	0.12	3,755	0.31	GPSC	30.75	0.25	91,337	30.59
TWZ	0.03	-	140,980	0.03	ACE	1.35	0.01	11,840	1.35	GPSC01C2505A	-	-	-	-
TWZ-W8	-	-	-	-	AE	0.09	-	152,882	0.09	GPSC01C2507A	0.25	0.03	422	0.22
TWZ-W9	0.01	-	6	0.01	AGE	0.79	-	7,094	0.80	GPSC01C2508A	0.42	0.02	3,224	0.38
Electronic Componer	-	-	-	-	AI	3.32	0.02	361	3.33	GPSC01P2506A	0.08	(0.01)	526	0.08
CCET	5.55	-	577,120	5.56	AIE	1.35	0.03	41,248	1.35	GPSC13C2505A	-	-	-	-
CCET13C2505A	-	-	-	-	BAFS	7.85	0.05	356	7.74	GPSC13C2505B	-	-	-	-
CCET13C2505B	-	-	-	-	BANPU	4.22	(0.02)	99,656	4.21	GPSC13C2506A	0.07	0.01	10,781	0.06
CCET13C2506A	-	-	-	-	BANPU01C2506A	-	-	-	-	GPSC13C2507A	0.26	0.01	82,352	0.26
CCET13C2507A	-	-	-	-	BANPU01C2507A	0.11	(0.01)	7,828	0.11	GPSC13P2505A	-	-	-	-
CCET13C2507B	0.15	-	16,776	0.15	BANPU01C2508A	0.32	(0.01)	4,569	0.32	GPSC13P2506A	0.04	-	10,233	0.04

## Main Board Quotation

Issue Date :

Thursday April 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
GULF41C2508A	0.30	(0.03)	28,732	0.30	TSE	0.36	(0.02)	7,930	0.37	MTC19C2506A	-	-	-	-
GUNKUL	1.61	0.01	91,794	1.61	TTW	8.80	-	5,017	8.78	MTC19C2508A	0.33	(0.02)	86,999	0.33
GUNKUL13C2505A	-	-	-	-	UBE	0.51	0.02	55,027	0.51	MTC19P2506A	0.07	(0.01)	7,000	0.07
GUNKUL19C2505A	-	-	-	-	WHAUP	3.40	-	20,170	3.39	MTC19P2509A	0.36	-	17,764	0.35
IRPC	0.83	(0.01)	110,027	0.83	WP	3.42	(0.04)	2,552	3.46	MTC41C2505A	-	-	-	-
IRPC19C2508A	0.11	-	29,139	0.11	Media & Publishi	-	-	-	-	MTC41C2606T	0.29	-	52,537	0.28
KBSPIF	7.30	-	113	7.29	AMARIN	2.20	0.08	105	2.14	NCAP	2.48	-	111,191	2.52
LANNA	14.90	-	2,557	14.94	AQUA	0.20	-	40,719	0.19	PL	1.07	0.02	401	1.06
MDX	2.82	-	1,455	2.81	AS	2.36	0.04	6,772	2.36	S11	2.84	(0.06)	325	2.87
NOVA	6.85	-	3	6.85	BEC	3.98	-	712	3.95	SAK	4.08	(0.02)	4,927	4.09
OR	12.90	(0.30)	164,652	12.97	FE	-	-	-	-	SAWAD	31.75	(0.75)	51,093	31.93
OR01C2505A	-	-	-	-	GPI	1.57	0.01	1,605	1.56	SAWAD-W2	0.19	(0.01)	3,245	0.19
OR01C2507A	0.19	(0.04)	24,469	0.20	GRAMMY	5.05	0.05	102	5.00	SAWAD01C2506A	-	-	-	-
OR01C2508A	-	-	-	-	JKN	-	-	-	-	SAWAD01C2508A	0.12	(0.01)	23,949	0.12
OR13C2506A	-	-	-	-	MAJOR	9.90	(0.40)	23,790	9.88	SAWAD01C2508B	0.33	(0.03)	260	0.33
OR13C2507A	0.18	(0.04)	62,402	0.19	MATCH	1.19	0.02	46	1.18	SAWAD01P2505A	-	-	-	-
OR13C2508A	-	-	-	-	MATI	-	-	-	-	SAWAD13C2505A	-	-	-	-
OR19C2505A	-	-	-	-	MCOT	5.00	0.20	147,568	5.00	SAWAD13C2506A	-	-	-	-
OR19C2506A	0.12	(0.04)	65,904	0.13	MONO	1.72	0.20	2,076,203	1.65	SAWAD13C2507A	-	-	-	-
OR19C2508A	-	-	-	-	NATION	0.03	0.01	37,603	0.03	SAWAD13C2508A	0.20	(0.02)	90,070	0.20
OR41C2505A	-	-	-	-	NATION-W4	-	-	-	-	SAWAD13C2508B	0.34	(0.03)	1,014	0.35
OR41C2605T	-	-	-	-	ONEE	2.46	-	5,405	2.46	SAWAD19C2505A	-	-	-	-
OR41C2608T	0.38	(0.03)	89,005	0.39	PLANB	5.20	-	126,778	5.17	SAWAD19C2506A	-	-	-	-
PRIME	0.04	(0.01)	64,641	0.04	PLANB13C2508A	0.10	-	6,636	0.10	SAWAD19C2507A	0.12	(0.02)	20,735	0.13
PTG	6.75	0.10	21,828	6.69	PLANB19C2508A	0.09	-	4,002	0.10	SAWAD19C2508A	0.26	(0.02)	69,419	0.27
PTT	30.25	(0.25)	135,868	30.40	PLANB41C2606T	0.14	(0.01)	28,970	0.14	SAWAD41C2505A	-	-	-	-
PTT01C2505A	-	-	-	-	PRAKIT	11.60	-	2	11.50	SAWAD41C2609T	0.31	(0.01)	33,159	0.32
PTT01C2508A	0.13	-	25	0.13	PTECH	0.86	(0.09)	1	0.86	SCAP	1.64	0.02	62,315	1.63
PTT13C2508A	-	-	-	-	SE-ED	1.95	0.02	403	1.95	SGC	0.85	(0.02)	100,928	0.87
PTT19C2505A	-	-	-	-	TKS	5.55	0.05	785	5.54	SGC-W1	0.09	0.01	3,095	0.09
PTT19C2509A	-	-	-	-	VGI	2.26	0.02	691,025	2.26	SGC-W2	0.27	(0.01)	4,006	0.28
PTT41C2606T	0.22	(0.01)	6	0.22	VGI-W3	0.03	-	92,803	0.03	SM	0.80	-	824	0.79
PTTEP	98.50	(4.00)	168,680	98.94	VGI-W4	0.83	(0.02)	67,830	0.84	TH	0.64	0.02	14,726	0.63
PTTEP01C2505A	-	-	-	-	VGI01C2505A	-	-	-	-	TH-W3	0.01	-	2	0.01
PTTEP01C2507A	0.07	(0.01)	3,825	0.06	VGI01C2507A	0.06	(0.01)	60	0.06	THANI	1.45	-	54,952	1.43
PTTEP01C2509A	0.38	(0.08)	71,627	0.41	VGI01C2509A	0.38	-	46,530	0.38	TIDLOR	14.20	(0.40)	51,820	14.25
PTTEP01P2506A	0.35	0.01	13	0.35	VGI13C2505A	-	-	-	-	TIDLOR01C2506A	-	-	-	-
PTTEP13C2505A	-	-	-	-	VGI13C2507A	0.03	(0.01)	350	0.03	TIDLOR13C2505A	-	-	-	-
PTTEP13C2507A	0.03	(0.01)	262	0.03	VGI13C2508A	0.09	-	10,884	0.09	TIDLOR19C2505A	-	-	-	-
PTTEP13C2507B	0.07	(0.02)	2,661	0.07	VGI13C2508B	0.26	-	70,162	0.27	TIDLOR19C2505B	-	-	-	-
PTTEP13C2508A	0.33	(0.06)	75,664	0.33	VGI19C2505A	-	-	-	-	TIDLOR41C2605T	0.26	(0.01)	500	0.26
PTTEP13P2506A	0.53	0.12	2,891	0.50	VGI19C2507A	0.03	-	239	0.03	TK	3.58	-	387	3.57
PTTEP19C2505A	-	-	-	-	VGI19C2508A	0.08	-	9,466	0.08	TNITY	2.68	(0.04)	598	2.68
PTTEP19C2507A	0.05	(0.01)	3,000	0.05	VGI19C2509A	0.41	0.01	122,903	0.41	TNL	30.50	(0.25)	2	30.50
PTTEP19C2508A	0.06	(0.01)	285	0.06	VG41C2505A	-	-	-	-	UOBKH	5.30	(0.05)	3	5.32
PTTEP19C2509A	0.41	(0.07)	45,162	0.42	VG41C2606T	0.13	(0.01)	16,000	0.13	XPG	0.82	(0.01)	37,892	0.83
PTTEP41C2505A	-	-	-	-	WORK	4.66	(0.04)	183	4.68	Food & Beverage	-	-	-	-
PTTEP41C2507A	-	-	-	-	ZAA	0.68	-	582	0.67	AAI	4.40	0.14	48,267	4.31
PTTEP41C2604T	0.05	(0.01)	40,164	0.05	Finance & Securi	-	-	-	-	APURE	3.34	0.02	412	3.31
PTTEP41C2609T	0.36	(0.04)	43,103	0.36	AEONTS	109.00	(2.00)	4,457	109.58	ASIAN	7.60	0.15	5,658	7.54
PTTEP41P2506A	0.39	0.08	17,128	0.39	AMANAHA	0.89	-	50,437	0.91	BR	1.60	-	1,752	1.58
RATCH	26.00	-	18,262	25.72	ASAP	1.39	0.04	36	1.39	BR-W1	-	-	-	-
RATCH19C2506A	-	-	-	-	ASK	7.10	-	1,384	7.06	BRR	4.70	(0.04)	1,994	4.70
RPC	0.28	0.02	20,217	0.27	ASP	1.91	(0.01)	14,181	1.90	BRR-W2	0.17	(0.01)	830	0.17
SCG	2.50	0.06	180	2.50	BAM	6.50	-	131,579	6.48	BTG	21.90	0.50	82,654	21.84
SCN	0.43	(0.01)	3,966	0.42	BAM01C2506A	0.12	0.01	44,018	0.11	CBG	63.50	2.50	44,921	62.52
SCN-W2	0.04	-	1,602	0.03	BAM13C2505A	-	-	-	-	CBG01C2506A	0.01	(0.02)	200	0.01
SEAOIL	2.44	0.02	50	2.43	BAM13C2506A	0.11	(0.01)	124,119	0.11	CBG01C2507A	0.11	0.02	21,555	0.11
SGP	6.90	-	1,142	6.85	BAM19C2505A	-	-	-	-	CBG01C2508A	0.36	0.07	48,447	0.33
SKE	0.21	-	1,107	0.20	BAM19C2506A	0.16	0.01	27,574	0.15	CBG01P2506A	0.69	(0.17)	6,547	0.78
SKE-W1	0.03	-	140	0.03	BAM41C2505A	-	-	-	-	CBG01P2507A	0.36	(0.10)	5,236	0.42
SOLAR	0.27	0.03	16,460	0.25	BAM41C2612T	0.34	-	24,400	0.34	CBG13C2505A	-	-	-	-
SPCG	7.55	(0.15)	1,681	7.54	BYD	0.33	0.01	42,064	0.32	CBG13C2506A	-	-	-	-
SPRC	5.10	(0.20)	111,811	5.15	CGH	0.44	(0.02)	6,738	0.45	CBG13C2507A	0.13	0.02	15,084	0.12
SPRC13C2506A	0.03	-	50	0.03	CGH-W5	-	-	-	-	CBG13C2508A	0.48	0.08	77,225	0.45
SPRC13C2508A	0.20	(0.03)	210,039	0.22	CHASE	0.72	(0.02)	24,424	0.73	CBG19C2506A	-	-	-	-
SPRC19C2505A	-	-	-	-	CHASE-W1	0.34	-	1,922	0.35	CBG19C2506B	-	-	-	-
SPRC41C2606T	0.17	(0.01)	48,400	0.18	CHAYO	2.08	(0.04)	12,913	2.10	CBG19C2508A	0.30	0.06	60,514	0.28
SSP	4.82	0.02	4,722	4.81	CHAYO-W3	0.08	-	5,889	0.08	CBG19P2507A	0.39	(0.08)	26,747	0.43
SSP-W2	-	-	-	-	EAST	0.86	0.03	10,676	0.85	CBG41C2505A	-	-	-	-
SUPER	0.13	-	185,016	0.13	FNS	1.01	(0.02)	440	1.02	CBG41C2608T	0.25	0.01	58,201	0.24
SUPEREIF	5.25	-	3,650	5.25	FSX	1.27	(0.02)	153	1.28	CFRESH	1.02	0.01	1,284	1.00
SUSCO	2.62	(0.02)	3,292	2.63	GBX	0.47	(0.01)	1,396	0.47	CH	2.00	-	404	2.00
TAE	0.62	(0.01)	16	0.63	HENG	1.02	-	1,425	1.02	CHAO	5.85	-	39,410	5.83
TCC	0.23	0.01	3,827	0.23	IFS	2.22	-	19	2.21	CHOTI	-	-	-	-
TCC-W5	0.14	-	1,905	0.14	JMT	13.50	0.10	103,007	13.52	CM	1.73	0.05	254	1.72
TGE	1.43	0.01	1,232	1.42	JMT13C2506A	0.02	-	3,010	0.02	COCOCO	6.75	0.40	104,859	6.63
TGE-W2	0.10	-	431	0.09	JMT13C2507A	0.12	-	46,592	0.12	COCOCO13C2505A	-	-	-	-
TOP	24.70	(0.10)	132,261	24.59	JMT19C2506A	-	-	-	-	COCOCO19C2506A	-	-	-	-
TOP01C2505A	0.01	-	44,279	0.01	JMT19C2507A	0.17	0.01	60,443	0.17	CPF	25.75	0.25	400,616	25.57
TOP01C2506A	-	-	-	-	JMT41C2505A	-	-	-	-	CPF01C2508A	0.74	0.12	1,760	0.72
TOP01C2507A	0.36	(0.05)	3,644	0.37	JMT41C2608T	0.26	-	24,730	0.26	CPF01C2509A	0.21	0.01	16,805	0.20
TOP01C2508A	0.14	(0.01)	24,226	0.14	KCAR	3.90	-	160	3.91	CPF13C2505A	-	-	-	-
TOP01P2506A	-	-	-	-	KGI	3.94	(0.02)	20,013	3.95	CPF13C2506A	-	-	-	-
TOP01P2508A	0.27	(0.04)	12,409	0.28	KTC	46.00	-	35,642	45.53	CPF13C2508A	0.17	0.01	14,379	0.17
TOP13C2505A	-	-	-	-	KTC01C2507A	0.11	(0.01)	69,766	0.11	CPF19C2505A	-	-	-	-
TOP13C2505B	-	-	-	-	KTC01C2508A	0.28	-	137,962	0.26	CPF19C2509A	0.22	0.01	37,400	0.21
TOP13C2505C	0.01	-	2,200	0.01	KTC13C2506A	-	-	-	-	CPF41C2505A	-	-	-	-
TOP13C2506A	0.25	(0.02)	39,090	0.24	KTC13C2509A	0.28	(0.72)	138,558	0.26	CPF41C2505B	-	-	-	-
TOP13C2507A	-	-	-	-	KTC19C2507A	-	-	-	-	CPF41C2612T	0.68	0.06	400	0.68
TOP13C2509A	0.21	(0.79)	25,022	0.21	K									

## Main Board Quotation

Issue Date :

Thursday April 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
ITC41C2505A	-	-	-	-	BH13C2508A	0.42	(0.05)	24,835	0.40	CHARAN	13.10	-	120	13.00
ITC41C2612T	0.24	(0.01)	60,600	0.24	BH19C2505A	-	-	-	-	INSURE	100.00	(2.00)	50	101.40
JDF	1.92	0.06	883	1.91	BH19C2506A	-	-	-	-	KWI	-	-	-	-
KBS	5.25	0.05	379	5.20	BH19C2506B	-	-	-	-	MTI	108.00	-	11	108.00
KCG	8.60	0.05	6,359	8.64	BH19C2508A	0.32	(0.04)	17,003	0.33	NKI	-	-	-	-
KSL	1.50	-	1,134	1.50	BH41C2505A	-	-	-	-	TGH	-	-	-	-
KTIS	2.38	(0.04)	234	2.37	BH41C2605T	0.07	(0.02)	40	0.07	THRE	0.39	-	5,368	0.39
LST	4.66	0.02	519	4.62	BH41C2609T	0.26	(0.02)	4,200	0.26	THREL	1.48	0.01	444	1.48
M	18.70	0.40	9,748	18.50	BH41P2508A	-	-	-	-	TIPH	18.90	0.30	7,927	18.79
MALEE	7.10	0.40	21,064	7.00	BKGI	1.86	(0.02)	1,818	1.86	TLI	12.10	-	91,539	12.03
NRF	0.32	0.02	20,113	0.30	CHG	1.74	0.04	373,217	1.71	TLI01C2507A	0.19	-	26,714	0.18
NSL	31.00	(0.50)	11,355	30.65	CHG19C2505A	-	-	-	-	TLI13C2505A	0.03	-	1,682	0.03
OKJ	9.15	0.05	40,269	9.25	CMR	1.23	(0.01)	806	1.22	TLI19C2506A	0.14	-	24,969	0.13
OSP	15.20	0.50	149,839	15.06	EKH	6.20	(0.05)	3,412	6.20	TLI41C2606T	0.30	-	46,000	0.29
OSP01C2507A	-	-	-	-	KDH	-	-	-	-	TQM	15.20	(0.10)	7,509	15.04
OSP01C2507B	0.12	0.03	18,506	0.11	LPH	3.64	-	261	3.62	TSI	0.04	-	5,351	0.04
OSP01C2508A	0.32	0.03	65,549	0.29	M-CHAI	18.60	0.10	62	18.68	TVH	8.15	-	27	8.15
OSP01P2507A	0.15	(0.05)	659	0.15	MASTER	20.60	(0.50)	22,352	20.71	Packaging	-	-	-	-
OSP13C2505A	-	-	-	-	MEDEZE	7.30	(0.20)	14,867	7.39	AJ	2.00	0.01	1,479	1.98
OSP13C2506A	-	-	-	-	NEW	-	-	-	-	ALUCON	179.50	(0.50)	27	180.00
OSP13C2506B	-	-	-	-	NKT	4.86	0.10	5,834	4.80	BGC	5.40	0.10	1,192	5.34
OSP13C2507A	0.12	0.02	13,695	0.11	NTV	26.50	-	110	26.43	CSC	-	-	-	-
OSP13C2508A	0.31	0.04	41,845	0.29	PHG	13.80	(0.30)	654	13.88	CSC-P	-	-	-	-
OSP19C2506A	-	-	-	-	PR9	23.80	0.20	25,051	23.66	CSC-Q	-	-	-	-
OSP19C2506B	0.02	(0.08)	100	0.02	PR901C2507A	0.22	-	8,576	0.22	NEP	0.23	0.01	1,127	0.22
OSP19C2506C	-	-	-	-	PR913C2505A	-	-	-	-	PJW	2.22	0.02	676	2.20
OSP41C2505A	-	-	-	-	PR913C2506A	-	-	-	-	PTL	10.60	0.20	3,582	10.49
OSP41C2606T	0.15	0.02	41,628	0.15	PR919C2506A	-	-	-	-	SCGP	13.10	(0.10)	82,792	13.09
PB	53.25	(0.25)	1	53.25	PR941C2609T	0.44	-	34,000	0.44	SCGP01C2506A	-	-	-	-
PLUS	3.28	(0.04)	93	3.29	PRINC	2.20	0.02	1,264	2.20	SCGP01C2507A	-	-	-	-
PM	10.50	(0.10)	9,889	10.49	RAM	18.20	(0.10)	548	18.06	SCGP01C2508A	0.14	-	23,118	0.13
PQS	2.54	0.04	1,405	2.50	RJH	13.20	(0.10)	3,046	13.18	SCGP01P2507A	-	-	-	-
PRG	7.95	(0.10)	5	7.95	RPH	5.50	-	2,819	5.45	SCGP13C2506A	-	-	-	-
PRG-W2	-	-	-	-	SAFE	8.75	0.05	54	8.70	SCGP13C2506B	-	-	-	-
PRG-W3	-	-	-	-	SKR	6.80	-	4,077	6.82	SCGP13C2507A	0.07	(0.01)	28,452	0.07
PRG-W4	-	-	-	-	THG	9.35	(0.40)	10,374	9.56	SCGP13C2508A	0.21	(0.01)	28,115	0.22
PRG-W5	2.72	0.02	2	2.72	VIBHA	1.54	-	14,403	1.53	SCGP13P2506A	-	-	-	-
RBF	4.18	-	33,889	4.16	VIBHA-W4	-	-	-	-	SCGP19C2505A	-	-	-	-
RBF13C2507A	-	-	-	-	VIH	7.10	-	349	7.06	SCGP19C2506A	-	-	-	-
RBF19C2505A	-	-	-	-	VIH-W1	-	-	-	-	SCGP19C2506B	-	-	-	-
RBF19C2508A	0.02	(0.01)	100	0.02	WPH	8.65	(0.15)	2,979	8.68	SCGP19C2507A	0.15	(0.01)	140,105	0.15
SAPPE	36.50	0.50	2,658	36.34	Tourism & Leisu	-	-	-	-	SCGP19P2505A	-	-	-	-
SAPPE13C2507A	-	-	-	-	ASIA	5.15	0.15	1	5.15	SCGP41C2505A	-	-	-	-
SAPPE19C2508A	0.35	0.02	4,136	0.35	BEYOND	6.65	0.25	1,128	6.45	SCGP41C2606T	0.13	-	24,800	0.13
SAUCE	39.00	-	60	38.92	CENTEL	26.00	(0.50)	11,226	26.00	SCGP41C2609T	0.29	(0.71)	21,000	0.29
SNNP	11.70	0.20	4,092	11.61	CENTEL01C250E	-	-	-	-	SFLEX	3.14	-	12,701	3.12
SNP	11.00	0.10	156	10.99	CENTEL13C250E	-	-	-	-	SFLEX-W2	0.04	-	3,623	0.04
SORKON	4.44	-	420	4.44	CENTEL13C250E	0.08	-	119	0.07	SITHAI	1.23	(0.02)	1,936	1.23
SSF	5.70	(0.10)	38	5.72	CENTEL19C250E	-	-	-	-	SLP	0.37	(0.01)	664	0.37
SST	1.81	-	76	1.82	CENTEL19C250E	0.12	(0.01)	12,265	0.12	SMPC	8.40	-	1,557	8.37
SUN	3.18	0.02	10,235	3.21	CENTEL41C260E	0.17	(0.01)	16,294	0.17	SPACK	1.42	0.04	20	1.39
TC	5.95	-	811	5.86	CSR	-	-	-	-	TCOAT	-	-	-	-
TFG	5.05	0.07	92,233	5.03	DUSIT	8.40	0.05	20	8.42	TFI	0.05	-	806	0.04
TFG-W4	1.02	0.07	56,372	1.00	ERW	2.32	(0.06)	172,943	2.32	TFI-W1	-	-	-	-
TFMAMA	197.00	(0.50)	57	197.10	ERW01C2507A	-	-	-	-	THIP	25.50	0.25	36	25.26
TIPCO	9.30	-	1,804	9.32	ERW13C2505A	-	-	-	-	TMD	24.10	0.10	2	24.10
TKN	7.75	0.15	3,132	7.64	ERW13C2507A	-	-	-	-	TOPP	-	-	-	-
TU	10.70	-	156,240	10.54	ERW13C2508A	0.08	(0.01)	760	0.08	TPAC	8.05	0.05	1,376	8.09
TU01C2505A	-	-	-	-	ERW19C2506A	-	-	-	-	TPBI	3.80	(0.04)	755	3.81
TU01C2506A	-	-	-	-	ERW19C2508A	0.09	(0.02)	18,179	0.09	TPP	-	-	-	-
TU01C2508A	0.07	(0.03)	1,480	0.07	ERW41C2606T	0.08	0.01	702	0.07	Personal Products	-	-	-	-
TU13C2505A	-	-	-	-	GRAND	0.03	-	1,195	0.03	APCO	3.30	0.10	344	3.29
TU13C2508A	0.13	-	11,079	0.12	LRH	-	-	-	-	BIZ	3.20	(0.02)	267	3.20
TU19C2505A	-	-	-	-	MANRIN	-	-	-	-	BLC	3.70	0.06	18,541	3.66
TU19C2506A	-	-	-	-	MINT	25.75	(0.50)	66,661	25.84	DDD	6.20	-	7	6.16
TU41C2506A	-	-	-	-	MINT01C2506A	-	-	-	-	IP	3.34	(0.04)	3,966	3.33
TU41C2609T	0.20	-	5,000	0.19	MINT01C2507A	-	-	-	-	IP-W2	0.03	-	6,407	0.03
TVO	22.40	-	7,875	22.40	MINT13C2505A	-	-	-	-	JCT	77.25	-	9	77.25
TWPC	2.22	-	10,549	2.22	MINT13C2506A	-	-	-	-	KISS	3.44	(0.06)	5,858	3.46
XBIO	0.11	0.01	19,764	0.10	MINT13C2506B	0.05	(0.01)	16,782	0.05	NAM	4.28	(0.02)	309	4.28
XBIO-W6	-	-	-	-	MINT19C2506A	0.17	(0.02)	129	0.16	NEO	32.00	-	4,174	32.01
XBIO-W7	0.01	-	120	0.01	MINT19C2508A	0.10	(0.01)	9,888	0.10	NV	0.68	(0.01)	716	0.68
ZEN	6.35	(0.15)	22	6.35	MINT41C2604T	-	-	-	-	OCC	-	-	-	-
Health Care Services	-	-	-	-	MINT41C2612T	0.21	(0.01)	20,100	0.21	S8J	31.50	1.50	6	31.21
AHC	14.90	-	69	14.86	OHTL	310.00	(17.00)	8	318.13	SNPS	4.94	-	1,531	4.97
BCH	14.40	(0.40)	32,457	14.38	ROH	1.80	0.01	2	1.80	STGT	6.85	-	17,869	6.85
BCH01C2508A	0.10	(0.01)	4,812	0.10	SHANG	45.00	(0.50)	143	45.00	STGT13C2506A	-	-	-	-
BCH13C2507A	0.05	(0.03)	10	0.05	SHR	1.78	(0.04)	12,299	1.79	STGT13C2508A	0.24	-	19,831	0.24
BCH13C2508A	0.20	(0.05)	1,350	0.20	SPA	3.92	(0.02)	22,882	3.91	STGT19C2509A	0.33	-	5,527	0.33
BCH19C2505A	-	-	-	-	VRANDA	4.52	0.10	40	4.52	STGT41C2606T	0.15	(0.01)	14	0.15
BCH19C2505B	-	-	-	-	Home & Office P	-	-	-	-	TMAN	10.90	(0.10)	1,246	10.83
BCH19C2508A	0.10	(0.02)	1,559	0.11	AJA	0.11	-	39,932	0.11	TNR	7.60	-	194	7.61
BCH41C2506A	-	-	-	-	DTCI	-	-	-	-	TOG	7.95	0.15	518	7.88
BCH41C2609T	0.32	(0.02)	16,000	0.33	FANCY	0.40	(0.02)	1,067	0.40	Professional Service	-	-	-	-
BDMS	23.00	(0.40)	405,687	22.86	FTI	1.87	(0.01)	45	1.88	BWG	0.30	0.02	682,971	0.28
BDMS01C2506A	-	-	-	-	KYE	293.00	(1.00)	4	294.25	BWG-W6	0.01	-	110	0.01
BDMS01C2508A	0.06	(0.01)	2,001	0.06	L&E	1.20	0.01	106	1.20	GENCO	0.27	(0.01)	4,371	0.27
BDMS01C2509A	0.37	(0.04)	27,913	0.37	MODERN	2.18	-	669	2.17	PRTR	3.70	-	3,192	3.68
BDMS13C2505A	0.01	-	1,203	0.01	OGC	-	-	-	-	SISB	18.10	0.10	25,137	18.01
BDMS13C2508A	0.24	(0.04)	17,699	0.23	ROCK	11.90	0.10	1	11.90	SISB13C2506A	-	-	-	-
BDMS19C2505A	-	-	-	-	SIAM	0.74	0.01	55	0.71	SISB13C2506B	-	-	-	-
BDMS19C2508A	0.28	(0.05)	32,902	0.28	TCMC	0.45	-	2,873	0.45	SISB13C2508A	0.34	0.02	21,280	0.32
BDMS41C2505A	-	-	-	-	TSR	0.17	(0.01)	3,121	0.17	SISB19C2507A	-	-	-	-
BDMS41C2609T	0.19	(0.01)	510	0.19	TSR-W2	-	-	-	-	SO	4.06	0.02	113	4.05
BH	166.00	(3.00)	51,077	164.24	Insurance	-	-	-	-	WAVE	0.04	0.01	50,710	0.04

## Main Board Quotation

Issue Date :

Thursday April 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
AMATA01C2507A	-	-	-	-	UV	0.96	(0.02)	12,066	0.95	BTS19C2508A	0.07	(0.02)	608	0.07
AMATA01C2508A	0.02	(0.05)	7,019	0.02	WHA	2.94	0.04	990,515	2.94	BTS19C2509A	0.20	(0.80)	39,263	0.20
AMATA01C2509A	0.55	(0.01)	24,645	0.56	WHA01C2506A	-	-	-	-	BTS19P2508A	0.28	0.01	30,502	0.29
AMATA13C2505A	-	-	-	-	WHA01C2507A	0.01	-	1	0.01	BTS41C2608T	0.13	(0.01)	40,120	0.13
AMATA13C2506A	-	-	-	-	WHA01C2508A	0.15	0.02	768	0.11	BTS5GIF	2.84	0.02	16,432	2.83
AMATA13C2506B	-	-	-	-	WHA01C2509A	0.46	0.02	22,657	0.46	DMT	9.95	-	2,259	9.95
AMATA13C2508A	0.03	-	27	0.03	WHA13C2505A	-	-	-	-	ETL	0.56	0.01	2,427	0.55
AMATA13C2508B	0.15	-	80,705	0.15	WHA13C2506A	-	-	-	-	III	4.86	(0.02)	1,621	4.89
AMATA13C2508C	0.41	(0.01)	62,208	0.41	WHA13C2506B	-	-	-	-	KEX	1.18	0.05	275,238	1.15
AMATA19C2505A	-	-	-	-	WHA13C2507A	-	-	-	-	KIAT	0.31	0.02	18,211	0.30
AMATA19C2508A	0.02	-	1,000	0.02	WHA13C2507B	0.05	-	40	0.05	KWC	-	-	-	-
AMATA19C2509A	0.49	-	38,264	0.49	WHA13C2508A	0.19	0.01	24,996	0.19	MENA	1.02	0.02	4,256	1.01
AMATA41C2505A	-	-	-	-	WHA13C2508B	0.41	0.01	23,309	0.41	NYT	3.38	(0.02)	28,988	3.39
AMATA41C2508A	0.25	(0.01)	36,000	0.25	WHA19C2506A	-	-	-	-	PORT	0.80	0.01	1,249	0.81
AMATA41C2608T	0.06	(0.01)	2,000	0.06	WHA19C2507A	0.05	0.02	2,303	0.03	PRM	6.05	0.05	69,279	5.98
AMATAV	3.10	0.02	434	3.07	WHA19C2509A	0.27	0.01	3,559	0.27	PSL	6.10	(0.05)	37,604	6.08
ANAN	0.50	-	14,176	0.51	WHA41C2605T	-	-	-	-	RCL	22.80	0.10	8,199	22.90
AP	8.00	(0.10)	79,948	7.99	WHA41C2608T	0.11	0.01	441	0.11	RCL01C2505A	-	-	-	-
AP01C2507A	0.14	(0.02)	18,643	0.15	WIN	0.34	-	1,401	0.34	RCL01C2507A	0.09	(0.01)	752	0.10
ASW	6.30	-	25	6.28	Paper & Printing	-	-	-	-	RCL13C2506A	-	-	-	-
AWC	2.18	(0.02)	464,635	2.17	UTP	7.65	-	1,346	7.66	RCL13C2507A	0.32	0.02	200	0.32
AWC01C2506A	-	-	-	-	Fashion	-	-	-	-	RCL19C2507A	0.10	(0.01)	7,185	0.11
AWC01C2508A	0.03	-	1,000	0.03	AFC	3.90	0.12	8	3.87	RCL41C2505A	-	-	-	-
AWC13C2506A	-	-	-	-	AURA	16.80	0.10	8,847	16.87	RCL41C2608T	0.38	-	2,000	0.38
AWC13C2508A	0.03	-	900	0.03	BTNC	12.00	(0.50)	3	12.03	SAV	16.40	0.10	3,627	16.32
AWC19C2506A	-	-	-	-	CPH	7.25	-	539	7.31	SINO	0.89	(0.01)	1,399	0.89
AWC41C2606T	-	-	-	-	CPL	0.81	0.01	454	0.80	SJWD	7.10	-	8,018	7.12
AWC41C2609T	0.25	(0.01)	20,000	0.25	NC	2.34	(0.10)	808	2.38	TFFIF	5.95	(0.05)	17,836	5.95
BLAND	0.42	0.01	113,007	0.41	PAF	0.69	(0.02)	1,639	0.72	THAI	-	-	-	-
BRI	1.98	(0.01)	1,121	1.97	PDJ	1.57	(0.01)	334	1.57	TSTE	12.70	(0.50)	180	13.19
BROCK	1.45	(0.02)	6	1.36	PG	7.50	-	1	7.50	TTA	4.12	-	42,059	4.10
CGD	0.20	0.01	1,944	0.19	SABINA	18.70	-	1,061	18.65	WICE	2.48	0.06	4,428	2.45
CI	0.31	-	426	0.31	SAWANG	9.15	(0.30)	1	9.15	Automotive	-	-	-	-
CMC	0.78	(0.03)	2,070	0.77	SUC	28.75	-	152	28.75	ACG	0.76	(0.01)	42	0.74
CPN	48.00	(0.75)	47,884	47.96	TR	-	-	-	-	AH	11.90	0.30	670	11.86
CPN01C2505A	-	-	-	-	TTI	-	-	-	-	CWT	0.85	0.03	48,806	0.83
CPN01C2506A	-	-	-	-	TTT	-	-	-	-	EASON	1.00	-	1,614	1.00
CPN01C2606T	0.23	(0.02)	30,911	0.23	UPF	26.50	0.25	7	26.50	GYT	178.00	3.00	5	177.90
CPN13C2505A	-	-	-	-	WACOAL	21.00	(0.50)	9	20.44	HFT	3.60	(0.02)	30,738	3.62
CPN13C2507A	0.08	(0.01)	14,832	0.08	WFX	0.84	0.03	125	0.83	IHL	1.55	0.02	251	1.53
CPN19C2505A	-	-	-	-	Transportation 8	-	-	-	-	INGRS	0.23	-	13,995	0.23
CPN19C2508A	0.14	(0.02)	47,166	0.14	AAV	1.42	0.01	539,476	1.42	IRC	11.40	-	10	11.40
CPN41C2505A	-	-	-	-	AAV13C2506A	-	-	-	-	MGC	3.06	(0.10)	74	3.07
CPN41C2608T	0.29	(0.01)	55,586	0.28	AAV13C2508A	0.14	-	75,627	0.14	NEX	0.58	0.01	30,618	0.57
ESTAR	0.19	-	21,224	0.19	AAV19C2505A	-	-	-	-	PCSGH	3.16	(0.06)	712	3.16
EVER	0.06	-	13,659	0.07	AAV19C2507A	0.01	(0.01)	55	0.02	POLY	6.50	(0.35)	62	6.52
FPT	6.65	(0.05)	61	6.61	AAV41C2505A	-	-	-	-	SAT	11.40	0.30	3,725	11.26
GLAND	0.84	0.01	6	0.88	AAV41C2608T	0.09	0.02	210	0.09	SPG	-	-	-	-
J	0.92	0.01	927	0.91	ANI	2.70	0.02	663	2.64	STANLY	223.00	-	76	221.88
J-W3	0.09	-	564	0.09	AOT	37.00	(1.25)	528,830	37.22	TKT	1.08	-	60	1.08
J-W4	0.14	-	251	0.10	AOT01C2506A	-	-	-	-	TNPC	0.78	(0.03)	1,887	0.79
JCK	0.18	0.01	15,487	0.17	AOT01C2507A	0.04	(0.01)	3,157	0.03	TRU	3.30	-	435	3.28
KC	0.04	-	23	0.03	AOT01C2507B	0.11	(0.02)	41,331	0.12	TSC	12.70	0.10	13	12.68
KUN	1.18	(0.05)	15	1.18	AOT01C2509A	0.22	(0.04)	53,477	0.23	Industrial Materials	-	-	-	-
KUN-W2	-	-	-	-	AOT01C2606T	0.19	(0.01)	15,614	0.19	AKR	1.01	-	20,613	1.01
KUN-W3	-	-	-	-	AOT01P2507A	-	-	-	-	ALLA	1.32	-	6,536	1.32
LALIN	5.05	-	272	5.06	AOT01P2507B	-	-	-	-	ASEFA	3.18	-	728	3.16
LH	4.32	-	172,790	4.29	AOT11C2507A	0.09	(0.02)	3,872	0.10	CPT	0.95	0.01	14,504	0.94
LH19C2510A	0.43	-	2,948	0.42	AOT13C2506A	-	-	-	-	CRANE	0.50	0.01	801	0.49
LPN	2.04	-	4,198	2.03	AOT13C2507A	-	-	-	-	CTW	-	-	-	-
MBK	15.70	(0.20)	5,091	15.69	AOT13C2507B	0.03	(0.01)	400	0.03	FMT	24.70	(1.80)	85	24.30
MBK-W4	-	-	-	-	AOT13C2507C	-	-	-	-	FTE	1.61	-	222	1.61
MBK19C2508A	-	-	-	-	AOT13C2508A	0.11	(0.03)	70,492	0.12	HTECH	3.12	(0.04)	3,244	3.14
MJD	0.58	0.02	2	0.58	AOT13C2509A	0.23	(0.05)	170,299	0.24	KKC	-	-	-	-
MK	1.35	-	300	1.35	AOT13P2507A	-	-	-	-	PCC	2.56	(0.02)	2,246	2.56
NCH	0.63	(0.01)	2,040	0.63	AOT13P2507B	0.29	0.04	31,678	0.28	PK	0.36	-	1,274	0.35
NNCL	1.52	(0.03)	2,625	1.51	AOT19C2506A	-	-	-	-	PSP	4.12	(0.06)	1,537	4.68
NOBLE	2.10	-	5,505	2.11	AOT19C2507A	-	-	-	-	QTC	3.70	0.04	55	3.70
NVD	1.13	(0.01)	90	1.13	AOT19C2507B	0.04	(0.01)	1	0.04	SCI	0.96	(0.01)	848	0.93
ORI	1.98	(0.04)	33,639	1.96	AOT19C2508A	0.11	(0.03)	17,563	0.12	SE	0.39	(0.01)	10,280	0.38
ORN	0.65	-	3,689	0.65	AOT19P2507A	-	-	-	-	SELIC	2.88	-	23	2.87
PEACE	2.36	0.14	6	2.36	AOT41C2505A	-	-	-	-	SNC	5.40	-	806	5.36
PF	0.12	-	230,641	0.12	AOT41C2507A	0.04	(0.01)	1,212	0.04	TCJ	-	-	-	-
PIN	6.40	(0.05)	15,473	6.42	AOT41C2605T	0.02	(0.01)	50	0.02	TPCS	-	-	-	-
PLAT	1.39	0.01	3,956	1.38	AOT41C2609T	0.24	(0.02)	13,215	0.25	VARO	4.48	0.02	1	4.48
PRECHA	0.34	-	236	0.33	AOT41P2606T	0.63	(0.01)	10,023	0.63	Property Fund & REI	-	-	-	-
PRIN	1.50	-	11	1.50	ASIMAR	1.32	(0.02)	384	1.31	AIMCG	2.08	(0.04)	7,439	2.08
PROUD	1.30	0.01	365	1.30	B	0.04	-	13,614	0.04	AIMIRT	9.65	0.05	3,214	9.58
PSH	5.15	0.15	4,893	5.08	B-W8	0.01	-	453	0.01	ALLY	4.66	-	220	4.66
QH	1.59	(0.01)	70,665	1.59	BA	16.20	0.20	37,718	16.12	AMATAR	5.95	(0.05)	655	5.96
RABBIT	0.33	0.02	65,746	0.32	BA01C2508A	0.10	0.01	18,101	0.10	AXTRART	12.20	-	3,176	12.20
RABBIT-P	0.51	-	353	0.50	BA13C2506A	-	-	-	-	B-WORK	4.60	-	2,309	4.60
RABBIT-Q	-	-	-	-	BA19C2507A	0.04	-	1,910	0.04	BAREIT	9.45	0.20	5,595	9.42
RICHY	0.30	(0.01)	4,426	0.30	BA41C2606T	-	-	-	-	BOFFICE	4.72	(0.04)	7,649	4.73
RML	0.17	0.02	24,957	0.16	BEM	5.85	-	492,783	5.78	CPNGC	6.05	-	3,238	6.00
ROJNA	5.55	-	31,993	5.54	BEM13C2505A	-	-	-	-	CPNREIT	12.00	0.20	18,927	11.94
S	0.64	(0.02)	5,667	0.63	BEM13C2506A	-	-	-	-	CPTREIT	4.46	0.02	443	4.44
SA	7.45	0.05	603	7.40	BEM13C2508A	0.16	(0.01)	16,798	0.15	CTARAF	4.58	-	550	4.57
SA-W1	-	-	-	-	BEM19C2505A	-	-	-	-	DREIT	4.92	-	2,186	4.90
SAMCO	0.70	(0.01)	113	0.70	BEM41C2606T	0.12	(0.01)	20,000	0.12	FTREIT	9.05	(0.20)	8,855	9.11
SC	2.24	-	5,730	2.24	BTS	4.96	(0.09)	504,525	4.95	FUTURERT	9.30	(0.15)	1,873	9.46
SENA	1.95	0.01	4,610	1.92	BTS-W8	0.02	-	4,301	0.02	GAHREIT	6.35	(0.05)	631	6.37
SIRI	1.41	(0.04)	547,299	1.42	BTS01C2507A	-	-	-	-	GROREIT	8.35	(0.05)	5,025	8.34
SIRI13C2508A	-	-	-	-										

## Main Board Quotation

Issue Date :

Thursday April 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
LHSC	12.00	0.20	2,339	11.86	TDEX	7.15	(0.02)	12,929	7.15	HSI28P2504C	0.04	-	53	0.05
LUXF	8.00	-	100	8.00	UBOT	12.00	0.80	5	12.39	HSI28P2504D	0.01	-	20	0.01
M-PAT	3.80	(0.26)	12	3.98	UHERO	8.31	(0.08)	58	8.36	HSI28P2504E	-	-	-	-
M-STOR	-	-	-	-	Warrant Foreign	-	-	-	-	HSI28P2504F	0.08	0.01	23,194	0.09
MII	5.15	-	11	5.15	AIA41C2504A	-	-	-	-	HSI28P2504G	0.30	0.04	75,198	0.34
MIPF	-	-	-	-	AIA41C2507A	0.39	(0.03)	11	0.39	HSI28P2504H	0.90	0.09	12	0.94
MIT	0.34	-	1,923	0.33	BABA28C2506A	0.93	(0.17)	2,032	0.93	HSI28P2505A	0.03	-	3,914	0.04
MJLF	3.86	(0.02)	2,804	3.85	BABA28C2506B	0.09	(0.02)	1	0.09	HSI28P2505B	0.09	-	2,742	0.10
MINIT	1.89	(0.01)	216	1.89	BABA28C2506C	0.48	0.11	5	0.48	HSI28P2505C	0.40	0.02	137,014	0.42
MINIT2	-	-	-	-	BABA28C2509A	0.18	(0.04)	21,296	0.15	HSI28P2505D	0.27	0.03	13,808	0.29
MNRF	2.04	0.02	10	2.04	BABA28P2507A	-	-	-	-	HSI28P2505E	0.71	0.07	62,169	0.74
POPF	5.70	0.05	716	5.66	BABA28P2509A	0.21	0.01	49	0.21	HSI28P2505F	-	-	-	-
PROSPECT	7.95	(0.05)	3,019	7.97	BABA41C2504A	-	-	-	-	HSI28P2505G	-	-	-	-
QHBREIT	3.62	(0.04)	2,130	3.62	BABA41C2504B	-	-	-	-	HSI28P2506A	0.11	0.01	4,727	0.12
QHHRREIT	6.60	0.05	54	6.58	BABA41C2504C	-	-	-	-	HSI28P2506B	0.16	0.01	3,502	0.17
QHOP	3.40	-	6	3.38	BABA41C2506A	0.23	0.01	7,565	0.19	HSI28P2506C	0.27	0.02	13,286	0.28
SIRIPRT	6.70	-	9	6.70	BABA41C2507A	0.43	(0.05)	365	0.42	HSI28P2506D	0.65	0.07	15,850	0.65
SPRIME	3.88	(0.06)	920	3.89	BABA41P2504A	-	-	-	-	HSI28P2506E	-	-	-	-
SRIPANWA	5.10	(0.05)	1,480	4.99	BABA41P2506A	0.36	0.03	25	0.36	HSI28P2506F	0.90	0.06	10	0.90
SSPF	3.94	0.38	1	3.94	BABA41P2507A	1.00	0.07	3	1.00	HSI28P2507A	0.88	(0.05)	1,000	0.88
SSTRT	4.62	0.04	10	4.61	BIDU41C2504A	0.05	-	508	0.01	HSI28P2507B	0.21	0.02	2,963	0.22
TIFI	6.95	-	61	6.95	BIDU41C2506A	0.36	-	5,564	0.36	HSI28P2508A	0.89	0.05	200	0.90
TLHPF	2.84	(0.02)	1,126	2.87	BIDU41P2507A	0.57	(0.02)	10	0.58	HSI28P2508B	0.27	0.01	103,047	0.28
TNPF	1.37	-	2	1.37	BYDCOM28C250	-	-	-	-	HSTECH28C2506A	0.65	(0.09)	43	0.64
TPRIME	6.90	-	135	6.90	BYDCOM28C251	0.49	(0.01)	80,205	0.48	HSTECH28C2506B	0.12	(0.04)	7	0.12
TTLPF	12.10	-	128	12.12	BYDCOM28P251	0.24	0.01	36,000	0.24	HSTECH28C2506C	0.27	(0.05)	15	0.27
TU-PF	0.95	-	4	0.95	BYDCOM41C250	1.43	(0.01)	102	1.38	HSTECH28P2506A	-	-	-	-
WHABT	6.95	0.25	36	6.76	BYDCOM41C250	0.26	(0.03)	10	0.27	HSTECH28P2506B	-	-	-	-
WHAIR	4.66	-	2,987	4.66	BYDCOM41P250	0.26	0.01	28	0.26	HSTECH28P2506C	-	-	-	-
WHART	8.95	(0.15)	12,507	9.04	DJI28C2506A	-	-	-	-	JD41C2506A	0.06	(0.04)	1,500	0.06
Steel and Metal Prod	-	-	-	-	DJI28C2509A	0.54	(0.06)	2,028	0.56	KUAI5H41C2506A	0.64	(0.10)	10	0.64
ZS	2.10	-	244	2.09	DJI28P2506A	1.35	0.12	1,651	1.36	KUAI5H41C2506B	0.06	(0.02)	91	0.06
2M	2.24	0.02	319	2.22	DJI41C2506A	0.03	(0.02)	1,558	0.04	MCA5041C2506A	0.24	-	14	0.24
BSBM	0.71	0.01	1,210	0.71	DJI41C2506B	0.21	(0.06)	67,112	0.21	MCA5041P2506A	0.47	(0.02)	1	0.47
CEN	1.70	(0.01)	137	1.72	DJI41P2506A	1.06	0.09	10,669	1.03	MEITUA28C2504A	-	-	-	-
CEN-W5	0.06	-	3,423	0.05	GEELY41C2506A	0.10	(0.02)	3	0.10	MEITUA28C2507A	-	-	-	-
CITY	1.60	0.01	17	1.54	HSIO6C2504A	0.05	(0.09)	45,355	0.05	MEITUA28P2504B	-	-	-	-
CSP	0.48	-	37	0.48	HSIO6C2504B	0.41	(0.23)	89,568	0.37	MEITUA41C2504A	-	-	-	-
GJS	0.15	0.01	4,301	0.15	HSIO6C2504C	-	-	-	-	MEITUA41C2506A	-	-	-	-
GSTEEL	-	-	-	-	HSIO6C2504D	0.01	(0.20)	18	0.01	MEITUA41C2507A	0.18	(0.08)	111	0.20
INOX	0.44	-	12,766	0.44	HSIO6C2504E	0.01	-	649	0.01	NDX28C2506A	-	-	-	-
LHK	3.26	-	59	3.26	HSIO6C2505A	0.22	(0.07)	104,731	0.20	NDX28C2506B	-	-	-	-
MCS	7.55	0.05	5,106	7.52	HSIO6C2505B	0.11	(0.04)	32,348	0.10	NDX28C2506C	0.12	(0.03)	30	0.12
MILL	0.10	-	14,993	0.09	HSIO6C2505C	-	-	-	-	NDX28C2509A	0.60	(0.03)	20	0.60
PAP	1.48	0.03	199	1.46	HSIO6C2505D	0.08	-	159	0.05	NDX28C2509B	0.39	(0.04)	3,881	0.40
PERM	0.42	0.02	10,730	0.40	HSIO6C2505E	0.53	(0.16)	43,041	0.50	NDX28P2506A	0.66	0.03	11	0.63
SAM	0.15	0.01	56	0.15	HSIO6C2505F	-	-	-	-	NDX28P2509A	0.62	0.01	271	0.59
SMIT	3.68	-	23	3.68	HSIO6C2506A	0.53	(0.09)	22,492	0.51	NDX28P2509B	0.47	(0.08)	234	0.46
SSSC	2.20	-	744	2.20	HSIO6C2506B	1.02	(0.12)	215	1.00	NDX41C2506A	0.03	(0.02)	200	0.03
TGPRO	0.07	-	3,530	0.06	HSIO6C2506C	0.24	(0.04)	50,239	0.22	NDX41C2506B	0.06	(0.02)	19,332	0.06
THE	0.62	-	75	0.62	HSIO6C2506D	0.10	(0.02)	6,040	0.09	NDX41C2506C	0.16	(0.04)	8,837	0.18
TMT	3.22	(0.02)	174	3.21	HSIO6C2506E	-	-	-	-	NDX41C2506D	0.52	(0.08)	6,559	0.54
TSTH	0.72	0.05	72,523	0.70	HSIO6C2507A	0.15	(0.02)	11,416	0.14	NDX41C2509T	1.20	(0.11)	533	1.23
TWP	1.10	0.06	61	1.07	HSIO6C2508A	0.40	(0.05)	33,224	0.39	NDX41P2506A	0.91	0.04	17,029	0.90
TYCN	1.75	0.03	8	1.70	HSIO6P2504A	0.01	-	26	0.01	NDX41P2506B	0.40	0.02	31,054	0.39
Construction Service	-	-	-	-	HSIO6P2504B	0.01	-	1	0.01	NDX41P2509T	4.04	0.04	100	4.03
APCS	1.49	-	444	1.43	HSIO6P2504C	-	-	-	-	NIKKEI28C2506A	0.20	(0.03)	669	0.20
BJCHI	0.73	0.01	2,006	0.71	HSIO6P2504D	0.02	(0.01)	95	0.02	NIKKEI28C2506B	-	-	-	-
BKD	1.16	-	62	1.15	HSIO6P2504E	0.05	(0.02)	6,989	0.06	NIKKEI28C2506C	-	-	-	-
CIVIL	1.54	0.03	145	1.51	HSIO6P2504F	0.16	-	48,609	0.18	NIKKEI28P2506A	0.23	0.01	4,656	0.23
CK	15.80	(0.10)	6,781	15.76	HSIO6P2504G	0.32	0.05	189,979	0.35	NIKKEI28P2506B	0.44	(0.07)	1	0.44
CNT	0.99	0.01	1,033	0.98	HSIO6P2504H	-	-	-	-	NIKKEI28P2506C	-	-	-	-
DEMCO	1.66	0.01	732	1.66	HSIO6P2505A	0.20	0.01	26,557	0.21	NIKKEI41C2506A	-	-	-	-
EMC	0.06	-	26,585	0.05	HSIO6P2505B	0.36	0.01	45,758	0.39	NIKKEI41C2506B	-	-	-	-
EMC-W7	0.03	(0.01)	140	0.04	HSIO6P2505C	0.50	0.03	25,722	0.54	NIKKEI41C2509A	0.25	(0.01)	526	0.26
ITD	0.26	0.04	469,537	0.24	HSIO6P2505D	-	-	-	-	NIKKEI41C2509B	0.16	0.01	9	0.16
JR	1.83	0.01	3,504	1.82	HSIO6P2505E	-	-	-	-	NIKKEI41C2509C	0.35	(0.04)	882	0.38
NL	0.94	-	581	0.93	HSIO6P2505F	-	-	-	-	NIKKEI41P2506A	0.39	(0.01)	15	0.39
NWR	0.03	(0.01)	136,480	0.04	HSIO6P2506A	0.16	-	17,121	0.17	NIKKEI41P2506B	0.19	(0.01)	23	0.19
PLE	0.21	-	5,244	0.20	HSIO6P2506B	0.31	0.01	83,081	0.32	NIKKEI41P2509A	0.64	-	2,101	0.65
PREB	3.70	0.04	522	3.66	HSIO6P2506C	0.57	0.04	11,464	0.59	NIKKEI41P2509B	0.48	-	2,116	0.48
PYLON	1.82	-	301	1.81	HSIO6P2506D	0.75	0.12	5,020	0.76	NIKKEI41P2509C	0.80	0.02	351	0.77
RT	0.30	-	8,449	0.30	HSIO6P2506E	-	-	-	-	NTES41C2506A	0.26	-	4,105	0.27
SEAFCO	2.04	0.05	1,519	2.01	HSIO6P2506F	-	-	-	-	PINGAN41C2504A	-	-	-	-
SQ	0.75	0.01	638	0.74	HSIO6P2507A	0.73	0.01	10,874	0.75	PINGAN41C2507A	0.19	-	4	0.19
SRICHA	3.90	(0.02)	1,275	3.91	HSIO6P2508A	-	-	-	-	POPMAR41C2506A	1.22	0.03	187	1.19
STECOM	7.55	0.20	49,658	7.51	HSI28C2504A	0.02	-	1,310	0.01	POPMAR41C2507A	0.57	0.02	3,717	0.56
STI	2.50	(0.04)	371	2.48	HSI28C2504B	-	-	-	-	SET01C2505A	0.02	-	2,023	0.01
STPI	2.44	(0.02)	8,321	2.46	HSI28C2504C	0.31	(0.16)	133,848	0.28	SET01C2506A	0.01	(0.01)	3,345	0.01
SYNTEC	1.54	0.01	2,733	1.53	HSI28C2504D	0.01	-	3,136	0.01	SET01C2506B	-	-	-	-
TEAMG	3.20	0.02	30,151	3.21	HSI28C2504E	0.01	-	5,111	0.01	SET01C2507A	0.13	(0.02)	3,985	0.13
TEAMG-W1	0.17	(0.01)	17,698	0.17	HSI28C2504F	0.01	(0.03)	8,695	0.01	SET01C2509A	0.74	(0.03)	7,429	0.74
TEKA	1.86	(0.08)	3,499	1.86	HSI28C2505A	0.10	(0.02)	7,110	0.09	SET01P2505A	3.48	(0.54)	5	3.48
TPOLY	0.41	0.01	1,127	0.40	HSI28C2505B	-	-	-	-	SET01P2506A	1.29	0.09	11	1.29
TRC	0.60	(0.01)	2,413	0.60	HSI28C2505C	0.04	(0.01)	11,012	0.04	SET01P2507A	0.67	(0.20)	169	0.85
TRITN	0.08	0.01	207,740	0.07	HSI28C2505D	0.07	(0.03)	450	0.07	SET5001C2505A	0.02	-	46	0.01
TRITN-W7	0.01	-	4,800	0.01	HSI28C2505E	0.15	(0.03)	6,832	0.14	SET5001C2506A	0.02	-	1,001	0.01
TTCL	1.00	(0.01)	2,482	1.00	HSI28C2505F									

## Main Board Quotation

Issue Date :

Thursday April 24, 2025

Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price	Securities	Close	Change	Volume (Lot)	Average Price
SET5006C2506F	0.52	(0.09)	77,599	0.52	SET5041P2506D	0.24	0.01	261	0.23	0	-	-	-	-
SET5006C2509A	0.42	(0.03)	90,687	0.42	SET5041P2506E	0.38	-	4	0.38	0	-	-	-	-
SET5006P2506A	-	-	-	-	SET5041P2506F	0.27	-	164,409	0.28	0	-	-	-	-
SET5006P2506B	-	-	-	-	SET5041P2506T	1.81	0.03	1,513,122	1.84	0	-	-	-	-
SET5006P2506C	-	-	-	-	SET5041P2509A	0.52	-	209,886	0.54	0	-	-	-	-
SET5006P2506D	-	-	-	-	SET5041P2509B	0.74	-	985,129	0.74	0	-	-	-	-
SET5006P2506E	0.57	(0.02)	97,838	0.59	SET5041P2509T	0.46	0.02	164,584	0.46	0	-	-	-	-
SET5006P2506F	0.50	(0.02)	244,054	0.51	SPX28C2506A	0.05	(0.03)	10	0.05	0	-	-	-	-
SET5006P2509A	0.55	0.04	144,890	0.57	SPX28C2506B	0.10	(0.09)	60	0.10	0	-	-	-	-
SET5013C2506A	-	-	-	-	SPX28C2506C	0.26	(0.02)	63	0.26	0	-	-	-	-
SET5013C2506B	-	-	-	-	SPX28C2509A	0.80	(0.08)	7	0.80	0	-	-	-	-
SET5013C2506C	-	-	-	-	SPX28P2506A	0.58	-	3	0.58	0	-	-	-	-
SET5013C2506D	-	-	-	-	SPX28P2506B	0.32	0.01	435	0.31	0	-	-	-	-
SET5013C2506E	-	-	-	-	SPX41C2506A	-	-	-	-	0	-	-	-	-
SET5013C2506F	0.01	-	2,000	0.01	SPX41C2506B	0.07	(0.02)	4,000	0.07	0	-	-	-	-
SET5013C2506G	0.03	-	176	0.03	SPX41C2506C	0.17	(0.04)	1	0.17	0	-	-	-	-
SET5013C2506H	0.03	-	6,777	0.02	SPX41C2506D	0.47	(0.09)	1,306	0.48	0	-	-	-	-
SET5013C2506I	0.03	(0.01)	2,100	0.03	SPX41C2509T	1.42	(0.09)	101	1.42	0	-	-	-	-
SET5013C2506J	0.05	(0.01)	3,282	0.06	SPX41P2506A	0.81	(0.25)	13,970	0.79	0	-	-	-	-
SET5013C2506K	0.07	(0.01)	22,854	0.07	SPX41P2506B	0.36	0.02	3,590	0.36	0	-	-	-	-
SET5013C2506L	0.13	(0.02)	907,375	0.13	SPX41P2509T	3.86	0.08	2	3.86	0	-	-	-	-
SET5013C2506M	0.20	(0.04)	619,883	0.21	TENCEN28C250I	0.70	(0.04)	20	0.70	0	-	-	-	-
SET5013C2506N	0.09	(0.02)	121,336	0.09	TENCEN28C250J	0.23	(0.02)	6,492	0.23	0	-	-	-	-
SET5013C2506O	0.42	(0.05)	1,825,073	0.43	TENCEN28P250I	0.44	(0.04)	24,000	0.45	0	-	-	-	-
SET5013C2506P	0.53	(0.05)	1,152,999	0.53	TENCEN41C250I	-	-	-	-	0	-	-	-	-
SET5013C2506Q	0.28	(0.03)	733,100	0.28	TENCEN41C250J	0.01	(0.06)	363	0.01	0	-	-	-	-
SET5013C2506T	0.01	-	3	0.01	TENCEN41C250K	-	-	-	-	0	-	-	-	-
SET5013C2509A	0.62	(0.04)	441,592	0.62	TENCEN41C250L	0.63	(0.05)	26,700	0.62	0	-	-	-	-
SET5013C2509T	0.26	(0.03)	174,820	0.27	TENCEN41P250I	0.39	0.02	78	0.40	0	-	-	-	-
SET5013P2506A	1.63	0.03	70	1.73	TRIPDC41C2506	0.33	(0.05)	6	0.33	0	-	-	-	-
SET5013P2506B	1.83	0.16	4	1.63	XIAOMI28C2504	2.84	0.02	6	2.79	0	-	-	-	-
SET5013P2506C	2.46	(0.52)	250	2.48	XIAOMI28C2508	1.12	0.05	50	1.09	0	-	-	-	-
SET5013P2506D	-	-	-	-	XIAOMI28C2509	0.39	(0.03)	10,911	0.38	0	-	-	-	-
SET5013P2506E	1.20	0.35	2	1.20	XIAOMI28P2505	-	-	-	-	0	-	-	-	-
SET5013P2506F	0.46	0.04	972	0.53	XIAOMI28P2509	-	-	-	-	0	-	-	-	-
SET5013P2506G	0.35	-	45,003	0.39	XIAOMI28P2510	0.63	(0.01)	26	0.65	0	-	-	-	-
SET5013P2506H	1.80	-	56	0.74	XIAOMI41C2504	1.25	(0.04)	3	1.25	0	-	-	-	-
SET5013P2506I	0.20	0.02	11,611	0.20	XIAOMI41C2506	0.80	0.03	201	0.78	0	-	-	-	-
SET5013P2506J	0.24	0.03	10,026	0.25	XIAOMI41C2506	0.18	0.01	177	0.17	0	-	-	-	-
SET5013P2506K	0.26	(0.03)	576	0.29	XIAOMI41C2507	0.12	-	119	0.12	0	-	-	-	-
SET5013P2506L	0.59	0.04	175	0.60	XIAOMI41P2506	0.44	(0.03)	655	0.45	0	-	-	-	-
SET5013P2506M	0.61	0.16	63	0.55	0	-	-	-	-	0	-	-	-	-
SET5013P2506N	0.07	0.01	151,475	0.07	0	-	-	-	-	0	-	-	-	-
SET5013P2506O	0.13	(0.01)	16,164	0.13	0	-	-	-	-	0	-	-	-	-
SET5013P2506P	0.30	-	788,021	0.31	0	-	-	-	-	0	-	-	-	-
SET5013P2506Q	0.43	0.01	1,310,617	0.44	0	-	-	-	-	0	-	-	-	-
SET5013P2506R	0.53	0.01	2,502,141	0.55	0	-	-	-	-	0	-	-	-	-
SET5013P2506T	2.98	0.14	14	2.97	0	-	-	-	-	0	-	-	-	-
SET5013P2509A	0.23	-	376,182	0.24	0	-	-	-	-	0	-	-	-	-
SET5013P2509B	0.65	0.02	311,221	0.66	0	-	-	-	-	0	-	-	-	-
SET5013P2509T	0.37	(0.01)	8,018	0.39	0	-	-	-	-	0	-	-	-	-
SET5019C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506F	0.05	0.02	22	0.04	0	-	-	-	-	0	-	-	-	-
SET5019C2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506H	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019C2506L	0.14	(0.02)	322	0.14	0	-	-	-	-	0	-	-	-	-
SET5019C2506M	0.16	(0.07)	331	0.19	0	-	-	-	-	0	-	-	-	-
SET5019C2506N	0.16	(0.12)	1	0.16	0	-	-	-	-	0	-	-	-	-
SET5019C2506O	0.59	(0.06)	7,395	0.60	0	-	-	-	-	0	-	-	-	-
SET5019C2506P	1.27	(0.08)	4,387	1.27	0	-	-	-	-	0	-	-	-	-
SET5019C2506Q	0.51	(0.04)	637,081	0.50	0	-	-	-	-	0	-	-	-	-
SET5019C2509A	0.98	(0.03)	371,356	0.96	0	-	-	-	-	0	-	-	-	-
SET5019C2509B	0.39	(0.61)	208,608	0.38	0	-	-	-	-	0	-	-	-	-
SET5019P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506B	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506D	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506E	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506F	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506G	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506H	0.58	-	9	0.55	0	-	-	-	-	0	-	-	-	-
SET5019P2506I	0.73	(0.02)	2	0.73	0	-	-	-	-	0	-	-	-	-
SET5019P2506J	0.28	0.01	2	0.29	0	-	-	-	-	0	-	-	-	-
SET5019P2506K	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5019P2506L	0.35	0.01	272,569	0.36	0	-	-	-	-	0	-	-	-	-
SET5019P2506M	0.72	-	556,967	0.74	0	-	-	-	-	0	-	-	-	-
SET5019P2506N	0.70	0.02	555,108	0.71	0	-	-	-	-	0	-	-	-	-
SET5019P2509A	0.68	0.01	259,560	0.69	0	-	-	-	-	0	-	-	-	-
SET5041C2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506B	0.02	-	1	0.02	0	-	-	-	-	0	-	-	-	-
SET5041C2506C	0.12	(0.02)	11,725	0.12	0	-	-	-	-	0	-	-	-	-
SET5041C2506D	0.46	(0.03)	122,058	0.46	0	-	-	-	-	0	-	-	-	-
SET5041C2506E	0.50	(0.06)	1,304,508	0.49	0	-	-	-	-	0	-	-	-	-
SET5041C2506F	0.31	(0.03)	302,480	0.30	0	-	-	-	-	0	-	-	-	-
SET5041C2506G	0.47	(0.07)	1,036,783	0.47	0	-	-	-	-	0	-	-	-	-
SET5041C2506H	0.51	(0.06)	986,048	0.50	0	-	-	-	-	0	-	-	-	-
SET5041C2506I	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506J	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2506K	0.28	(0.04)	168,244	0.28	0	-	-	-	-	0	-	-	-	-
SET5041C2506T	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041C2509T	0.08	-	27,906	0.07	0	-	-	-	-	0	-	-	-	-
SET5041C2509U	0.29	(0.01)	20,361	0.28	0	-	-	-	-	0	-	-	-	-
SET5041C2509V	0.69	(0.03)	634,073	0.68	0	-	-	-	-	0	-	-	-	-
SET5041P2506A	-	-	-	-	0	-	-	-	-	0	-	-	-	-
SET5041P2506B	1.63	0.04	656	1.64	0	-	-	-	-	0	-	-	-	-
SET5041P2506C	-	-	-	-	0	-	-	-	-	0	-	-	-	-





## Main Board Quotation

Issue Date :

Thursday April 24, 2025

Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average	Securities	Close	Change	Volume	Average
			(Lot)	Price				(Lot)	Price				(Lot)	Price
<b>Warrant - MAI</b>														
Agro & Food Indust			-		UBIS	1.15	0.01	298	00 1.1	LDC	0.42	0.02	332	00 0.4
APO	1.45	(0.02)	2,883	00 1.4	UEC	0.70	0.02	246	00 0.6	LEO	1.90	0.03	750	00 1.8
AU	9.25	(0.35)	25,337	00 9.3	UKEM	0.49	-	5,610	00 0.4	LTMH	4.70	(0.06)	5,842	00 4.7
CFARM	0.94	0.01	136,709	00 0.9	UREKA	0.78	0.01	33,249	00 0.7	MCA	1.18	-	7,941	00 1.1
JCHK	0.16	(0.02)	9,272	00 0.1	YUASA	9.95	(0.05)	65	00 10.1	MEB	21.90	(0.30)	1,291	00 21.8
KASET	0.60	-	777	00 0.6	ZIGA	1.17	0.01	88,592	00 1.1	MORE	0.02	-	10,479	00 0.0
MAGURO	17.70	(0.30)	8,180	00 17.7	ZIGA-W2	0.10	-	60,760	00 0.0	MOTHER	0.75	0.02	12,860	00 0.7
MUD	-	-	0	00 0.0	Property					MPJ	3.48	-	3,471	00 3.4
NTSC	5.75	-	49	00 5.7	24CS	1.21	0.11	62,921	00 1.1	MVP	0.53	(0.02)	4,769	00 0.5
TACC	4.42	(0.06)	12,337	00 4.4	24CS-W1	0.10	0.01	20,756	00 0.1	NCL	0.20	(0.02)	1,688	00 0.2
TMILL	1.76	-	612	00 1.7	24CS-W2	0.11	-	21,481	00 0.1	NCP	1.13	(0.01)	78	00 1.1
WINNER	1.97	0.01	264	00 1.9	ARIN	0.44	-	6,342	00 0.4	NEWS	0.01	-	226,390	00 0.0
XO	15.80	0.20	1,939	00 15.6	ARROW	5.00	-	482	00 4.9	PEER	0.11	(0.01)	8,757	00 0.1
Consumer Products			-		BC	0.89	(0.04)	906	00 0.9	PEER-W2	0.02	-	2,467	00 0.0
ALPHAX	0.39	(0.01)	18,673	00 0.3	BC-W2	-	-	0	00 0.0	PICO	-	-	0	00 0.0
BGT	0.38	(0.01)	111	00 0.3	BKA	2.26	(0.24)	507,443	00 2.4	PLT	0.58	-	1,195	00 0.5
DOD	1.19	0.01	1,812	00 1.1	BLESS	0.21	-	9	00 0.2	QLT	3.00	(0.02)	44	00 3.0
ECF	0.18	-	55,993	00 0.1	BSM	0.82	0.02	289	00 0.8	RP	0.84	0.04	7	00 0.8
ECF-W5	0.01	-	2,000	00 0.0	BTW	0.19	(0.01)	2,585	00 0.1	SONIC	1.59	(0.02)	29	00 1.5
EFORL	0.16	0.01	22,248	00 0.1	CAZ	1.75	-	38	00 1.7	THMUI	0.38	0.01	12	00 0.3
EFORL-W6	0.01	-	10	00 0.0	CHEWA	0.26	-	146	00 0.2	TNDT	0.18	(0.01)	145	00 0.1
EURO	4.40	0.02	777	00 4.3	CPANEL	2.70	(0.06)	14	00 2.7	TNDT-W1	-	-	0	00 0.0
HPT	0.45	-	27,790	00 0.4	CPANEL-W1	0.04	-	2,190	00 0.0	TNH	34.00	-	4	00 34.0
ITTHI	1.43	(0.02)	360	00 1.4	CRD	0.32	-	152	00 0.3	TNP	2.70	0.02	854	00 2.6
JSP	1.85	-	2,143	00 1.8	DHOUSE	0.62	-	522	00 0.6	TPL	0.48	-	16,915	00 0.4
JSP-W2	0.03	-	2,439	00 0.0	DIMET	0.09	-	18,066	00 0.0	TRP	6.20	(0.05)	8,629	00 6.1
JUBILE	7.30	(0.15)	1,051	00 7.3	DPAINT	0.64	(0.01)	4,142	00 0.6	TURTLE	6.10	(0.10)	1	00 6.1
LTS	6.10	0.05	3,176	00 6.0	FLOYD	0.91	-	867	00 0.9	TVDH	0.14	-	254	00 0.1
MGI	11.00	0.40	39,399	00 11.4	HYDRO	1.22	(0.03)	355	00 1.2	TVDH-W3	-	-	0	00 0.0
MGI-W1	2.60	0.16	75,307	00 2.7	HYDRO-W2	0.17	0.07	387	00 0.0	TVT	0.30	0.01	1,107	00 0.2
MOONG	1.91	(0.01)	584	00 1.9	IND	0.87	0.02	4,611	00 0.8	UBA	1.00	0.03	20,405	00 0.9
NPK	10.20	0.10	16	00 10.1	JAK	0.98	(0.16)	452	00 0.9	VL	0.85	(0.01)	825	00 0.8
SEI	3.22	-	804	00 3.2	K	1.32	(0.01)	12	00 1.3	VS	0.36	0.07	323	00 0.3
SMD100	3.82	-	312	00 3.8	K-W3	0.20	-	21	00 0.1	YGG	0.42	(0.01)	3,925	00 0.4
TM	0.71	(0.02)	2,043	00 0.7	META	0.08	-	6,839	00 0.0	Technology				
TM-W1	-	-	0	00 0.0	PANEL	1.18	-	172	00 1.1	APP	1.76	-	2,014	00 1.7
WARRIX	2.94	(0.04)	3,878	00 2.9	PPS	0.17	(0.01)	6,724	00 0.1	BBIK	29.00	0.75	7,319	00 28.7
WINMED	1.17	0.01	254	00 1.1	PRI	5.50	-	358	00 5.4	BE8	11.00	0.50	22,349	00 10.9
Financials			-		PROS	0.90	-	13,743	00 0.9	BE8-W1	0.57	(0.09)	91	00 0.6
ACAP	-	-	0	00 0.0	PROS-W1	0.07	-	4,797	00 0.0	BVG	1.82	0.01	411	00 1.8
AF	0.34	0.01	123	00 0.3	PSG	0.46	(0.07)	1,145,545	00 0.5	COMAN	0.60	(0.01)	373	00 0.5
AIRA	1.25	(0.05)	14	00 1.2	QTCG	0.16	-	671	00 0.1	I2	1.08	0.15	84,426	00 1.0
ASN	1.04	0.01	1	00 1.0	SENX	0.22	(0.01)	4,042	00 0.2	IIG	2.58	(0.04)	145	00 2.5
BTC	0.35	(0.02)	199,610	00 0.3	SK	0.61	-	1,335	00 0.6	IRCP	0.41	0.02	46,124	00 0.4
BTC-W7	0.12	(0.01)	2,703	00 0.1	SMART	0.68	0.01	13,942	00 0.6	ITNS	1.39	(0.02)	7	00 1.3
GCAP	0.28	(0.02)	83,483	00 0.2	STC	0.48	-	1,422	00 0.4	NAT	3.84	0.04	1,972	00 3.8
KCC	1.77	0.05	698	00 1.7	STX	1.24	0.03	4,757	00 1.2	NETBAY	20.40	0.60	10,629	00 20.2
LIT	0.48	(0.01)	3,917	00 0.4	SVR	0.60	-	391	00 0.6	PIS	4.80	0.02	3,682	00 4.8
MITTSIB	0.54	-	582	00 0.5	TAPAC	-	-	0	00 0.0	PLANET	1.60	-	23,676	00 1.5
SGF	0.16	-	1,517	00 0.1	THANA	1.05	0.01	264	00 1.0	PLANET-W2	0.73	-	40	00 0.7
SGF-P1	-	-	0	00 0.0	TIGER	0.44	(0.03)	83	00 0.4	PROEN	1.26	(0.02)	141,914	00 1.2
SGF-Q1	-	-	0	00 0.0	TITLE	3.94	-	721	00 3.9	PROEN-W2	0.39	-	16,583	00 0.3
TQR	4.70	0.10	287	00 4.7	WELL	-	-	0	00 0.0	READY	4.90	0.08	449	00 5.0
Industrials			-		YONG	0.90	(0.01)	3,312	00 0.9	SECURE	11.70	0.20	570	00 11.5
ADB	0.57	0.01	1,103	00 0.5	Resources					SICT	3.16	0.08	762	00 3.1
BM	2.50	(0.04)	429	00 2.4	ABM	0.70	-	146	00 0.6	SIMAT	1.01	0.01	15,123	00 1.0
BM-W3	0.64	(0.05)	692	00 0.6	GTV	0.10	-	106,957	00 0.0	SIMAT-W3	-	-	0	00 0.0
BPS	0.53	(0.01)	5,573	00 0.5	PSTC	0.41	-	8,102	00 0.4	SPVI	1.33	-	881	00 1.3
CHO	0.03	-	11,785	00 0.0	PSTC-W2	0.01	-	388	00 0.0	SRS	3.60	0.06	100	00 3.5
CHO-W4	-	-	0	00 0.0	PSTC-W3	0.11	0.01	12,726	00 0.1	TBN	5.85	(0.10)	423	00 5.9
CHOW	1.16	(0.10)	2,838	00 1.1	PTC	0.88	(0.01)	176	00 0.8	TERA	1.19	-	914	00 1.2
CIG	0.03	(0.01)	1,768	00 0.0	SAAM	6.00	-	55	00 6.0	TPS	3.94	(0.02)	5,145	00 3.9
CIG-W10	-	-	0	00 0.0	SR	0.48	(0.01)	26	00 0.4	VCOM	2.46	(0.02)	729	00 2.4
CIG-W9	0.02	-	4	00 0.0	STOWER	0.04	-	1,017	00 0.0		-	-	-	-
COLOR	1.07	-	169	00 1.0	TAKUNI	0.36	(0.01)	6,173	00 0.3		-	-	-	-
CPR	2.86	-	1,321	00 2.8	TPCH	2.72	(0.06)	5,250	00 2.7		-	-	-	-
FPI	1.51	-	474	00 1.5	UMS	-	-	0	00 0.0		-	-	-	-
GTB	0.74	0.01	1,987	00 0.7	Services						-	-	-	-
HARN	2.18	0.04	1,450	00 2.1	ADD	3.52	0.02	61	00 3.5		-	-	-	-
KCM	0.20	0.01	248	00 0.1	AKP	0.68	-	2,451	00 0.6		-	-	-	-
KJL	6.70	(0.05)	688	00 6.6	AMA	4.02	-	423	00 4.0		-	-	-	-
KUMWEL	1.07	0.01	729	00 1.0	AMARC	1.30	(0.05)	6,786	00 1.3		-	-	-	-
KWM	1.06	0.01	7,188	00 1.0	ARIP	0.39	-	1,653	00 0.3		-	-	-	-
MBAX	1.34	0.02	258	00 1.3	ATP30	0.84	0.01	2,163	00 0.8		-	-	-	-
MGT	1.78	0.03	441	00 1.7	AUCT	7.25	0.15	20,835	00 7.3		-	-	-	-
MTW	1.23	0.01	8,453	00 1.2	BIS	2.80	0.04	83	00 2.7		-	-	-	-
MTW-W1	-	-	0	00 0.0	BOL	5.25	0.15	2,456	00 5.1		-	-	-	-
NDR	1.16	0.07	1,625	00 1.1	CEYE	2.04	(0.08)	336	00 2.0		-	-	-	-
PACO	1.42	0.01	680	00 1.4	CHIC	0.30	-	1,732	00 0.3		-	-	-	-
PACO-W1	0.03	-	1,784	00 0.0	CMO	0.59	(0.01)	3,332	00 0.5		-	-	-	-
PDG	2.64	0.02	5	00 2.5	D	2.36	-	2,034	00 2.3		-	-	-	-
PHOL	2.82	-	2,119	00 2.7	DEXON	1.31	0.01	61	00 1.3		-	-	-	-
PIMO	1.20	-	425	00 1.1	DV8									